

Rustler® (Model 37054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3628 2735
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2735F
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	3735
2545	Bushings (plastic) (5x8x2.5mm) (4)	
1675	Bushings, self-lubricating (5x11x4mm) (14)	3728
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	
	Body & Accessories	3722
1926	Antenna caps, vinyl (2)/ antenna spool	
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	3728/
1834	Body Clips (12) (standard size)	5720
3934	Body clips, heavy duty (12)	3722
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	
0044	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	
3614 1815	Body mounts (front & rear)	3725
6716	Body washers (8) Body Washers, Foam, 2mm/3mm/4mm	0000
3750X	Body, Rustler® (also fits Rustler® VXL), blue (painted, decals	3629 9462
01000	applied, assembled with wing)	9462
3750G	Body, Rustler® (also fits Rustler® VXL), green (painted, decals	9462
	applied, assembled with wing)	9462
3750T	Body, Rustler® (also fits Rustler® VXL), orange (painted, decals	9462
	applied, assembled with wing)	9462
3750	Body, Rustler® (also fits Rustler® VXL), red & black (painted,	5185
3750R	decals applied, assembled with wing)	3729
3/50K	Body, Rustler® (also fits Rustler® VXL), red (painted, decals applied, assembled with wing)	3723
3714	Body, Rustler® (clear, requires painting)/window, lights decal	3729
••••	sheet/ wing and aluminum hardware	3723
3749	Body, Rustler®, Hawaiian graphics (painted, decals applied)	4974
3750L	Body, Rustler®, ProGraphix® (graphics are printed, requires	3677
	paint & final color application)/ wing/ decal sheet	3677
3748	Body, Rustler®, Rock n' Roll (painted, decals applied)	3677 3677
2514	Decal sheet, racing sponsors	30//
3716	Decal sheets, Rustler®	9464
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	2477
5185 4974	Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	
4974 3677X	Wheelie bar mount (1) / hardware (blue)	3678
3677A	Wheelie bar mount (1) / hardware (green)	
3677P	Wheelie bar mount (1) / hardware (pink)	3678
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit	
	series)	3678
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,	3678
	Rustler®, Bandit® series)	3070
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	3678
	series)	
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,	
30/01	Rustler®, Bandit® series)	9460
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	9460
	Bandit series)	4976
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,	5186
	Bandit® series)	5186
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar	5100
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	9461
E40C	axles (2)/ rubber tires (2)	
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	9461
	Chassis & Attachments	9461
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	0404
0400	BCS (with threadlock) (2)	9461
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)	9461
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12	5461
54056	BCS (with threadlock) (2)	9461
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12	
	BCS (with threadlock) (2)	9461
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12	
	BCS (with threadlock) (2)	2200
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12	2380
	BCS (with threadlock) (2)	2381
3725X	Battery expansion kit (allows for installation of taller multi-cell	2001
3727	battery packs) (Rustler®, Bandit, Stampede®) Battery bold-down plate (black)/ metal posts (2)/body clips (2)	2382
3727A	Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2) / body clips (2)	
JIZIA	Dattery noid-down place ($y(ey)$ i metal posts (2) i body clips (2)	

3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	Bumper (front)
2735P	Bumper (front) (pink)
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
3728	Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)
3722X	Lower chassis (black) (166mm long battery compartment) (fits
	both flat and hump style battery packs)(use only with #3725R ESC mounting plate)
3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat
512010	and hump style battery packs)
3722R	Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R
3725R	ESC mounting plate) Mounting plate, electronic speed control (for installation of XL-5/VXL
	into Bandit or Rustler®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9462X 9462	Side plates, wheelie bar, blue (aluminum) (2) Side plates, wheelie bar, charcoal gray (aluminum) (2)
9462G	Side plates, wheelie bar, green (aluminum) (2)
9462A	Side plates, wheelie bar, orange (aluminum) (2)
9462P	Side plates, wheelie bar, pink (aluminum) (2)
9462R	Side plates, wheelie bar, red (aluminum) (2)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
3729	Upper chassis (black)
3723	Upper chassis (black)
3729A	Upper chassis (gray)
3723A 4974	Upper chassis (grey) Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677X	Wheelie bar mount (1) / hardware (blue)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
	series)
9464	Wheelie bar mount (heavy duty)
2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
3678	LED light kit installation) Wheelie bar, assembled (black) (fits Slash®, Stampede®,
3678X	Rustler®, Bandit® series)
50707	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
9460	Wheelie bar, black (assembled)/ wheelie bar mount
9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
4976 5496 A	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
9461X	axles (2)/ rubber tires (2) Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/
14640	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
9461R	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2 5mm ball bearings (4)/ o-rings (2)/ 5x8x0 3mm TW (2)
9461	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, black (26mm (2), 18mm (2))
	Differential Components
2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampada®, Slash®)
2381X	Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit,
20017	Stampede® Rustler®)

Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment

shaft (1) all hardened steel

Page 2 Rustler®: TQ[™] 2.4 GHz Radio (Model 37054-1) Parts List

2388X	
	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
1647	Silicone Grease
	Driveline Components
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
628X	Differential output yokes, hardened steel (w/ U-joints) (2)
828X 951R	Differential output yokes, heavy duty (2)/ screw pin (2) Driveshafts, rear, steel-spline constant-velocity (complete
95 IK	assembly) (2) (fits 2WD Rustler®/Stampede®)
953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
5752	(plastic shafts only) Half shaft, external splined (steel-spline constant velocity) (1)
1 52	(fits 2WD Rustler®/Stampede®)
751	Half shaft, internal splined (steel-spline constant velocity) (1)
850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/
951	metal u-joints (4) Half shafts, long truck (external-splined (2) & internal-splined (2)/
001	metal U-joints (4)
757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
752	pins, dustboots, lube, and hardware) Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	aluminum (orange-anodized)/ 5x11mm ball bearings (4)
652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
0527	aluminum (red-anodized)/ 5x11mm ball bearings (4)
754	Stub axle pins (4)
753	Stub axle, rear, steel-splined constant velocity (1)
753X 853X	Stub axles, rear (2) Stub axles, rear, heavy duty (2)/pins (2)
0337	
507	Front Suspension & Steering
537 637	3mm threaded rods: 1 each of 20mm,25mm&44mm Axles (front) (2)
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
530	Bulkhead (front) (black)
530A	Bulkhead (front) (grey)
545 675	Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14)
632	Caster blocks (I&r) (30-degree)
632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
	& right)/ suspension screw pin (2)
632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left
632T	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum
	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left
632P	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
632P 632X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
632P 632X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
632P 632X 942	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
632P 632X 942 525R	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
632P 632X 942 525R 742 347	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)
632P 632X 942 525R 742 347 742X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)
632P 632X 942 525R 742 347 742X 744	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters
632P 632X 942 525R 742 347 742X 744 639	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)
632P 632X 942 525R 742 347 742X 744 639 736	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
632P 632X 942 525R 742 347 742X 744 639 736	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
632P 632X 942 525R 742 347 742X 744 639 736 636A	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
632P 632X 942 525R 742 347 742X 744 639 736 636A 636G	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
632P 632X 942 525R 742 347 742X 744 639 736 636A 636G	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
632P 632X 942 525R 742 347 742 347 742 639 736 636A 636G 636G 636T	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
632P 632X 942 525R 742 347 742 347 742 639 736 636A 636G 636G 636T	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
632P 632X 942 525R 742 347 742X 744 639 736 636A 636A 636G 636T 636P	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo@ (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
632P 632X 942 525R 742 347 7742X 7742 7742X 7742 639 7736 636A 636G 636G 636G 636F 636P 636X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pren-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
632T 632P 632X 942 5525R 742 742 744 639 736 636A 636G 636G 636F 636F 636F 636X 631 631X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo@ (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6

631G	Suspension arms, green, front, heavy duty (2)
531T	Suspension arms, orange, front, heavy duty (2)
531R	Suspension arms, red, front, heavy duty (2)
40	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
532	Tie bar, fiberglass (requires suspension pins, part# 2640)
'37A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
'37	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
39	Turnbuckles (62mm) (front tie rods) (2)
'41A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
39A	wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
′41G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
39G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
'41T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
39T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
'41P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
39P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
'41X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
39X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
45	Turnbuckles, toe link, 59mm (78mm center to center) (2)
	(assembled with rod ends and hollow balls)
	Hardware
537	3mm threaded rods: 1 each of 20mm,25mm&44mm
26	Antenna caps, vinyl (2)/ antenna spool
26	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
34	Body Clips (12) (standard size)
)34 545	Body clips, heavy duty (12) Bushings (plastic) (5x8x2.5mm) (4)
545 589	Double-sided adhesive tape (25mm x 25mm)
552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
47P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
47	Nuts, 4mm nylon locking (10)
47R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
47G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
47T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
47A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
942 535D	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
	Had and a haavy duty / lata/b)/Slavar) (0)

- Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) 5525R
- 2742
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- Screw pin set (Rustler®/ Bandit/ Stampede®) 3739
- Screws, 2.5x10mm cap-head machine (hex drive) (6) 3229
- 3965 Screws, 2.5x8mm cap-head machine (6)
- Screws, 3x10mm caphead machine (6) (no washer) 2587
- 2676 Screws, 3x12mm roundhead self-tapping (6)
- 3186 Screws, 3x12mm washerhead machine (6)
- Screws, 3x15mm countersunk self-tapping (6) 2649

Page 3 Rustler®: TQ[™] 2.4 GHz Radio (Model 37054-1) Parts List

-	. , , , , , , , , , , , , , , , , , , ,	
3187 3185X	Screws, 3x15mm washerhead machine (6) Screws, 3x8mm washerhead machine (large head for motor mount)	2940X 2941X
3290	(6) Screws, 3x8mm washerhead self-tapping (6)	2952X 2951X
2548	Screws, 4x12mm countersunk machine (100-degree) (6)	2951X 2960X
3167	Screws, 4x12mm countersunk machine (100-degree) (0)	2960X
2743	Set (grub) screws, 3mm hardened (12)	2983
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	2903
5529	captured (4)	
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	2984
5/42	(2)/ draglink shoulder screws (chrome) (2)	2304
3642	Shoulder screws, Ultra Shocks (3x12) (6)	
2754	Stub axle pins (4)	2992
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens	2002
5740	caster blocks)	2260
2746	Washers, 3x6mm metal (12)	
		2975
	LED Lights	2972
3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)	
	(requires #3735 front bumper for 2WD Rustler® or Bandit®)	2973
3795	LED light harness, rear (requires #2477 wheelie bar mount)	
3794	LED light set, complete (includes front and rear bumpers with	2970
	LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD	
	Rustler® or Bandit®)	2971
2263	Y-harness, BEC to LED light set	
	Motors & Electronics	2981
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	0505
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	6525
	voltage)	2978
3790	Gear adapter, fixed	2053
2053	Gear set (for 2055, 2056 servos)	2072A
2072A	Gear set (for 2070, 2075 servos)	2252
2252	Gear set, metal (for 2250, 2255 servos)	2272
2272	Gear set, metal (for 2270 waterproof servo)	2968X
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	2069
1275	Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with	2968
	factory installed spur gear on models originally equipped with	6554X
	the Titan 12T)	6535
3785	Motor, Titan® 12T (12-Turn, 550 size)	0555
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge	6519
	wire and gold-plated bullet connectors)	6552
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL	0332
	into Bandit or Rustler®)	6526
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	6527
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	6520
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	6521
0074	2250, 2255 servos)	2254
2271	Servo case/ gaskets (for 2270 waterproof servo)	2253
2074 2075R	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2251
2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof	
		2271
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof	2074
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2075R
2255	bearing), waterproof	2075
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2250
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	
2056	Servo, high-torque, waterproof (blue case)	2255
3350R	Velineon® VXL-3s Brushless Power System, waterproof	
		2075X
	(includes VXL-3s bitainess i over system, waterproof speed control mounting plate (part #3725))	2270
3355R	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and	2270 2056
3355R	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))	2270 2056 6553X
3355R 3018R	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless)	2270 2056
	(includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)	2270 2056 6553X 6550X
	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	2270 2056 6553X
3018R	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratio System, Batteries & Chargers	2270 2056 6553X 6550X 6551X
3018R 2842X	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratio System, Batteries & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery	2270 2056 6553X 6550X
3018R 2842X 2843X	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratio System, Batteries & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery	2270 2056 6553X 6550X 6551X 6538
3018R 2842X 2843X 2869X	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratio System, Batteries & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery	2270 2056 6553X 6550X 6551X 6538 6540
3018R 2842X 2843X 2869X 2914	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) RALIO SYSTEM, BALLERIES & CHATTLERS 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK	2270 2056 6553X 6550X 6551X 6538
3018R 2842X 2843X 2869X 2914 2976	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) FALLO SVSIGHT, BALLCPICS & DIALLOP'S 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter	2270 2056 6553X 6550X 6551X 6538 6540 6509R
3018R 2842X 2843X 2869X 2914	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratio System, Batteries & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	2270 2056 6553X 6550X 6551X 6538 6540
3018R 2842X 2843X 2869X 2914 2976 2938X	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratifos Vstem, Batteries & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery A 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)	2270 2056 6553X 6550X 6551X 6538 6540 6509R
3018R 2842X 2843X 2869X 2914 2976 2938X 1726	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratio System, Batteries & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2270 2056 6553X 6550X 6551X 65538 65508 65509R 6509R
3018R 2842X 2843X 2869X 2914 2976 2938X 1726 2943	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) RALIO SVSIGIII, BATTOTICS & DIATUTOTS 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4)	2270 2056 6553X 6550X 6551X 6538 6540 6509R 6509R 6507R
3018R 2842X 2843X 2869X 2914 2976 2938X 1726	(includes VXL-3s waterproof ESC , Veineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) RALIO SYSTEM, BALLETIES & CHATLETS 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	2270 2056 6553X 6550X 6551X 65538 65508 65509R 6509R
3018R 2842X 2843X 2869X 2914 2976 2938X 1726 2943 6548	(includes VXL-3s waterproof ESC , Veineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) FALIEO SYSTEM, BALICFIES & CHATGETS 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)	2270 2056 6553X 6550X 6551X 6538 6540 6509R 6509R 6507R
3018R 2842X 2843X 2843X 2914 2976 2938X 1726 2943 6548 2922X	<pre>(includes VXL-3s waterproof ESC , Veineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) FALLO SYSTEM, BATTERTOS & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7800mah 7.4v 2-Cell 25C LiPo Battery 7800mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</pre>	2270 2056 6553X 6550X 6551X 6538 6540 6509R 6509R 6507R 6516 6528
3018R 2842X 2843X 2869X 2914 2976 2938X 1726 2943 6548 2922X 2923X	<pre>(includes VXL-3s waterproof ESC , Veineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Ratio System, Batteries & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery A 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 7.2V) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)</pre>	2270 2056 6553X 6550X 6551X 6538 6540 6509R 6509R 6507R 6516 6528
3018R 2842X 2843X 2843X 2914 2976 2938X 1726 2943 6548 2922X	<pre>(includes VXL-3s waterproof ESC , Veineon® 3500 motor, and speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) FALLO SYSTEM, BATTERTOS & Chargers 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7800mah 7.4v 2-Cell 25C LiPo Battery 7800mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</pre>	2270 2056 6553X 6550X 6551X 65538 6540 6509R 6509R 6507R 6516 6528 6529

2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
	iD® battery (1))
2984	Battery/charger completer pack (includes #2969 2-amp NiMH
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH
	iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1),
	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
	voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
	Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
	Battery Identification
2070	-
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
	Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
	Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
	Battery Identification
6525	-
6525	Communication link, telemetry expander
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
	, , , ,
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
	Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
2300	
	Traxxas® iD® batteries)
6554X	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
	pad
0540	
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6519 6552	Receiver, micro, TQ 2.4GHz (3-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6552 6526	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage
6552 6526	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature
6552 6526 6527 6520	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6552 6526 6527 6520 6521	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long)
6552 6526 6527 6520	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
6552 6526 6527 6520 6521	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long)
6552 6526 6527 6520 6521 2254 2253	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
6552 6526 6527 6520 6521 2254	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
6552 6526 6527 6520 6521 2254 2253	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
6552 6526 6527 6520 6521 2254 2253 2253 2251	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
6552 6526 6527 6520 6521 2254 2253 2251 2251 2271	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1/) 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
6552 6526 6527 6520 6521 2254 2253 2251 2251 2271 2074	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos)
6552 6526 6527 6520 6521 2254 2253 2251 2251 2271	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1/) 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Servo rase, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075R 2075	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2205 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing),
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075R 2075	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (tred-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075R 2075	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (tred-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
6552 6526 6520 6521 2254 2253 2251 2271 2074 2075R 2075 2250	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (tred-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
6552 6526 6520 6521 2254 2253 2251 2271 2074 2075R 2075 2250	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (tred-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2075 2250 2255 2255 2075X 2270	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2075 2250 2255 2075X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (blue-anodized) (for 2255 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2075 2250 2255 2255 2075X 2270	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
6552 6526 6527 6520 6521 2254 2253 2251 2074 2075R 2075R 2075R 2075R 2075S 2250 2255 2075X 2270 2056 6553X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (blue-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servos) Servo case/gaskets (for 2056 and 2075 waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6552 6526 6527 6520 6521 2254 2253 2251 2074 2075 2075 2250 2255 2075X 2270 2056	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055X 2075X 2250 6553X 6550X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, aluminum (middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6552 6526 6527 6520 6521 2254 2253 2251 2074 2075R 2075R 2075R 2075R 2075S 2250 2255 2075X 2270 2056 6553X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, aluminum (middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055X 2075X 2250 6553X 6550X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2255 2075X 2270 2056 6553X 6550X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servos) Servo, case/gaskets (for 2205 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055X 2075X 2250 6553X 6550X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servos) Servo, case/gaskets (for 22056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2255 2075X 2270 2056 6553X 6550X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servos) Servo, case/gaskets (for 2205 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6552 6526 6527 6520 6521 2254 2253 2251 2074 2075 22075 2255 2075X 2270 2056 6553X 6551X 6551X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servos) Servo case/gaskets (for 2056 and 2075 waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2056 6553X 6551X 6551X 6538	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3) 3x10mm CCS (3)
6552 6526 6527 6520 6521 2254 2253 2251 2074 2075 22075 2255 2075X 2270 2056 6553X 6551X 6551X	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2056 6553X 6551X 6551X 6538	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3) 3x10mm CCS (3)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2255 2075X 2250 2056 6550X 6550X 6551X 6551X 6538 6540	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, aluminum (middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2056 6553X 6551X 6551X 6538	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servo) Servo, case/gaskets (for 22056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry dPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 4-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2255 2075X 2250 2056 6550X 6550X 6551X 6551X 6538 6540	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 22056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2255 2075X 2250 2056 6550X 6550X 6551X 6551X 6538 6540	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servo) Servo, case/gaskets (for 22056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry dPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 4-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055 6553X 6553X 6551X 65538 6550R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servo) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3) 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6552 6526 6527 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055X 2075X 2270 2056 6553X 6550X 6551X 65538 6550R 6550R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry ges module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055 6553X 6553X 6551X 65538 6550R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry deps module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6552 6526 6527 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055X 2075X 2270 2056 6553X 6550X 6551X 65538 6550R 6550R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2256 and 2075 waterproof servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry ges module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2255 2075 2255 2075X 2255 2075X 2255 2075X 2056 6553X 6550X 6551X 6559R 6509R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servo) Servo, case/gaskets (for 2256 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry deps module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ Taxxas® Link enabled, 2.4GHz high output, 2- channel (transmitter only)
6552 6526 6527 6521 2254 2253 2251 2271 2074 2075 2250 2255 2075X 2250 2055X 2075X 2270 2056 6553X 6550X 6551X 65538 6550R 6550R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servo) Servo, case/ gaskets (for 22056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, wetal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 4-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ Traxxas® Link enabled, 2.4GHz high output, 2- channel (transmitter only)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2255 2075 2255 2075X 2255 2075X 2255 2075X 2056 6553X 6550X 6551X 6559R 6509R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque a00 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ 1 Traxxas® Link enabled, 2.4GHz high output, 2- channel (transmitter only)
6552 6526 6527 6520 6521 2254 2253 2251 2271 2074 2075 2255 2075 2255 2075X 2255 2075X 2255 2075X 2056 6553X 6550X 6551X 6559R 6509R 6509R 6507R	Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2270 waterproof servo) Servo, case/ gaskets (for 22056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, wetal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 4-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ Traxxas® Link enabled, 2.4GHz high output, 2- channel (transmitter only)

6511 Traxxas® Link Bluetooth® module

Page 4 Rustler®: TQ[™] 2.4 GHz Radio (Model 37054-1) Parts List

-		
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	376
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	376
_	detection, fwd/rev/brake)	
	Ready-To-Race Model	376
37054-1	Rustler®: 1/10 Scale Stadium Truck with TQ™ 2.4 GHz radio system	070
		376
	Rear Suspension	376
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	236
1675	Bushings, self-lubricating (5x11x4mm) (14)	166 265
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)	200
3638	Shock tower (rear)	166
3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)	265
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	364
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	176
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	376
3652T	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	376
30321	aluminum (orange-anodized)/ 5x11mm ball bearings (4)	
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	375
0002.	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	245
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	245
	aluminum (red-anodized)/ 5x11mm ball bearings (4)	375
2753X	Stub axles, rear (2)	375
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)	245
3655R	Suspension arms, front/rear (left & right), heavy duty (2)	375
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)	375
3655X	Suspension arms, left & right	375
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)	375
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)	495
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640	375
	for a complete suspension pin set) (Rustler®, Stampede®,	375
	Bandit)	375
	Shock Oil	376
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	376
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	070
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	376
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	376
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	570
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	
5029	Shock oil bottle (60cc) (for mixing shock oil)	
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	379
	80 wt premium shock oils with spinning carousel rack)	555
5038	Spinning carousel rack	
	Shocks (Pro-level Aluminum)	255
2664	Big Bore shock cylinder (long) (1)	555
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	
0002	(assembled with TiN shafts and springs) (front & rear) (4)	379
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6	241
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	191
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6	241
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	242
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings	472
	& washers (2) (Big Bore Shocks)	472
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	467
07/01/	(2)	
2742X	Rod ends, short (6)/ hollow balls (6)	468
2667	Shock caps, aluminum (2) (Big Bore Shocks)	
2362	Shock rebuild kit (for 2 shocks)	468
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)	469
2656T	SUCCE SUALS DATOPOPO SIPPL DIADUUM DITTICE COATED (XX-1000)	
		100
1664	(2)	100
1664 2656	(2) Shock shafts, steel, chrome finish (long) (2)	
2656	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)	253
2656 1765	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4)	253 511
2656	 (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 	253 511 254
2656 1765	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4)	253 511
2656 1765	 (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore 	253 511 254 194
2656 1765 2668	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: Imm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	253 511 254 194 274
2656 1765 2668	 (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore 	253 511 254 194 274 534
2656 1765 2668 5860	 (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) 	253 511 254 194 274 534 274
2656 1765 2668 5860	 (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) 	253 511 254 194 274 534 274 374
2656 1765 2668 5860 5859	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Shocks (Ultra Shocks)	253 511 254 194 274 534 274
2656 1765 2668 5860 5859 3765A	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Shocks (Ultra Shock (sol) (grey) (2)	253 511 254 194 274 534 274 374 374
2656 1765 2668 5860 5859 3765A 3766A	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Shocks Shocks Shocks Body, Ultra Shock (long) (grey) (2) Body, Ultra Shock (XXL) (grey) (2)	253 511 254 194 274 534 274 374 374 374
2656 1765 2668 5860 5859 3765A	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: Imm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Body, Ultra Shock (long) (grey) (2) Body, Ultra Shock (XLL) (grey) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	253 511 254 194 274 534 274 374 374
2656 1765 2668 5860 5859 3765A 3766A	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: Imm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Body, Ultra Shock (long) (grey) (2) Body, Ultra Shock (XXL) (grey) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	253 511 254 194 274 534 274 374 374 374
2656 1765 2668 5860 5859 3765A 3766A 1942	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: Imm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Body, Ultra Shock (long) (grey) (2) Body, Ultra Shock (XLL) (grey) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	253 511 254 194 534 274 374 374 374 3 74
2656 1765 2668 5860 5859 3765A 3766A 1942 2742X	 (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks) Body, Ultra Shock (long) (grey) (2) Body, Ultra Shock (XXL) (grey) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) 	253 511 254 194 534 274 374 374 374 3 74

67A 67G	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
67T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
67P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
67X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
62	Shock rebuild kit (for 2 shocks)
64T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
56T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
64	Shock shafts, steel, chrome finish (long) (2)
56	Shock shafts, steel, chrome finish (xx-long) (2)
4 2	Shoulder screws, Ultra Shocks (3x12) (6)
65	
69	Silicone diaphragms (4)
68 68	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
58	Springs (front) (2)
58P	Springs (front) (pink) (2)
58A	Springs (front) (white) (2)
58T	Springs, blue (front) (2)
57T	Springs, blue (rear) (2)
58	Springs, front (black) (2)
58A	Springs, green (front) (2)
57A	Springs, green (rear) (2)
57P	Springs, pink (rear) (2)
57	
	Springs, rear (black) (2)
57	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
58R	Springs, red (front) (2)
58X	Springs, white (front) (2)
57X	Springs, white (rear) (2)
60	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
62	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
60A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
62A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
	Slinner Clutch Comnonents
	Slipper Clutch Components
93	Input shaft (slipper shaft) / spring pin
93 52X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
52X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
52X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6)
52X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy)
52X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6)
52X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spuir Gears & Pinion Gears
52X 54 56	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Sillin Gears & Pinion Gears Gear adapter, fixed
52X 54 56 90	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Sillin Gean's & Pinion Gean's Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw
52X 554 56 90 16	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Sillif Gear's & Pinion Gear's Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw
52X 54 56 90 16 18	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) SILLI' Gear's & PIIIIOII Gear's Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw
52X 54 56 90 16 18 19	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Silper pressure plate & hub (aluminum alloy) Silper pressure plate & hub (aluminum alloy) Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
52X 54 56 90 16 18 19 23 28	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spuir Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
52X 54 56 90 16 18 19 23 28 25	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw
52X 54 56 90 16 18 19 23 28	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Solut Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control
52X 54 56 90 16 18 19 23 28 25	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T ototh (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control
52X 554 556 90 16 18 19 23 28 25 76 83	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Solur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
52X 54 56 90 16 18 19 23 23 28 25 76	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T ototh (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control
52X 554 556 90 16 18 19 23 28 25 76 83	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) SUILT GEATS & PINION GEATS Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 88-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
52X 554 56 90 16 18 19 23 28 25 76 83 86	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) SUILT GEATS & PINION GEATS Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 88-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
52X 554 56 90 16 18 19 23 28 25 76 83 86	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) SUILT GEATS & PINION GEATS Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 88-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
52X 554 56 90 16 18 19 23 28 25 76 83 86	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) SUILT GEATS & PINION GEATS Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 88-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
52X 54 56 90 16 18 19 23 28 25 76 83 86 90	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
52X 54 56 90 16 18 19 23 28 25 76 83 86 90 37 14	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
52X 54 56 90 16 18 19 23 23 28 25 76 83 86 90 37 14 45	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Sum threaded rods: 1 each of 20mm,25mm&44mm Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4)
52X 54 56 90 16 18 19 23 28 25 76 83 86 90 37 14	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 80-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Bub dearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
52X 54 56 90 16 18 19 23 23 28 25 76 83 86 90 37 14 45	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Sum threaded rods: 1 each of 20mm,25mm&44mm Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
52X 554 556 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Steering Connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6)
52X 54 56 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42 42 42	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Substitue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)
52X 54 56 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42 42 47 42X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper Control slipper (for models with Torque-Control slipper) Steperiode (for models (for models with Tor
52X 554 556 90 16 18 19 23 28 25 76 83 88 88 88 90 377 14 45 42 42 42 42 44	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Sum threaded rods: 1 each of 20mm,25mm&44mm Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters
52X 54 56 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42 42 47 42X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 13-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 85-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Steering blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine)
52X 54 56 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42 42 42 42 42 44 44 42	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spuir Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Sublings (plastic) (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
52X 54 55 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42 42 42 42 42 42 42 44 44 42	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Steering clutch) Sourd ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink
52X 54 56 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42 42 42 42 42 44 44 42	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Splur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Sum threaded rods: 1 each of 20mm,25mm&44mm Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/
52X 54 55 90 16 18 19 23 28 25 76 83 86 90 37 14 45 42 42 42 42 42 42 42 44 44 42	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) / set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) Steering clutch) Sourd ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink

Page 5 Rustler®: TQ[™] 2.4 GHz Radio (Model 37054-1) Parts List

		-
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	313
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	374
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	313
3139	Turnbuckles (62mm) (front tie rods) (2)	
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	364
	wrench #5477)	364
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	374
3139T	wrench #5477) Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	0.54
3139P	wrench #5477) Turnbucklos, aluminum (nink anodized), tee links, 59mm (2)	251 616
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	995 990
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	
	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	511
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)	511 167
	(assembled with rod ends and hollow balls)	585
	Suspension Linkage	
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm	174
3641A 3641	Camber link set (plastic / non-adjustable) (front & rear) (grey)	364
1942	Camber link set (plastic/ non-adjustable) (front & rear) (black) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	174 174
1042	(2)	174
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)	198
2742	Rod ends, long (6)/ hollow ball connectors (6)	164
5347	Rod ends, Revo® (large) with hollow balls (12)	275
2742X 3739	Rod ends, short (6)/ hollow balls (6) Screw pin set (Rustler®/ Bandit/ Stampede®)	377
3642	Shoulder screws, Ultra Shocks (3x12) (6)	377
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)	
	(strengthens caster blocks)	377
2637 2640	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	377
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)	676
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for	677
3738A	complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm	377
	(1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	377
2720	complete camber link set)	377
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	377
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear	511
	camber links) (requires #2742 rod ends)	677
3139	Turnbuckles (62mm) (front tie rods) (2)	
2336 3741A	Turnbuckles, 78mm (optional rear camber rods) (2)	677
3/41A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	011
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	676
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	677
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	677
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	677
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	676
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	677

List	
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
	Team Traxxas Items
2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)
	Tires & Wheels
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1675 5854	Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
1747P	#6469) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1985 1647	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Silicone Grease
2754	Stub axle pins (4)
3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM® rated)
3776	wheels, paddle tires, foam inserts) (rear) (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM® rated)
3770	Alias® tires, foam inserts) (electric rear) (2)
3771	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Ribbed tires, foam inserts) (front) (2)
6768X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3772X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3771X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2)
3772R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3771R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6768	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6774	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM $^{\odot}$ rated)
6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6768G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM $\mbox{\sc smallmatrix}$ rated)
6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)

Page 6 Rustler®: TQ[™] 2.4 GHz Radio (Model 37054-1) Parts List

Page 6	Rustier®: IQ'" 2.4 GHZ Radio (Model 3/054-1) Part	SL
6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)	23
6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD	94 9
6768A	electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT orange wheels,	25
6775A	Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD	318 164
6774A	electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT orange wheels,	555
	rated)	319 36 9
6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	34:
6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)	34: 34: 34:
6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	34: 34: 87
3771A	Tires & wheels, assembled, glued (2.8")(All-Star black chrome wheels, Ribbed tires, foam inserts) (electric front) (2)	
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)	872 872
3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)	872 872
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	0.
5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	87 [,]
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)	
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)	87 <i>°</i>
5569	Tires, Alias 2.8" (rear) (2)/ foam inserts (2)	87 [.]
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)	
4791 5563	Tires, Pro-Trax mini-spiked 2.2" (rear) (2) Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)	87 <i>′</i>
4790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts	87 [,]
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	
1654 5853X	Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) /	87 <i>′</i>
	wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)	87 [.]
5353 5480X	Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm	274
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)	
3772A 5576A	Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)	34 ⁻
3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)	
3672 3673	Wheels, chrome (2.2") (rear) (2) Wheels, chrome 2.2" (front) (2)	
3674	Wheels, dyable nylon 2.2" (rear) (2)	253
3675	Wheels, dyeable nylon 2.2 (front) (2)	194
3774	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)	
5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)	552
	Transmission Components	274 534
4607	Ball bearings (5x11x4mm) (8)	274
5116 3792	Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2)	373
5478	Flat wrench, 8mm (blue anodized aluminum)	
3790	Gear adapter, fixed	373
3691	Gearbox halves (L&R) (black) w/ idler gear shaft	
3691A 5148	Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium	37:
9492	Idler gear, 30-tooth/ idler gear shaft (steel)	5/.
3696	Idler gear, steel (30-tooth)	
9494 3793	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin	37:
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)	19
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	31:
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	23

2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
9495	Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone Grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
	Stampede®, Slash®)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
	8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
	includes premium handle (medium), travel pouch, hex drivers
	(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
	2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
8716	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
0/10	drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
	2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
	drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
	wrenches/ driver handle)
	Turnbuckles & Threaded Rods
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	(2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete a camber link, act)
3738A	complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
3730A	(1) (assembled with rod ends & hollow balls) (See part 3741X for
	complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
J	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
	complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
	(1) (assembled with rod ends & hollow balls) (See part 3741X for
	complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
	camber links)
3139	Turnbuckles (62mm) (front tie rods) (2)

3139Turnbuckles (62mm) (front tie rods) (2)2336Turnbuckles, 78mm (optional rear camber rods) (2)

Page 7 Rustler®: TQ[™] 2.4 GHz Radio (Model 37054-1) Parts List

-	. , , , , , , , , , , , , , , , , , , ,
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:



(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com