



## Slash VXL (Model 58076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	<b>Ball bearings, blue rubber shield (5x8x2.5mm) (2)</b>
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

### Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool	5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	5835X	<b>Bumper, front/ bumper mount (fits 2WD Slash®) (for LED light kit installation)</b>
3935	Body clip (mounting clip), angled, 90-degrees (10)	5835	Bumper, front/ bumper mount, front (black)
<b>3935A</b>	<b>Body clip (mounting clip), angled, 90-degrees (black) (10)</b>	<b>5835P</b>	<b>Bumper, front/ bumper mount, front (pink)</b>
3934	Body clips, heavy duty (12)	5838	Bumper, rear/ bumper mount (fits 2WD Slash®) (for LED light kit installation)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	5836	Bumper, rear/ bumper mount, rear (black)
1815	Body washers (8)	5836P	Bumper, rear/ bumper mount, rear (pink)
<b>6716</b>	<b>Body Washers, Foam, 2mm/3mm/4mm</b>	<b>5830</b>	<b>Chassis conversion kit, low CG (Slash®)</b>
<b>5851X</b>	<b>Body, Slash® 2WD (also fits Slash® VXL &amp; Slash® 4X4), blue (painted, decals applied)</b>	<b>5832</b>	<b>Chassis, low CG (black)</b>
<b>5851G</b>	<b>Body, Slash® 2WD (also fits Slash® VXL &amp; Slash® 4X4), green &amp; blue (painted, decals applied)</b>	<b>5832A</b>	<b>Chassis, low CG (blue)</b>
<b>5851T</b>	<b>Body, Slash® 2WD (also fits Slash® VXL &amp; Slash® 4X4), orange &amp; blue (painted, decals applied)</b>	<b>5832G</b>	<b>Chassis, low CG (grey)</b>
<b>5851P</b>	<b>Body, Slash® 2WD (also fits Slash® VXL &amp; Slash® 4X4), pink &amp; purple (painted, decals applied)</b>	<b>5822</b>	Chassis, Slash
<b>5851R</b>	<b>Body, Slash® 2WD (also fits Slash® VXL &amp; Slash® 4X4), red &amp; blue (painted, decals applied)</b>	<b>5822A</b>	<b>Chassis, Slash (black)</b>
<b>5851</b>	<b>Body, Slash® 2WD (also fits Slash® VXL &amp; Slash® 4X4), red (painted, decals applied)</b>	<b>5827</b>	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
<b>5851L</b>	<b>Body, Slash® 2WD, ProGraphix® (graphics are printed, requires paint &amp; final color application)/ decal sheet</b>	<b>5827X</b>	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
<b>6928G</b>	<b>Body, Slash® 4X4 (also fits Slash® VXL &amp; Slash® 2WD), green &amp; blue (painted, decals applied)</b>	<b>5831</b>	Lower chassis, low CG (black)
<b>6928T</b>	<b>Body, Slash® 4X4 (also fits Slash® VXL &amp; Slash® 2WD), orange &amp; blue (painted, decals applied)</b>	<b>5831A</b>	Lower chassis, low CG (blue)
<b>6928R</b>	<b>Body, Slash® 4X4 (also fits Slash® VXL &amp; Slash® 2WD), red &amp; blue (painted, decals applied)</b>	<b>5831G</b>	Lower chassis, low CG (grey)
<b>6811</b>	<b>Body, Slash® 4X4 (clear, requires painting)/ window masks/ decal sheet</b>	<b>5823</b>	Nerf bars, chassis (black)
<b>6811R</b>	<b>Body, Slash® 4X4, heavy duty (clear, requires painting)/ window masks/ decal sheet</b>	<b>5833</b>	Nerf bars, low CG (black)
<b>5850</b>	<b>Body, Slash® 4X4, orange (painted, decals applied)</b>	<b>5833A</b>	Nerf bars, low CG (blue)
<b>6811X</b>	<b>Body, Slash® 4X4, ProGraphix® (Graphics are printed, requires paint &amp; final color application)/ decal sheet</b>	<b>5833G</b>	Nerf bars, low CG (grey)
<b>6849</b>	<b>Body, Slash® 4X4/Slash®, Fox Edition (painted, decals applied)</b>	<b>5625</b>	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
<b>6849R</b>	<b>Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® (painted, decals applied)</b>	<b>9462X</b>	Side plates, wheelie bar, blue (aluminum) (2)
<b>6812G</b>	<b>Body, Slash® VXL 2WD (also fits Slash® 4X4), green &amp; blue (painted, decals applied)</b>	<b>9462</b>	Side plates, wheelie bar, charcoal gray (aluminum) (2)
<b>6812T</b>	<b>Body, Slash® VXL 2WD (also fits Slash® 4X4), orange &amp; blue (painted, decals applied)</b>	<b>9462G</b>	Side plates, wheelie bar, green (aluminum) (2)
<b>6812R</b>	<b>Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted, decals applied)</b>	<b>9462A</b>	Side plates, wheelie bar, orange (aluminum) (2)
<b>6812L</b>	<b>Body, Slash® VXL, ProGraphix® (graphics are printed, requires paint &amp; final color application)/ decal sheet</b>	<b>9462P</b>	Side plates, wheelie bar, pink (aluminum) (2)
<b>2514</b>	<b>Decal sheet, racing sponsors</b>	<b>9462R</b>	Side plates, wheelie bar, red (aluminum) (2)
<b>5813</b>	<b>Decal Sheet, Slash</b>	<b>5837</b>	Skidplates, front & rear (black)
<b>9950</b>	<b>Official Team Traxxas® racing decal set(flag logo/ 6-color)</b>	<b>5185</b>	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
<b>5846</b>	<b>Paint masks, body</b>	<b>4974</b>	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)

### Chassis & Attachments

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool	3677X	Wheelie bar mount (1) / hardware (blue)
<b>5526R</b>	<b>Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool</b>	<b>3677A</b>	<b>Wheelie bar mount (1) / hardware (green)</b>
<b>9463X</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>	<b>3677P</b>	<b>Wheelie bar mount (1) / hardware (pink)</b>
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
<b>9463G</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>	9464	Wheelie bar mount (heavy duty)
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
<b>9463P</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
<b>9463R</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
		3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
		3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
		9460	Wheelie bar, black (assembled)/ wheelie bar mount
		9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
		4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
		5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
		5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
		9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
		9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
		9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
		9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
		9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
		9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
		9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))

<b>Differential Components</b>	
2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
1647	Silicone Grease
<b>Driveline Components</b>	
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)
6750	Half shaft, external splined (steel-spline constant velocity) (1)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
6754	Stub axle, front, steel-splined constant velocity (1)
9053X	Stub axle, rear, steel-splined constant velocity (1)
6753	Stub axle, rear, steel-splined constant velocity (1)
6853X	Stub axles, rear, heavy duty (2)/pins (2)
<b>Front Suspension &amp; Steering</b>	
3637	Axes (front) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
2545	Bushings (plastic) (5x8x2.5mm) (4)
3632	Caster blocks (l&r) (30-degree)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/ adapters
3639	Shock tower (front)
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized) 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631	Suspension arms (front) (2)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
<b>Hardware</b>	
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
4859	CS 3x10 flathead (hex drive)
1589	Double-sided adhesive tape (25mm x 25mm)
1633	E-clips/ C-rings
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3215	Rod ends, short (6)/ hollow balls (6)
3965	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577	Screws, 2.5x8mm cap-head machine (6)
2742X	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)

## Page 3 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

2582	Screws, 3x30mm button-head machine (hex drive) (6)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2592	Screws, 3x40mm button-head machine (hex drive) (6)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2576	Screws, 3x8mm button-head machine (hex drive) (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2743	Set (grub) screws, 3mm hardened (12)	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
3967	Shoulder screws 3x10 (6) (without threadlock)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2754	Stub axle pins (4)	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2746	Washers, 3x6mm metal (12)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
<b>LED Lights</b>			
3690	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)	2970	Communication link, telemetry expander
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)	6525	Cover plate, Traxxas® Link Bluetooth® module
5894	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Slash®)	6512	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2263	Y-harness, BEC to LED light set	2978	Gear set (for 2070, 2075 servos)
<b>Motors &amp; Electronics</b>			
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2072A	Gear set, metal (for 2250, 2255 servos)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	2252	Gear set, metal (for 2270 waterproof servo)
3340	Cooling fan, Velineon® VXL-3s ESC	2272	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
3790	Gear adapter, fixed	2968X	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
2072A	Gear set (for 2070, 2075 servos)	2968	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
2252	Gear set, metal (for 2250, 2255 servos)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2272	Gear set, metal (for 2270 waterproof servo)	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
3354R	Motor cover, endbell (Velineon® 3500)	6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)	6526	Sensor, auto-detectable, temperature
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)	6527	Sensor, auto-detectable, voltage
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	6521	Sensor, temperature and voltage (long)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2271	Servo case/ gaskets (for 2270 waterproof servo)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2271	Servo case/ gaskets (for 2270 waterproof servo)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof	2075	Servo, digital high-torque (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
		6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
<b>Radio System, Batteries &amp; Chargers</b>			
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	6540	Telemetry trigger magnet, 5X2mm (1)
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	2928	Temperature sensor, EZ-Peak Plus
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
2976	AC to DC adapter	6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool	6511	Traxxas® Link Bluetooth® module
2943	Battery charge indicators, green (4), grey (4), blue (4)	3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)		
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)		
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)		

## Page 4 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

<b>Ready-To-Race Model</b>	
58076-4	Slash VXL: 1/10 Scale 2WD Short Course Racing Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
<b>Rear Suspension</b>	
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
6853X	Stub axles, rear, heavy duty (2)/pins (2)
2555	Suspension arms, (rear) (2)
2555X	Suspension arms, black, rear, heavy duty (2)
2555A	Suspension arms, blue, rear, heavy duty (2)
2555G	Suspension arms, green, rear, heavy duty (2)
2555T	Suspension arms, orange, rear, heavy duty (2)
2555R	Suspension arms, red, rear, heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
<b>Shock Oil</b>	
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack
<b>Shocks (Pro-level Aluminum)</b>	
2664	Big Bore shock cylinder (long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)
<b>Shocks (Ultra Shocks)</b>	
3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458P	Springs (front) (pink) (2)
2458A	Springs (front) (white) (2)
3757T	Springs, blue (rear) (2)
2458	Springs, front (black) (2)
5857P	Springs, front (pink) (progressive rate) (2)
5857	Springs, front (white) (progressive rate) (2)
3757A	Springs, green (rear) (2)
3757P	Springs, pink (rear) (2)
3757	Springs, rear (black) (2)
5858P	Springs, rear (pink) (progressive rate) (2)
5858	Springs, rear (white) (progressive rate) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3757X	Springs, white (rear) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
<b>Slipper Clutch Components</b>	
3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)
<b>Spur Gears &amp; Pinion Gears</b>	
3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
<b>Steering Components</b>	
2545	Bushings (plastic) (5x8x2.5mm) (4)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
3744	Servo saver w/ adapters
3967	Shoulder screws 3x10 (6) (without threadlock)
3743	Steering bellcranks, I&R/ draglink
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)

## Page 5 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	5882R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)	6874R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	5877R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke, chrome red beadlock wheel, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front)
1935	Turnbuckles, 36mm (2)	6873R	Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6873X	Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5869	Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5867	Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (4WD front/rear, 2WD rear only)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5881X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5880X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5881	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
2746	Washers, 3x6mm metal (12)	5880	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

### Suspension Linkage

5525	Rod ends (12)/ hollow balls (12)	5875X	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5347	Rod ends, Revo® (large) with hollow balls (12)	5878	Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2) (4WD front/rear, 2WD rear only)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)	6873A	Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD front/rear, 2WD rear only)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	5882	Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only)
2640	Suspension pins, 44mm (2) w/ E-clips	6874	Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)	5884	Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5885	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5883	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5877A	Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	5885	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5883	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)

### Team Traxxas Items

2514	Decal sheet, racing sponsors	5877A	Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BF Goodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	5877	Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD Front)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	5864	Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD Front)
9909	Traxxas® racing banner, red & black (3x7 feet)	5863	Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)

### Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5864	Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD Front)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	5863	Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	6876	Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BF Goodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	5873X	Tire & wheel assy, glued (SCT, satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	6876	Tires & wheels assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear) (TSM® rated)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	5873X	Tires & wheels assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear) (TSM® rated)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	6891R	Tires & wheels assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	5887R	Tires & wheels assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		
1647	Silicone Grease		
2754	Stub axle pins (4)		
5889R	Tire & wheel assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)		
5863R	Tire & wheel assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)		

## **Page 6    Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List**

6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2)
5888	Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (2wd front)	5886A	Wheels, SCT split-spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5887	Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5869A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5867A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5890	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (2WD front) (TSM® rated)	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)
6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5870X	Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5889	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5868X	Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5875	Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front)	5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)
5873	Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)	6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2 c)
5873A	Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear)	<b>Transmission Components</b>	
5873R	Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3790	Gear adapter, fixed
6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3691	<b>Gearbox halves (L&amp;R) (black) w/ idler gear shaft</b>
6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	5148	Grease, white lithium
5871R	Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	9492	<b>Idler gear, 30-tooth/ idler gear shaft (steel)</b>
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)	3696	Idler gear, steel (30-tooth)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)	9494	<b>Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)</b>
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	3793	Input shaft (slipper shaft) / spring pin
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4) / axle pin (4) (Slash 2WD)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	1552	<b>Motor screws (3x8mm hex cap) (6)/washers (6) / wrench</b>
5480X	Wheel wrench, splined, 17mm	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
5868A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5870A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)	9495	<b>Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)</b>
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)	2554	Screws, 3x6mm caphead machine (hex drive) (6)
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5871	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)	1647	Silicone Grease
5871R	Wheels, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	5556	Slipper pressure plate & hub (aluminum alloy)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)	3195	Top drive gear, steel (22-tooth)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)	3695	<b>Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)</b>
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	<b>Traxxas Tools</b>	
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4) / axle pin (4) (Slash 2WD)	3433X	Body reamer (aluminum handle)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	3433	Body reamer (plastic handle)
5480X	Wheel wrench, splined, 17mm	3436	Cap, body reamer
5868A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	3432	Scissors, curved tip
5870A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)	3431	Scissors, straight tip
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)	8720	Speed bit handle, large (overmolded)
5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)	8721	Speed bit handle, medium (one piece)
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)	8722	Speed bit handle, premium (rubber overmold)
5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
5872X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

## **Transmission Components**

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
3790	Gear adapter, fixed
<b>3691</b>	<b>Gearbox halves (L&amp;R) (black) w/ idler gear shaft</b>
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
5148	Grease, white lithium
<b>9492</b>	<b>Idler gear, 30-tooth/ idler gear shaft (steel)</b>
3696	Idler gear, steel (30-tooth)
<b>9494</b>	<b>Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)</b>
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
<b>1552</b>	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
<b>9495</b>	<b>Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)</b>
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1647	Silicone Grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
<b>3695</b>	<b>Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)</b>

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

**Page 7 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List**

8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

**Turnbuckles & Threaded Rods**

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**