

TRX-4® Mercedes-Benz® G 500® 4X4® (Model 82096-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet® Blazer)
8241	Axle housing, front	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		(includes grille, side mirrors, door handles, windshield wipers,
8227	Axle mount set (complete) (front & rear) (for suspension links)	0112V	decals, window masks)
8228	Axle shaft, front (left)/ drive pin/ cross pin	9112X	Body, Chevrolet Blazer (1969), complete, black (painted) (includes grille, side mirrors, door handles, windshield wipers,
8229 8060	Axle shaft, front (right)/ drive pin/ cross pin		front & rear bumpers, decals)
	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,	9127	drill bit (fits #9126 or #9127 front bumpers) Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
0000	front (machined) (2) (assembled)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8230 8231	Axle shaft, rear (left) Axle shaft, rear (right)	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8061	portal drive input gear) Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	0422	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256	Portal drive axle mount, rear (left & right)	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/ headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS (4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	8091	Installation kit, Pro Scale® Advanced Lighting Control System,
	anodized) (left and right)/ 2.5x16 CS (4)		TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)		lights and turn signal harnesses, hardware)
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	8090	LED light set, complete with power supply (contains headlights,
020011	(left and right)/ 2.5x16 CS (4)		tail lights, side marker lights, & distribution block) (fits #9111 or
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	9116	9112 body) Marker light housing (4)/ marker light mount (4)/ marker light
8253	Portal drive housing, inner, rear (left or right) (2)	9110	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8251	Portal drive housing, outer (front or rear) (2)		(self-tapping) (8)
8064	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9112 body)
8257	Portal drive input gear, front/ drive pin/ cross pin	6592	Power module, Pro Scale® Advanced Lighting Control System
8259	Portal drive input gear, rear		(includes mount, communication cables, hardware)
8065	Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)	6591	Pro Scale® Advanced Lighting Control System (includes power
8258	Portal drive output gear, front or rear	8090X	module & distribution block) Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	0090X	1972), complete with power module (contains headlights, tail
8252A	(2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-		lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
OLULA	anodized) (2)/ 3x12 BCS (2)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		Control System
8252R	anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	9111	Body (1972 Chevrolet® Blazer) Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
8253A	(2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	•	grille, side mirrors, side trim, door handles, windshield wipers, decals, window masks)
8253G	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)	9111X	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)		bumpers, decals)
8251X	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)
8251A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
020 IA	anodized) (2)/ 2.5x10 CS (12)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
8251R	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	6593	Distribution block, Pro Scale® Advanced Lighting Control System
	2.5x10 CS (12)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8255A	Stub axle, extended thread (portal drive) (2)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
	Bearings & Bushings		housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
5119A		8091	body) Installation kit, Pro Scale® Advanced Lighting Control System,
5119A 5120A	Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2)	0031	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
5120A 5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		lights and turn signal harnesses, hardware)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	8090	LED light set, complete with power supply (contains headlights,
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		tail lights, side marker lights, & distribution block) (fits #9111 or
	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	9116	9112 body)
5114A			Marker light housing (4)/ marker light mount (4)/ marker light
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)	3110	
	Ball bearings, black rubber sealed (6x12x4mm) (2) Ball bearings, black rubber sealed (6x13x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2)	3110	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8)

	TRX-4® Mercedes-Benz® G 500® 4X4®: TQi™ Trax	XAS LIIIN	Lilabled 2.40112 Radio (Model 02030-4) Parts Li
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)	8037 8073	LED lights, high/low switch (for #8035 or #8036 LED light kits) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fit
5591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)		#8010 or 9230 series bodies)
090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)
	1972), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
594	9112 body) Receiver communication cable, Pro Scale® Advanced Lighting	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	Control System	8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F
9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)		150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 o 9230 series bodies)
119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)	6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
	Body (1979 Chevrolet® Blazer)	8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies)
130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware
130X	Body, Chevrolet Blazer (1979), complete (orange) (includes	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 series bodies)
	grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series bodies)
130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear		Body (Mercedes-Benz® G 500®)
131	bumpers, decals) Decal sheet, Chevrolet Blazer (1979)	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decal
593	Distribution block, Pro Scale® Advanced Lighting Control		window masks (includes rear body post, grille, side mirrors, door handles, windshield wipers)
132	System Door handles, left, right & rear tailgate/ windshield wipers, left &	8811R	Body, Mercedes-Benz® G 500®, complete (black) (includes rear body post, grille, side mirrors, door handles, windshield wipers)
134	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series bodies) Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/	8811X	Body, Mercedes-Benz® G 500®, complete (blue) (includes rear boc post, grille, side mirrors, door handles, & windshield wipers)
104	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits	8812 6593	Decals, Mercedes-Benz® G 500® Distribution block, Pro Scale® Advanced Lighting Control
082	#8130 or 9212 series bodies) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount,	8813X	System Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn
039	reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028	8893	signal housing & lens (2 ea)/ hardware (fits #8811/8825 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear
038	power supply) LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130	8899	bumper lens, turn signal, reverse light, & fog light harnesses, hardware) LED light set (contains headlights, tail lights, roof lights, and
133X	series bodies) Mirrors, side (folding) (fits #8130 series bodies)		distribution block) (fits #8811 body, requires #8028 power supply)
133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 series bodies)	8898	LED light set, complete with power supply (contains headlights tail lights, roof lights, & distribution block) (fits #8811 body)
592 591	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
038X	module & distribution block) Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
	(1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or	6591	Pro Scale® Advanced Lighting Control System (includes powe module & distribution block)
594	9212 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting	8898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights,
135	Control System Tail lights, left & right (assembled)/ tail light retainers, left &	6594	roof lights, & distribution block) (fits #8811 or 8825 body) Receiver communication cable, Pro Scale® Advanced Lighting
	right' side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)		Control System
	(fits #8130 or 9212 series bodies)	8822 8816X	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-
	Body (1979 Ford® Bronco)	8815X	tapping) (2) Side trim, left & right (black)/ side trim retainers (8)/ door handles, left
010X	Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset	8814X	right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (42) Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/
078R	decals) (requires #8072 inner fenders) Decal sheet, Bronco, red (fits #8010 body)		reverse lens (2)/ 1.6x5 BCS (4) (left & right) Body (Tactical Unit)
593	Distribution block, Pro Scale® Advanced Lighting Control	8211X	Body, Tactical Unit, night camo (painted)/ decals
075	System Door handles, left & right/ windshield wipers, left & right/	8019	Fender brace, inner, front & rear
	retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series bodies)
070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies)	8018 8020	Fenders, inner, front & rear (2 each)/ rock light covers (8) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 series bodies)
	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10	8021	Spare tire mount/ mounting bracket/ screw pins (2) Body (TRX-4® Sport)
032R		0440	Body with camper, TRX-4® Sport (clear, trimmed, requires
	Truck (1979) (includes mount, reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires	8112 8111R	painting)/window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, requires painting)/window masks/ decal sheet
032R 036R 035	LED light set (contains headlights, tail lights, side marker lights,		painting)/window masks/ decal sheet

Page 3	TRX-4® Mercedes-Benz® G 500® 4X4®: TQi™ Trax	xas Link	[™] Enabled 2.4GHz Radio (Model 82096-4) Parts List
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)	8218 8224X	Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease
8120 8116	Expedition rack/ mounting hardware (fits #8111 or #8111R body) Grille/ grille retailers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6)	8819 8225	Rock sliders/ rock slider caps (left & right) Seal kit, receiver box (includes o-ring, seals, and silicone
8083	(fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn	8240X 8239	grease) Servo mount, 2-speed/ servo mount, T-Lock/ wire clips Servo mount, steering/ chassis crossmember
8086	signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 body, requires	8216 8226	Shock towers, front & rear (left & right) Tray, battery
8084	#8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires		Differential Components
8088	#8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires	8281 8280A	Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (black)
8087	#8028 power supply) LED light bar, roof lights (fits #8111 body, requires #8028 power	8280X 8280	Differential cover, front or rear (chrome plated)
0001	supply)	8280 8280R	Differential cover, front or rear (grey) Differential cover, front or rear (red)
8085	LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)	8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
6592 6591	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
0391	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8279	(1) 3x6 BCS with threadlock (1)) Ring gear, differential/ pinion gear, differential
8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)	8279R 8287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive,
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	8288	machined) Ring gear, differential/ pinion gear, differential (underdrive, machined)
8122 8118	Shovel/ axe/ accessory mount/ mounting hardware Spare tire mount/ mounting hardware	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)		threadlock) (4) Driveline Components
8121X	Traction boards, blue/ mounting hardware	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
8121G	Traction boards, green/ mounting hardware	92551	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8121A 8121	Traction boards, yellow/ mounting hardware	8255A 8269	Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
0121	Traction boards/ mounting hardware Body Accessories	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
1926	Antenna caps, vinyl (2)/ antenna spool	92604	3x10 screw pin (4)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)
1834	Body Clips (12) (standard size)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
1834A	Body clips, black (12) (standard size)	92C0D	3x10 screw pin (4) Wheel have 12mm bey 6064 TS elaminam (red enediced) (4)/
3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)
8215	Body mounts & posts, front & rear (complete set)		Hardware
8115	Body posts, front & rear	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
4915 2514	Body washers, foam adhesive (10)	1834	Body Clips (12) (standard size)
8081	Decal sheet, racing sponsors Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080	1834A	Body clips, black (12) (standard size)
	narrow inner fenders)	3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	4859	CS 3x10 flathead (hex drive)
8072	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
9950	plate/ 3x8 flathead screws (4) Official Team Traxxas® racing decal set(flag logo/ 6-color)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel
	Bumpers & Skidplates	8151	hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
8868	Bumper, front/ aluminum fairlead (winch)/ 2.5x10 CS (6) (fits TRX-4® Mercedes-Benz® G 500® and G 63® with 8855 winch)	5476X	stainless steel hardware used on TRX-4® High Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
8820	Bumpers, front & rear	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8821 8238	Skid plate/ 3x10 CCS (4) Skidplate/ lower gear cover	3647 8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)
0230		1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
0015	Chassis & Attachments	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8215 8224	Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
· · ·	BCS (5)/ 2.5x8 CS (2)	1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, from & rear inner fooders about found to long the best long to the control body of	8221 2523	Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6)
8057	fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase)	3229 3236	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)
	(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)	2618	Screws, 2.5x16mm cap-head machine (6)
8220	Chassis rails, 448mm (steel) (left & right)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
8818	Exhaust pipes, (left & right)	2524 2617	Screws, 2.5x8 countersunk machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6)
8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)	3965	Screws, 2.5x8mm cap-head machine (fe)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	8167 2564	Screws, 2x10mm cap-head, self-tapping (hex drive) (10) Screws, 2x8mm cap-head machine (hex drive) (6)

Page 4	TRX-4® Mercedes-Benz® G 500® 4X4®: TQi™ Trax	xas Link	™ Enabled 2.4GHz Radio (Model 82096-4) Parts List
2577	Screws, 3x10mm button-head machine (hex drive) (6)	8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
2578	Screws, 3x12mm button-head machine (hex drive) (6)		5x63mm (red powder coated steel) (assembled with hollow balls)
2579	Screws, 3x15mm button-head machine (hex drive) (6)		(for use with #8140R TRX-4® Long Arm Lift Kit)
2591	Screws, 3x23mm button-head machine (hex drive) (6)	8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated
2581	Screws, 3x25mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
2616	Screws, 3x27mm button-head machine (hex drive) (6)		Long Arm Lift Kit)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	8144R	Suspension link, front upper, 5x68mm (1) (red powder coated
2575	Screws, 3x6mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		Long Arm Lift Kit)
2576	Screws, 3x8mm button-head machine (hex drive) (6)	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	0440	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
3933	Screws, 4x16mm button-head machine (hex drive) (6)	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled
	LED Light Accessories	04.42V	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
		8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated
8031	3-in-1 wire harness, LED light kit		steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8089	4-in-2 wire harness, LED light kit	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated
6589	Distribution block, LED light set	014310	steel) (assembled with hollow balls) (for use with #8140R TRX-4®
6593	Distribution block, Pro Scale® Advanced Lighting Control		Long Arm Lift Kit)
	System	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled
8893	Installation kit, Pro Scale® Advanced Lighting Control System,	0140	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	TRX-4® Mercedes® G 500® & G 63® (includes mount, rear	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated
	bumper lens, turn signal, reverse light, & fog light harnesses,		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
0000	hardware)		Long Arm Lift Kit)
8899	LED light set (contains headlights, tail lights, roof lights, and	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated
	distribution block) (fits #8811 body, requires #8028 power		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
0000	supply)		Long Arm Lift Kit)
8898	LED light set, complete with power supply (contains headlights,	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled
8028	tail lights, roof lights, & distribution block) (fits #8811 body)		with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
0020	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated
onsev			steel) (assembled with hollow balls) (for use with #8140X TRX-4®
8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)		Long Arm Lift Kit)
6502	Power module, Pro Scale® Advanced Lighting Control System	8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated
6592	(includes mount, communication cables, hardware)		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
6591	Pro Scale® Advanced Lighting Control System (includes power		Long Arm Lift Kit)
0001	module & distribution block)	8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
8898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®,		2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires,
0030X	complete with power module (contains headlights, tail lights,		foam inserts) (1 left, 1 right)
	roof lights, & distribution block) (fits #8811 or 8825 body)	8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
6594	Receiver communication cable, Pro Scale® Advanced Lighting		Canyon Trail 5.3x2.2" tires) (2)
	Control System	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
	Long Arm Lift Kit	8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black
	LUNG ATTHE LITE NIL		
		04=44	chrome, beadlock) (beadlock rings sold separately)
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal
	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit)		Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
8162X 8162R	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use	8171A 8180	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)		Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140	8180	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)		Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & EIGGITOTICS Antenna caps, vinyl (2)/ antenna spool
8162R 8162 8147	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long	8180 1926	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long	1926 1726 2262 2064A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***Indiana Caps, vinyl (2)/ antenna spool Antenna caps, vinyl (2)/ antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo)
8162R 8162 8147 8148	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))	1926 1726 2262 2064A 2064R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOLOTS & FIGHTONICS** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)
8162R 8162 8147 8148 8150	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) 100015 8.1 [CC17011] CS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)
8162R 8162 8147 8148 8150	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete	1926 1726 2262 2064A 2064R 2072X 2252	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) 10007S & IGCITONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
8162R 8162 8147 8148 8150	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder	1926 1726 2262 2064A 2064R 2072X 2252 2272	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & FIGCITONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)
8162R 8162 8147 8148 8150 8140 8140X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150 8140 8140X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS & FIGURE** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8162R 8162 8147 8148 8150 8140 8140X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOLOTS & FIGURE **Grain Grain **Grain Grain
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS & FIGURE** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS & FIGURON** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOIOTS & FIGCITONICS** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***Motor's & Figctronics** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS 3.** I GRITOTTES** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2255 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS & FIGURE **Grain Complete Complete **Grain Complete Complete **Grain Complete
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOIOTS & FIGCITONICS** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOT'S & FIGCTONTON** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS & FIGCTONICS** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***Motor's at Ighton 68 Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS & FIGURION** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (red-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shocks shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8140R 8141 8161 8160X 8160R 8160 8153	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063X	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R 8160	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R 8160 8153	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***Motor's at Ighton 68 Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) (for Summit locking differential)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R 8160 8153	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***MOTOTS & FIGURION** Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) (for Summit locking differential) Servo, digital high-speed, metal gear (ball bearing), waterproof
8162R 8162 8147 8148 8150 8140 8140X 8140R 8140R 8140 8161 8160X 8160R 8160 8153 8154	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) ***Motor's at Ighton 68 Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) (for Summit locking differential)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8140R 8140 8161 8160X 8160R 8160 8153 8154	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shocks shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 RTX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8140R 8140 8161 8160X 8160R 8160 8153 8154 8155 8156 8157	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8149 8141 8161 8160X 8160R 8160 8153 8154 8155	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2250	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8140R 8140 8161 8160X 8160R 8160 8153 8154 8155 8156 8157	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shocks shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2250	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & FIGETONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8162R 8162 8147 8148 8150 8140 8140X 8140R 8140R 8141 8161 8160X 8160R 8160 8153 8154 8155 8156 8157	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	8180 1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669 2075R 2250	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® Sport 2.2 (2) Motors & Figetronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400

Page 5	TRX-4® Mercedes-Benz® G 500® 4X4®: TQi™ Trax	xas Link	™ Enabled 2.4GHz Radio (Model 82096-4) Parts List
2075X 2065A	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof	6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone
2065R	Servo, sub-micro, waterproof, metal gear		grease)
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	6526	Sensor, auto-detectable, temperature
	detection, fwd/rev/brake)	6527	Sensor, auto-detectable, voltage
2261	Y-harness, BEC	6521	Sensor, temperature and voltage (long)
	Pro Scale® Winch & Accessories	2254 2253	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8868	Bumper, front/ aluminum fairlead (winch)/ 2.5x10 CS (6) (fits TRX-4® Mercedes-Benz® G 500® and G 63® with 8855 winch)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
8859	Fairlead, winch	2271	Servo case/ gaskets (for 2270 waterproof servo)
8862	Gearmotor, winch	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8863	Hook, winch (steel)/ line retainer/ washer	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8858 8864X	Housings (front & rear), winch/ decal Line, winch (blue)		servo)
8864	Line, winch (gray)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864R	Line, winch (red)	2075R	Servo)
8860	Spool shaft assembly, winch	2075K 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8861	Spool, winch	2230	waterproof (#2262 external BEC and #8247X metal servo horn
8855	Winch kit with wireless controller, TRX-4® and TRX-6®		recommended for optimal performance)
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
8857	Wireless remote, winch, TRX-4® and TRX-6®		bearing), waterproof (#2262 external BEC and #8247 steel servo
	Radio System, Batteries & Chargers		horn recommended for optimal performance)
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	OOOOX	#6551X GPS module)
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2914	Battery, Power Cell AA Alkaline (4)		#6550X telemetry expander)
2976	AC to DC adapter	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®		enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
4700	batteries to separate balance ports)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
1726 2943	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6548	Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- channel (transmitter only)
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell	6511	Traxxas® Link Bluetooth® module
V	LiPo batteries)	2261	Y-harness, BEC
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		Ready-To-Race Model
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	00000 4	
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	82096-4	TRX-4® Scale and Trail® Crawler with Mercedes-Benz® G 500® 4x4² Body: 1/10 Scale 4WD Electric Trail Truck. Ready-to-Drive®
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)		with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System, XL-5 HV
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))		ESC (fwd/rev), and Titan® 550 motor. Scale Details
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))	8022T	#8111 or #8111R body) Fuel canisters (black) (2)/ screw pin
2991	Battery/charger completer pack (includes #2972 Dual iD charger	8022R	Fuel canisters (blue) (2)/ screw pin
	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))	8022	Fuel canisters (red) (2)/ screw pin
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	8022X	Fuel canisters (white) (2)/ screw pin
	(includes receiver box cover and seals)	8022A	Fuel canisters (yellow) (2)/ screw pin
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8023	Jack (1)/ 2x8 BCS (1)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	8023T	Jack (black) (1)/ 2x8 BCS (1)
2973	Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	8122	Shovel/ axe/ accessory mount/ mounting hardware
2313	Battery Identification	8121X	Traction boards, blue/ mounting hardware
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	8121G	Traction boards, green/ mounting hardware
2971	Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	8121A 8121	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware
2981	Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	5024	Shock Oil
	Battery Identification	5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
6525	Communication link, telemetry expander	5032	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
6512	Cover plate, Traxxas® Link Bluetooth® module	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2064A	Gear set (for 2065A waterproof sub-micro servo)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
2072X	Gear set, metal (for 2070, 2075 servos)	5029	Shock oil bottle (60cc) (for mixing shock oil)
2252	Gear set, metal (for 2250, 2255 servos)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2272	Gear set, metal (for 2270 waterproof servo)		80 wt premium shock oils with spinning carousel rack)
2072R 2968X	Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for	5038	Spinning carousel rack
200A	Traxxas® iD® batteries)		Shocks (GTS)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	8266A	Body, GTS shock (aluminum, blue-anodized) (1)
	Traxxas® iD® batteries)	8266G	Body, GTS shock (aluminum, green-anodized) (1)
6561	Mount, telemetry expander	8266R	Body, GTS shock (aluminum, red-anodized) (1)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	8266	Body, GTS shock (aluminum, silver-anodized) (1)
	pad	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)

Page 6	TRX-4® Mercedes-Benz® G 500® 4X4®: TQi™ Trax	xas Link	r™ Enabled 2.4GHz Radio (Model 82096-4) Parts List
8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
5475	Multi-tool (plastic)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8261	Piston, damper (red) (4)/ e-clips (8)	0040	captured (4)
8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8263	clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2)	8243 8244	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2)
8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	02-10	Suspension Linkage
	TiN shafts (assembled with spring retainers) (2)		
8260A	Shocks, GTS, blue-anodized (assembled with spring retainers)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner
	(2)		fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8260G	Shocks, GTS, green-anodized (assembled with spring retainers)	8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
8260R	(2) Shocks, GTS, red-anodized (assembled with spring retainers) (2)		(includes rear upper & lower suspension links, front & rear
8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)		shock towers, long female half shaft)
	Slipper Clutch Components	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2000		5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
8292	Input shaft/ output shaft (transmission)	8275	adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset
8286 8254	Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	0210	(4))
0234	(1)/ spring washers (2))	8276	Rod ends (10)
8249	Slipper eliminator plate	8277	Rod ends, angled 10-degrees (8)
	Springs	2742	Rod ends, long (6)/ hollow ball connectors (6)
8041	Springs, shock (GTS) (front) (0.45 rate) (2)	8278	Rod ends, offset (4)
8041 8040	Springs, shock (GTS) (non) (0.43 rate) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8042	Springs, shock (oratural finish) (GTS) (0.22 rate, yellow stripe) (2)	8243	captured (4) Suspension link, front, 5x100mm (lower) (steel) (2)
8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
	Spur Gears & Pinion Gears		Team Traxxas Items
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	2514	Decal sheet, racing sponsors
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	(fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)		Tires & Wheels
3944X	(fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
39447	(fits 3mm shaft)/ set screw	8168T	Beadlock rings, black (1.3") (aluminum) (4)/ 2x10 CS (48)
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
20.47V	(fits 3mm shaft)/ set screw	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)	8168R 8169	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168	Beadlock rings, satin (1.3") (aluminum) (4)/ 2x10 CS (48)
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	8873	Center caps, Mercedes-Benz® G 500® wheel (black) (4) (requires
	(fits 3mm shaft)/ set screw		#8255A extended thread stub axle)
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)	8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
3952X	(fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)		extended thread stub axle)
000270	(fits 3mm shaft)/ set screw	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8052	Spur gear, 39-tooth (32-pitch)	1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8053	Spur gear, 45-tooth (32-pitch)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	Steering Components	8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
8232	Caster blocks (portal drive), left & right		1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8182	foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right	0102	1.9" satin black chrome, blue beadlock style wheels, Canyon
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8177	Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	• • • • • • • • • • • • • • • • • • • •	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
2072X 2072R	Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos)		#8255A extended thread stub axle)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8166	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer		Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
	adjustment shims; 3.5mm (2), 1.17mm (2)	8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	01000	Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires
8276	Rod ends (10)	8183X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome wheels,
8277	Rod ends, angled 10-degrees (8)	5.00A	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
2742	Rod ends, long (6)/ hollow ball connectors (6)		(requires #8255A extended thread stub axle)
8278	Rod ends, offset (4)	8872	Tires & wheels, assembled, glued (2.6" black, satin chrome-plated
8247X	Servo horn, steering, metal/3x14 BCS (1)		Mercedes-Benz® G 500® 4x4² wheels, 4.6x2.6" tires) (2)/ center
2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing),	8273	caps (2) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon
2230	waterproof		Trail 4.6x1.9" tires) (2)
	•		: : ·

Page 7	TRX-4® Mercedes-Benz® G 500® 4X4®: TQi™ Trax	xas Link	^{t™} Enabled 2.4GHz Radio (Model 82096-4) Parts List
8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels,	8711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,
8172	Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome	0/11	includes premium handle (medium), travel pouch, hex drivers
	beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
8181	left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels,	8719	2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium
0101	Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit)		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)	8716X	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8715	3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)	0/15	2.5mm), 1/4" drive
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/		wrench)
	3x10 screw pin (4)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
8165	#8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
	#8255A extended thread stub axle)		wrenches/ driver handle)
8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black		TRX-4® Traxx®
8173A	chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal	8889 8890	Bearing retainers, inner (2)/ outer (2)
	gray, beadlock) (beadlock rings sold separately)	8885	Drive wheel (1) Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock		each, front (left & right), rear (left & right))
8171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	8888	Spring (4)
•	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8887 8886	Stub axle (1) Stub axle nut (4)
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift	8891	Tension wheels (6)/ road wheels (4)
8271	Kit) Wheels, TRX-4® 1.9 (2)	8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061
8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)	8882	GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061
8178	Wheels, TRX-4® Sport 1.9 (2)	0002	GTR shock, & #8895 rubber track)
8268	Wheels, TRX-4® Tactical 1.9 (2)	8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061
2000	Transmission Components	8884	GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061
8283 8284	Cable, T-lock (front) Cable, T-lock (rear)	0004	GTR shock, & #8896 rubber track)
8195	Differential, locking, front and rear (assembled) (includes T-Lock	8880	Traxx®, TRX-4® (4) (complete set, front & rear)
0000	cables and servos)	8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
8289 8293X	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T	8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
02307	output gear, 2x9.8 pins (5))		(1)
8291	Gearbox housing (includes main housing, front housing, & cover)		
8285 5041	Gears, transfer case (3) Grease, premium high performance (20cc)		
8292	Input shaft/ output shaft (transmission)		
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)		
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)		
8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)		If you have questions or need technical assistance, call Traxxas at:
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup		1-888-TRAXXAS
	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))		(1-888-872-9927) (U.S. residents only)
8294	Output gear, high range, 24T (metal)		For orders, calls outside the U.S., and other information, call 972-549-3000,
8286 8290	Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8249	Slipper eliminator plate		TRAXXAS.COM
8296	Transmission gears, single speed, metal		
8196	Two speed conversion kit	1	
	Traxxas Tools		
3433X	Body reamer (aluminum handle)		
3433	Body reamer (plastic handle)		
3436 3432	Cap, body reamer Scissors, curved tip		
3431	Scissors, straight tip		
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes		
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,		
	and 8.0mm), 1/4" drive		
8720	Speed bit handle, large (overmolded)		
8721	Speed bit handle, medium (one piece)		

8722

Speed bit handle, premium (rubber overmold)