

TRX-4® 1979 Ford® Bronco® (Model 82046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet® Blazer)
8241	Axle housing, front	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		(includes grille, side mirrors, door handles, windshield wipers,
8227	Axle mount set (complete) (front & rear) (for suspension links)		decals, window masks)
8228	Axle shaft, front (left)/ drive pin/ cross pin	9112X	Body, Chevrolet Blazer (1969), complete, black (painted)
8229	Axle shaft, front (right)/ drive pin/ cross pin		(includes grille, side mirrors, door handles, windshield wipers,
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front		front & rear bumpers, decals)
	portal drive input gear)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,	0407	drill bit (fits #9126 or #9127 front bumpers)
	front (machined) (2) (assembled)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8230	Axle shaft, rear (left)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8231	Axle shaft, rear (right)	9113 6593	Decal sheets, Chevrolet Blazer (1969 - 1972) Distribution block, Pro Scale® Advanced Lighting Control
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	6393	System
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	9123	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8256	Portal drive axle mount, rear (left & right)	3123	headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	8091	(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
	anodized) (left and right)/ 2.5x16 CS (4)	8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		lights and turn signal harnesses, hardware)
	anodized) (left and right)/ 2.5x16 CS (4)	8090	LED light set, complete with power supply (contains headlights,
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		tail lights, side marker lights, & distribution block) (fits #9111 or
	(left and right)/ 2.5x16 CS (4)		9112 body)
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
8253	Portal drive housing, inner, rear (left or right) (2)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8251	Portal drive housing, outer (front or rear) (2)		(self-tapping) (8)
8064	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9112 body)
8257	Portal drive input gear, front/ drive pin/ cross pin	6592	Power module, Pro Scale® Advanced Lighting Control System
8259	Portal drive input gear, rear		(includes mount, communication cables, hardware)
8065	Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)	6591	Pro Scale® Advanced Lighting Control System (includes power
8258	Portal drive output gear, front or rear	00001	module & distribution block)
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &
UZUZX	(2)/ 3x12 BCS (2)		1972), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-		9112 body)
0_0_	anodized) (2)/ 3x12 BCS (2)	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	V	BCS (self-tapping) (4)
	anodized) (2)/ 3x12 BCS (2)		Body (1972 Chevrolet® Blazer)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	0444	_
	(2)/ 3x12 BCS (2)	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes grille, side mirrors, side trim, door handles, windshield wipers,
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)		decals, window masks)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9111X	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
020071	anodized) (2)/ 2.5x10 CS (2)		grille, side mirrors, door handles, windshield wipers, front & rear
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		bumpers, decals)
	anodized) (2)/ 2.5x10 CS (2)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)		drill bit (fits #9126 or #9127 front bumpers)
	(2)/ 2.5x10 CS (2)	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	0404	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
	2.5x10 CS (12)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	9113 6593	Decal sheets, Chevrolet Blazer (1969 - 1972)
00-1-	anodized) (2)/ 2.5x10 CS (12)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
00545	2.5x10 CS (12)	3113	wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8255	2.5x10 CS (12) Stub axle (portal drive) (2)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
	Stub axie (portal drive) (2) Stub axle, extended thread (portal drive) (2)		housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
8255A 8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)		body)
0201	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	8091	Installation kit, Pro Scale® Advanced Lighting Control System,
			TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
	Bearings & Bushings		lights and turn signal harnesses, hardware)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	8090	LED light set, complete with power supply (contains headlights,
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		tail lights, side marker lights, & distribution block) (fits #9111 or
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	04.5	9112 body)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	0110	(self-tapping) (8) Mirrors side chrome (left & right) a rings (4)/ hody clins (4) (fits
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)	0002	(includes mount, communication cables, hardware)
			,

Page 2	TRX-4® 1979 Ford® Bronco®: TQi™ Traxxas Link™	Enabled	2.4GHz Radio (Model 82046-4) Parts List
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)
8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or	6592 6591	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power
9117	9112 body) Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)	8035R	module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- 150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)	8076	9230 series bodies) Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies)
04007	Body (1979 Chevrolet® Blazer)	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8077	hardware Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 series bodies)
8130P	Body, Chevrolet Blazer (1979), complete (clear, requires painting) (includes grille, side mirrors, side trim, door handles, windshield wipers, decals, window masks)	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series bodies) BOTY [Mercerles-Benz® G 500®]
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/ window masks (includes rear body post, grille, side mirrors, door handles, windshield wipers)
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8812 6593	Decals, Mercedes-Benz® G 500® Distribution block, Pro Scale® Advanced Lighting Control System
8131	Decal sheet, Chevrolet Blazer (1979)	8813X	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens,
6593	Distribution block, Pro Scale® Advanced Lighting Control System		headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825
8132	Door handles, left, right & rear tailgate/ windshield wipers, left &		body)
8134	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series bodies) Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/	8893	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses,
	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 or 9212 series bodies)	8027	hardware)
8082	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount,	8899	LED headlight/tail light kit (fits #8011 series bodies, requires #8028 power supply) LED light set (contains headlights, tail lights, roof lights, and
8039	reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028	8898	distribution block) (fits #8811 body, requires #8028 power supply) LED light set, complete with power supply (contains headlights,
8038	power supply) LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130	8025	tail lights, roof lights, & distribution block) (fits #8811 body) LED lightbar (Rigid), TRX-4® (requires #8028 power supply)
	series bodies)	8029 8817	LED lightbar kit (Rigid)/power supply, TRX-4® Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers,
8133X 8133	Mirrors, side (folding) (fits #8130 series bodies) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 series bodies)	6592	left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3) Power module, Pro Scale® Advanced Lighting Control System
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)		(includes mount, communication cables, hardware)
6591	Pro Scale® Advanced Lighting Control System (includes power	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8038X	module & distribution block) Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or	8898X 6594	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body) Receiver communication cable, Pro Scale® Advanced Lighting
8135	9212 series bodies) Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers	8822	Control System Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
	(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies)	8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
8010X	Body (1979 Ford® Bronco) Body, Ford Bronco, complete (black) (includes front and rear	8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)
	bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset		Body (Tactical Unit)
	decals) (requires #8072 inner fenders)	8211X 8019	Body, Tactical Unit, night camo (painted)/ decals Fender brace, inner, front & rear
8078R 8078	Decal sheet, Bronco, red (fits #8010 body) Decal sheet, Bronco, sunset (fits #8010 body)	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8018 8020	bodies) Fenders, inner, front & rear (2 each)/ rock light covers (8) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)		#8011 series bodies)
8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies)	8021	Spare tire mount/ mounting bracket/ screw pins (2) Body (TRX-4® Sport)
8032R	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10	8112 8111R	Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,
8036R	Truck (1979) (includes mount, reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires	8111	requires painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8035	#8028 power supply)	8113	Decal Sheet, TRX-4® Sport
8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)	6593 8120X	Distribution block, Pro Scale® Advanced Lighting Control System Expedition rack, complete (includes traction boards, shovel, axe,
8037 8073	LED lights, high/low switch (for #8035 or #8036 LED light kits) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits		jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
	#8010 or 9230 series bodies)	8120	Expedition rack/ mounting hardware (fits #8111 or #8111R body)

Page 3	TRX-4® 1979 Ford® Bronco®: TQi™ Traxxas Link™	' Enabled	2.4GHz Radio (Model 82046-4) Parts List
8422 8116	Fire extinguisher, red (2) Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6)	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
8083	(fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn	8218 8224X	Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease
8086	signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)	8219 8225	Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires	8240X	grease) Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8088	#8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires	8239 8226	Servo mount, steering/ chassis crossmember Tray, battery
8087	#8028 power supply) LED light bar, roof lights (fits #8111 body, requires #8028 power	0204	Differential Components
8085	supply) LED light set, complete with power supply (contains headlights,	8281 8280A	Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (black)
8119	tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8280X 8280	Differential cover, front or rear (chrome plated) Differential cover, front or rear (grey)
6592	#8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System	8280R 8282	Differential cover, front or rear (red) Gear set, differential (output gears (2), spider gears (4), spider gear
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power	8295	shaft (2)) Output drive, transmission or differential (pin retainer (1)/ drive cup
8085X	module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power		(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
	module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)	8279 8279R	Ring gear, differential/ pinion gear, differential Ring gear, differential/ pinion gear, differential (machined)
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
8122 8118	Shovel/ axe/ accessory mount/ mounting hardware Spare tire mount/ mounting hardware	8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with
8121X	Traction boards, blue/ mounting hardware		threadlock) (4) Driveline Components
8121G 8121A	Traction boards, green/ mounting hardware Traction boards, yellow/ mounting hardware	8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8121	Traction boards/ mounting hardware	8255A	Stub axle, extended thread (portal drive) (2)
1926	BOILY ACCESSOTIES Antenna caps, vinyl (2)/ antenna spool	8269 8269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
1726	Antenna caps, viriyi (2), antenna spoor Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	0203A	3x10 screw pin (4)
1834	Body Clips (12) (standard size)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
1834A 3934	Body clips, black (12) (standard size) Body clips, heavy duty (12)	8269G	anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	02000	3x10 screw pin (4)
8215	Body mounts & posts, front & rear (complete set)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)
8115 4915	Body posts, front & rear Body washers, foam adhesive (10)		Hardware
2514	Decal sheet, racing sponsors	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080	1834	Body Clips (12) (standard size)
8080	narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers	1834A	Body clips, black (12) (standard size)
0000	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS	3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
8072	(10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	4859	CS 3x10 flathead (hex drive)
0012	plate/ 3x8 flathead screws (4)	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	8298	steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel
	Bumpers & Skidplates		hardware used on TRX-4®)
8234 8234R	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)
8067	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) Bumper mounts, front & rear	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
8237	Bumper mounts, front & rear/ screw pins (4)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8069	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	3647 8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)
8235 8236	Bumper, front/ winch/ 2.6x8 BCS (1) Bumper, rear	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8068	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8066	Push bar, bumper (chrome) (fits #8069 bumper)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8238	Skidplate/ lower gear cover	1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
	Chassis & Attachments	8221	Screw pin, 3x10mm (6)
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm	2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
8223	wheelbase) Battery plate/ battery strap/ 3x8 flathead screws (4) (requires #8072	3229 3236	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)
0215	inner fenders)	2618	Screws, 2.5x16mm cap-head machine (6)
8215 8224	Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	3215 2524	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8 countersunk machine (hex drive) (6)
QOEO	BCS (5)/ 2.5x8 CS (2) Chassis conversion kit. TRY 4® (long to short wheelbase)	2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner	3965	Screws, 2.5x8mm cap-head machine (6)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8299 8167	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6) Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	2564	Screws, 2x8mm cap-head machine (hex drive) (10)
	(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8220	Chassis rails, 448mm (steel) (left & right)	2578 2579	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
		•	,

Page 4	TRX-4® 1979 Ford® Bronco®: TQi™ Traxxas Link™	⁴ Enabled	d 2.4GHz Radio (Model 82046-4) Parts List
2591	Screws, 3x23mm button-head machine (hex drive) (6)	8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
2581 2616	Screws, 3x25mm button-head machine (hex drive) (6) Screws, 3x27mm button-head machine (hex drive) (6)		5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated
2575	Screws, 3x6mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		Long Arm Lift Kit)
2576	Screws, 3x8mm button-head machine (hex drive) (6)	8144R	Suspension link, front upper, 5x68mm (1) (red powder coated
3931	Screws, 3x8mm flat-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
3933	Screws, 4x16mm button-head machine (hex drive) (6)	0111	Long Arm Lift Kit) Supposion link front upper 5x59mm (1) (steel) (secondled with
	LED Light Accessories	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8031	3-in-1 wire harness, LED light kit	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled
8089	4-in-2 wire harness, LED light kit		with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
6589	Distribution block, LED light set	8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated
6593	Distribution block, Pro Scale® Advanced Lighting Control		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
	System		Long Arm Lift Kit)
8032R	Installation kit, Pro Scale® Advanced Lighting Control System,	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated
	TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10		steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
	Truck (1979) (includes mount, reverse lights harness, hardware)	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled
8036R	LED light set (contains headlights, tail lights, side marker lights,	0140	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	and distribution block) (fits #8010 or 9230 series bodies, requires #8028 power supply)	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated
8035	LED light set, complete with power supply (contains headlights,		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
0000	tail lights, side marker lights, & distribution block) (fits #8010		Long Arm Lift Kit)
	body)	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
	harness	0440	Long Arm Lift Kit)
8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hellow hells) (for use with #8440 TBY 4® Long Arm Lift Kit)
	and #8018, #8072, or #8080 inner fenders)	01.42V	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
6592	Power module, Pro Scale® Advanced Lighting Control System	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
	(includes mount, communication cables, hardware)		Long Arm Lift Kit)
6591	Pro Scale® Advanced Lighting Control System (includes power	8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated
903ED	module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8035R	150 (1979), complete with power module (contains headlights,		Long Arm Lift Kit)
	tail lights, side marker lights, & distribution block) (fits #8010 or	8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
	9230 series bodies)		2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires,
6594	Receiver communication cable, Pro Scale® Advanced Lighting	0404	foam inserts) (1 left, 1 right)
	Control System	8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
	Long Arm Lift Kit	8170	Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black
01027	#8140X TRX-4® Long Arm Lift Kit)	0171	chrome, beadlock) (beadlock rings sold separately)
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use	8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal
	with #8140R TRX-4® Long Arm Lift Kit)		gray, beadlock) (beadlock rings sold separately)
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140		Motors & Electronics
	TRX-4® Long Arm Lift Kit)	1926	Antenna caps, vinyl (2)/ antenna spool
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
9450	Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long		(includes receiver box cover and seals)
8150	(2), internal splined, long (1) and internal splined, medium (1))	2064A	Gear set (for 2065A waterproof sub-micro servo)
	(for use with TRX-4® Long Arm Lift Kit)	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
8140	Long arm lift kit, TRX-4®, complete	2072X	Gear set, metal (for 2070, 2075 servos)
8140X	Long arm lift kit, TRX-4®, complete (includes blue powder	2252	Gear set, metal (for 2250, 2255 servos)
	coated links, blue-anodized shocks)	2272	Gear set, metal (for 2270 waterproof servo)
8140R	Long arm lift kit, TRX-4®, complete (includes red powder coated	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
	links, red-anodized shocks)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
04.44	(for use with TRX-4® Long Arm Lift Kit)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8141 8161	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	8290R 3975R	Motor mount plate, 6061-T6 aluminum (red-anodized)
0101	with TRX-4® Long Arm Lift Kit)	3975K 8290	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
0.00%	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)	2231	2250, 2255 servos)
8160	Shocks, GTS, silver aluminum (assembled without springs) (4)	2271	Servo case/ gaskets (for 2270 waterproof servo)
	(for use with #8140 TRX-4® Long Arm Lift Kit)	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
	stripe) (for use with TRX-4® Long Arm Lift Kit)		servo)
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8155	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included		servo)
0133	with TRX-4® Long Arm Lift Kit)	5669	Servo horn (with built-in spring and hardware) (for Summit locking
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green	20755	differential)
	stripe) (for use with TRX-4® Long Arm Lift Kit)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn
	(for use with TRX-4® Long Arm Lift Kit)		recommended for optimal performance)
8146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	5x63mm (blue powder coated steel) (assembled with hollow		bearing), waterproof (#2262 external BEC and #8247X metal
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)		servo horn recommended for optimal performance)
		2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
		2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof

Page 5	TRX-4® 1979 Ford® Bronco®: TQi™ Traxxas Link™	' Enabled	l 2.4GHz Radio (Model 82046-4) Parts List
2065A	Servo, sub-micro, waterproof	2252	Gear set, metal (for 2250, 2255 servos)
2065R	Servo, sub-micro, waterproof, metal gear	2272	Gear set, metal (for 2270 waterproof servo)
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
2261	detection, fwd/rev/brake) Y-harness, BEC	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
	Pro Scale® Winch & Accessories	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
9967			Traxxas® iD® batteries)
8867	Bumper, front, winch, medium (includes bumper mount, D- Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979	6561	Mount, telemetry expander
	Blazer with 8855 winch) (217mm wide)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
8859	Fairlead, winch	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)	6552	Seal kit, expander box (includes o-ring, seals, and silicone
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front		grease)
	bumpers #8865, 8866, 8867, 8869, or 9224)	6526 6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage
8870G	Fairlead, winch, aluminum (green-anodized) (use with front	6521	Sensor, temperature and voltage (long)
8870T	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (orange-anodized) (use with front	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
00701	bumpers #8865, 8866, 8867, 8869, or 9224)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
	bumpers #8865, 8866, 8867, 8869, or 9224)	2271	2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
8862 8863	Gearmotor, winch	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8858	Hook, winch (steel)/ line retainer/ washer Housings (front & rear), winch/ decal	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8864X	Line, winch (blue)	00001	servo)
8864	Line, winch (gray)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
8864R	Line, winch (red)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8860 8861	Spool shaft assembly, winch Spool, winch	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8855	Winch kit with wireless controller, TRX-4® and TRX-6®		waterproof (#2262 external BEC and #8247X metal servo horn
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)	2255	recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball
8857	Wireless remote, winch, TRX-4® and TRX-6®	2200	bearing), waterproof (#2262 external BEC and #8247X metal
	Radio System, Batteries & Chargers		servo horn recommended for optimal performance)
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery	2270 2065A	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	2065R	Servo, sub-micro, waterproof, metal gear
2872X 2842X	5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	6551X	#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with
2914	Battery, Power Cell AA Alkaline (4)	00017	#6550X telemetry expander)
2976 2938X	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link
2000	batteries to separate balance ports)	6507R	enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	0307K	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro
2943	Battery charge indicators, green (4), grey (4), blue (4)		receiver)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell	6511	channel (transmitter only) Traxxas® Link Bluetooth® module
	LiPo batteries)	2261	Y-harness, BEC
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		Ready-To-Race Model
2940X 2950X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	82046-4	TRX-4® Scale and Trail® Crawler with 1979 Ford® Bronco Body:
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)		4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz
2983	Battery/charger completer pack (includes #2969 2-amp NiMH		Radio System
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))		Scale Details
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	8022T	Fuel canisters (black) (2)/ screw pin
	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	8022R	Fuel canisters (blue) (2)/ screw pin
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	8022 8022X	Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin
2991	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD charger	8022A	Fuel canisters (yellow) (2)/ screw pin
2001	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))	8023	Jack (1)/ 2x8 BCS (1)
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	8023T	Jack (black) (1)/ 2x8 BCS (1)
2075	(includes receiver box cover and seals)		Shock Oil
2975 2972	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
	Identification	5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	5033 5034	Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2070	Charger E7 Book Blue 4 cmp. NiMH/I iBo with iD Auto Botton	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
0004	Identification	5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification	JUJUA	80 wt premium shock oils with spinning carousel rack)
6525	Communication link, telemetry expander	5038	Spinning carousel rack
6512	Cover plate, Traxxas® Link Bluetooth® module		Shocks (GTS)
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	8266A	Body, GTS shock (aluminum, blue-anodized) (1)
2064A	Gear set (for 2065A waterproof sub-micro servo)	8266G	Body, GTS shock (aluminum, green-anodized) (1)
2064R 2072X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	8266R	Body, GTS shock (aluminum, red-anodized) (1)
•		8266	Body, GTS shock (aluminum, silver-anodized) (1)

Page 6	TRX-4® 1979 Ford® Bronco®: TQi™ Traxxas Link™	' Enable	d 2.4GHz Radio (Model 82046-4) Parts List
8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
5475	Multi-tool (plastic)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8261	Piston, damper (red) (4)/ e-clips (8)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
0000	clips, rod ends, and travel limiters)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8263 8263T	Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)		Suspension Linkage
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
02007	TiN shafts (assembled with spring retainers) (2)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
8260A	Shocks, GTS, blue-anodized (assembled with spring retainers)		adjustment shims; 3.5mm (2), 1.17mm (2)
	(2)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
8260G	Shocks, GTS, green-anodized (assembled with spring retainers)	8276	(4)) Rod ends (10)
8260R	(2) Shocks, GTS, red-anodized (assembled with spring retainers) (2)	8277	Rod ends, angled 10-degrees (8)
8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
0200	, , , ,	8278	Rod ends, offset (4)
	Slipper Clutch Components	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8292	Input shaft/ output shaft (transmission)		captured (4)
8286	Output shafts (transfer case), front & rear	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2))	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8249	Slipper eliminator plate	8248 8245	Suspension link, rear, 5x109mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
02.10	Springs	0243	
20.44	<u>-</u>		Team Traxxas Items
8041	Springs, shock (GTS) (front) (0.45 rate) (2)	2514	Decal sheet, racing sponsors
8040 8042	Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
8043	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)	9950 9909	Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)	9909	, , ,
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)		Tires & Wheels
	Spur Gears & Pinion Gears	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
6746	-	8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
6746 6747	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
3942X	Gear, 12-T pinion (32-p) (steel) (its shift sharp set sciew Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	8168X 8169G	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
00-12/1	(fits 3mm shaft)/ set screw	8168G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	8169R	Beadlock rings, green (2.2) (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)	8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
3945X	(fits 3mm shaft)/ set screw	8168	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)
3945A	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	47.47D	extended thread stub axle)
	(fits 3mm shaft)/ set screw	1747P 1747R	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
*****	(fits 3mm shaft)/ set screw	1747T	Nuts, aluminum, flanged, serrated (4mm) (green anodized) (4)
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
004070	(fits 3mm shaft)/ set screw		1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	0400	foam inserts) (1 left, 1 right)
	(fits 3mm shaft)/ set screw	8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" satin black chrome, blue beadlock style wheels, Canyon
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)		Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
00501	(fits 3mm shaft)/ set screw	8166	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw		Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		#8255A extended thread stub axle)
8279	Ring gear, differential/ pinion gear, differential	8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail
8052	Spur gear, 39-tooth (32-pitch)		4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8053	Spur gear, 45-tooth (32-pitch)	8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
	Steering Components	01000	Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires
8232	Caster blocks (portal drive), left & right		#8255A extended thread stub axle)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels,
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
	and right	0070	(requires #8255A extended thread stub axle)
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
2072X	Gear set, metal (for 2070, 2075 servos)		wheels, Canyon Trail 4.6x1.9" tires) (2)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		Trail 4.6x1.9" tires) (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8172	Tires and wheels, assembled (Method 105 2.2™ black chrome
8275	adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset		beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1
J21 U	(4))	8181	left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels,
8276	Rod ends (10)	0.01	Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm
8277	Rod ends, angled 10-degrees (8)		Lift Kit)
2742	Rod ends, long (6)/ hollow ball connectors (6)	8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
8278	Rod ends, offset (4)	8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-
8247X 2075R	Servo horn, steering, metal/ 3x14 BCS (1) Servo digital high-speed metal gear (hall bearing) waterproof	8269	4 Long-Arm Lift Kit) Wheel hubs 12mm hex (2)/ stub axle pins (2) (steel)
/U/ DK			VALUE COURS AND THE AND THE STATE OF ST

8269

Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)

2075R

Servo, digital high-speed, metal gear (ball bearing), waterproof

8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8m
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8m
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/		wrenches/ driver handle)
3269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/		TRX-4® Traxx®
475	3x10 screw pin (4)	8889 8890	Bearing retainers, inner (2)/ outer (2) Drive wheel (1)
3175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)	8885	Shock mounts (frame, left (2), frame, right (2))/ portal r
173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black	8888	each, front (left & right), rear (left & right)) Spring (4)
173A	chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal	8887	Stub axle (1)
1754	gray, beadlock) (beadlock rings sold separately)	8886	Stub axle nut (4)
171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock	8891 8881	Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub a)
171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	0001	GTR shock, & #8895 rubber track)
	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8882	Traxx®, front, right (assembled) (requires #8887 stub
271 271X	Wheels, TRX-4® 1.9 (2) Wheels, TRX-4® 1.9 (satin beadlock) (2)	8883	GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub ax
268	Wheels, TRX-4® Tactical 1.9 (2)		GTR shock, & #8896 rubber track)
	Transmission Components	8884	Traxx®, rear, right (assembled) (requires #8887 stub a GTR shock, & #8896 rubber track)
283	Cable, T-lock (front)	8880	Traxx®, TRX-4® (4) (complete set, front & rear)
284	Cable, T-lock (rear)	8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right)
289 293X	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T	8896	(1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right)
33A	output gear, 2x9.8 pins (5))	5550	(1)
291	Gearbox housing (includes main housing, front housing, & cover)		
285 041	Gears, transfer case (3) Grease, premium high performance (20cc)		
292	Input shaft/ output shaft (transmission)		
290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)		
290A 290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)		
290R	Motor mount plate, 6061-T6 aluminum (green-anodized)		If you have greations or need technical essistance, call Trayyo
295	Output drive, transmission or differential (pin retainer (1)/ drive cup		If you have questions or need technical assistance, call Traxxa
	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))		1-888-TRAXXAS
294	Output gear, high range, 24T (metal)		(1-888-872-9927) (U.S. residents only)
286	Output shafts (transfer case), front & rear		For orders, calls outside the U.S., and other information, call 972-549-30
290 249	Plate, motor/ upper spur gear cover Slipper eliminator plate		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
296	Transmission gears, single speed, metal		
	Traxxas Tools		
433X	Body reamer (aluminum handle)		
433 436	Body reamer (plastic handle) Cap, body reamer		
432	Scissors, curved tip		
431	Scissors, straight tip		
712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:		
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,		
	and 8.0mm), 1/4" drive		
'20 '21	Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)		
22	Speed bit handle, premium (rubber overmold)		
710	Speed Bit Master Set, hex and nut driver, 13-piece, includes		
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,		
	3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,		
711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,		
/ 1 1	includes premium handle (medium), travel pouch, hex drivers		
	(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,		
719	2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium		
	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,		
716	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"		
.0	drive		
16X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,		
15	3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,		
	2.5mm), 1/4" drive		
15X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,		
14	2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1		
-			
	Phillips, and #2 Phillips bits), 1/4" drive		
748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench/ 8mm & 4mm wrench/ U-joint		

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

	wichenes, arred manale)
	TRX-4® Traxx®
8889	Bearing retainers, inner (2)/ outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8880	Traxx®, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS