

# Bandit® (Model 24054-4) Parts List

	Bearings & Bushings	3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3728	LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits
545	Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4)	07001	both flat and hump style battery packs)
675	Bushings (plastic) (5x6x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14)	3722X	Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R
775	Bushings, self-lubricating (5x8x2.5mm) (12)		ESC mounting plate)
985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3728A	Lower chassis (gray) (166mm long battery compartment) (fits both fla
	Body & Accessories		and hump style battery packs)
926	Antenna caps, vinyl (2)/ antenna spool	3722R	Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		ESC mounting plate)
834	Body Clips (12) (standard size)	3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL
815	Body washers (8)		into Bandit or Rustler®)
716 417	Body Washers, Foam, 2mm/3mm/4mm Body, Bandit (front & rear) (clear, requires painting)/ window,	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
417	lights, grille decal sheet	9462X 9462	Side plates, wheelie bar, blue (aluminum) (2) Side plates, wheelie bar, charcoal gray (aluminum) (2)
449	Body, Bandit, Hawaiian graphics (painted, decals applied)	9462G	Side plates, wheelie bar, green (aluminum) (2)
433	Body, Bandit, pink (painted, decals applied)	9462A	Side plates, wheelie bar, orange (aluminum) (2)
420	Body, Bandit, ProGraphix® (replacement for the painted body.	9462P	Side plates, wheelie bar, pink (aluminum) (2)
	Graphics are printed, requires paint & final color application)/ decal sheet	9462R	Side plates, wheelie bar, red (aluminum) (2)
448	Body, Bandit, Rock n' Roll (painted, decals applied)	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
450	Body, Bandit® (also fits Bandit® VXL), black & red/ wing	3723	Upper chassis (black)
	(painted, decals applied)	3729	Upper chassis (black)
50X	Body, Bandit® (also fits Bandit® VXL), green/ wing (painted,	3729A <b>3723A</b>	Upper chassis (gray) <b>Upper chassis (grey)</b>
	decals applied)	4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
450T	Body, Bandit® (also fits Bandit® VXL), orange/ wing (painted, decals applied)	3677X	Wheelie bar mount (1) / hardware (blue)
450L	Body, Bandit®, ProGraphix®/ wing (graphics are printed,	3677A	Wheelie bar mount (1) / hardware (green)
TOOL	requires paint & final color application)/ decal sheet	3677P	Wheelie bar mount (1) / hardware (pink)
514	Decal sheet, racing sponsors	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	9464	series) Wheelin her mount (heevy duty)
931	Screws, 3x8mm flat-head machine (hex drive) (6)	9464 2477	Wheelie bar mount (heavy duty) Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (fo
185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	24//	LED light kit installation)
974 2772	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,
677X 677A	Wheelie bar mount (1) / hardware (blue) Wheelie bar mount (1) / hardware (green)		Rustler®, Bandit® series)
677P	Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Band
677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)	3678A	series) Wheelie bar, assembled (green) (fits Slash®, Stampede®, Puntice® Bandie® corice)
678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678T	Rustler®, Bandit® series) Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler® Bandit series)
678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler® Bandit® series)
678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,	9460	Wheelie bar, black (assembled)/ wheelie bar mount
678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
57.01	Bandit series)	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
186	axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	9461T	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/
615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
414	Wing wire	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2 5mm ball bearings (4)/ o-rings (2)/ 5x8x0 3mm TW (2)
	Chassis & Attachments	9461A	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2) Axle, wheelie bar, 6061 T6 aluminum (gray, anodized) (1)/ 3x12	9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
463 463G	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
463G	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2)) Differential Components
463P	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
463R	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12	2381X	Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Buetlar®)
727	BCS (with threadlock) (2) Battery hold-down plate (black)/ metal posts (2)/body clips (2)	2382	Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)	2000/	Stampede®, Rustler®)
735	Bumper (front)	1647	Silicone Grease
735P	Bumper (front) (pink)		

	Driveline Components
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
	screw pin (2)
4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
9450R	Driveshafts, rear, steel-spline constant-velocity (complete
0-0011	assembly) (2)
9451	Half shaft, external splined (steel-spline constant velocity) (1)
	(fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL,
0754	Drag Slash®)
2751	Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only)
1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints
	(4)
3652	Stub axle carriers (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
3652G	aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
30520	aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
SCENY	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
2753X	Stub axles, rear (2)
	Front Suspension & Steering
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
2545	Bushings (plastic) (5x8x2.5mm) (4)
2432	Caster blocks (left & right) (30-degree)
2437 1942	Front axles (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/ adapters
3639 3636	Shock tower (front) Steering blocks (L&R)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
26267	aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
05041	aluminum (red-anodized)/ 5x11mm ball bearings (4)
2531X <b>2531A</b>	
200 IA	Suspension arms (front) (2)
	Suspension arms, black, front, heavy duty (2) (requires #3632
2531L	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531L	Suspension arms, black, front, heavy duty (2) (requires #3632
2531L 2531G	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632
2531G	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632
2531G	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531G 2531T	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632
2531G 2531T	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)
2531G 2531T 2531R 3740	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2531G 2531T 2531R	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to
2531G 2531T 2531R 3740 2640	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
2531G 2531T 2531R 3740	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part # 2640
2531G 2531T 2531R 3740 2640	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
2531G 2531T 2531R 3740 2640	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Tie bar, fiberglass (requires suspension pins, part# 2640)
2531G 2531T 2531R 3740 2640 3640	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Tie bar, fiberglass (requires suspension pins, part# 2640) Turnbuckles, camber link, 47mm (67mm center to center) (front)
2531G 2531T 2531R 3740 2640 3640 2532 2444	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Tie bar, fiberglass (requires suspension pins, part# 2640) Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2531G 2531T 2531R 3740 2640 3640 2532	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Tie bar, fiberglass (requires suspension pins, part# 2640) Turnbuckles, camber link, 47mm (67mm center to center) (front)

#### Hardware 3mm threaded rods: 1 each of 20mm,25mm&44mm 2537 4363 Ball screws (3x12mm) (lower shock attachment screws) (6) 1834 Body Clips (12) (standard size) 3934 Body clips, heavy duty (12) 3980 Glow plug wrench (Universal wrench) 1552 Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench 1747F Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8) 1747 Nuts, 4mm nylon locking (10) 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)Rod ends, heavy duty (Jato®/Slayer) (8) 5525R 2742 Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) 5347 2742X Rod ends, short (6)/ hollow balls (6) Screw pin set (Rustler®/ Bandit/ Stampede®) 3739 3288 Screw, 3x15mm washerhead self-tapping (6) 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6) 3965 Screws, 2.5x8mm cap-head machine (6) 2587 Screws, 3x10mm caphead machine (6) (no washer) 2675 Screws, 3x10mm roundhead self-tapping (6) 2648 Screws, 3x12mm countersunk self-tapping (6) 2676 Screws, 3x12mm roundhead self-tapping (6) 3186 Screws, 3x12mm washerhead machine (6) Screws, 3x12mm washerhead self-tapping (6) 3286 2649 Screws, 3x15mm countersunk self-tapping (6) 2563 Screws, 3x15mm roundhead machine (6) 3187 Screws, 3x15mm washerhead machine (6) 2566 Screws, 3x20mm roundhead machine (6) 2567 Screws, 3x23mm roundhead machine (6) 2554 Screws, 3x6mm caphead machine (hex drive) (6) 2558 Screws, 3x6mm roundhead machine (6) 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)Screws, 3x8mm washerhead self-tapping (6) 3290 2548 Screws, 4x12mm countersunk machine (100-degree) (6) 3167 Screws, 4x15mm countersunk machine (6) Set (grub) screws, 3mm hardened (12) 2743 Shoulder screws, steering bellcranks (3x30mm cap-head machine) 3742 (2)/ draglink shoulder screws (chrome) (2) 3642 Shoulder screws, Ultra shocks (3x12) (6) 2754 Stub axle pins (4) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens 3740 caster blocks) 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) 2746 Washers, 3x6mm metal (12) 2615 Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) LED Lights 3791 LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) 3795 LED light harness, rear (requires #2477 wheelie bar mount) 3794 LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) 2263 Y-harness, BEC to LED light set Motors & Electronics 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) 3790 Gear adapter, fixed Gear set (for 2055, 2056 servos) 2053 2072A Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) 2252 2272 Gear set, metal (for 2270 waterproof servo) 1552 Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Motor, Stinger (20-turn, 540 size) 1275 3785 Motor, Titan® 12T (12-Turn, 550 size) 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Mounting plate, electronic speed control (for installation of XL-5/VXL 3725R into Bandit or Rustler®)

2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)

## Page 3 Bandit®: TQ<sup>™</sup> 2.4GHz Radio (Model 24054-4) Parts List

2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	22
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	
	2250, 2255 servos)	22
0074		
2271	Servo case/ gaskets (for 2270 waterproof servo)	20
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	20
	<b>e</b> (	20
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	20
2075	Servo, digital high-torque (ball bearing), waterproof	22
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing),	
2250		
	waterproof	22
2255	Servo, digital high-torque 400 brushless, metal gear (ball	
		20
	bearing), waterproof	
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	22
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	20
2056	Servo, high-torque, waterproof (blue case)	65
3350R	Velineon® VXL-3s Brushless Power System, waterproof	65
00001		
	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and	
	speed control mounting plate (part #3725))	65
3355R	VXL-3s Waterproof Electronic Speed Control (brushless)	
00001	• • • • •	~-
	(fwd/rev/brake)	65
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	
	detection, fwd/rev/brake)	65
		05
	Radio System, Batteries & Chargers	65
	nund oystom, button tos a onungors	
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	
	-	65
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	
2914	AA 4PK	~-
		65
2976	AC to DC adapter	65
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	
		_
	batteries to separate balance ports)	65
2943	Battery charge indicators, green (4), grey (4), blue (4)	
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	~-
0040		65
	transmitter)	
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	65
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)	65
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)	30
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)	
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)	
		24
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	24
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)	
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	94
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	
2903		36
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	36
	iD® battery (1))	
2984		37
2904	Battery/charger completer pack (includes #2969 2-amp NiMH	36
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH	
	iD® battery (1))	
2002		36
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	
	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	26
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	36
2200		
	voltage)	36
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	•••
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	
2312		36
	Identification	
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	~-
-	Battery Identification	27
0070		27
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	27
	Identification	
2071	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	27
2971		27
	Identification	
2981		~-
	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	27
	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	
2978	Battery Identification	27 36
	Battery Identification	
2053	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	
2053	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos)	
2072A	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos)	
2072A	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos)	36
2072A 2252	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	36 50
2072A 2252 2272	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)	36
2072A 2252	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	36 50 50
2072A 2252 2272	Battery identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for	36 50 50 50
2072A 2252 2272 2968X	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	36 50 50
2072A 2252 2272	Battery identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for	36 50 50 50
2072A 2252 2272 2968X	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	36 50 50 50 50
2072A 2252 2272 2968X 2968	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	36 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)	36 50 50 50 50
2072A 2252 2272 2968X 2968	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	36 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X	Battery identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal	36 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535	Battery identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	36 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535 6519	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel)	36 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535	Battery identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	36 50 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535 6519 6526	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Sensor, auto-detectable, temperature	36 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535 6519 6526 6527	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage	36 50 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535 6519 6526 6527 6520	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	36 50 50 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535 6519 6526 6527	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	36 50 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535 6519 6526 6527 6520 6521	Battery identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long)	36 50 50 50 50 50 50 50 50 50 50
2072A 2252 2272 2968X 2968 6554X 6535 6519 6526 6527 6520	Battery Identification Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	36 50 50 50 50 50 50 50 50

251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	
271		
074	Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos)	
074 075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	
075	Servo, digital high-torque (ball bearing), waterproof	
250	Servo, digital high-torque 300 coreless, metal gear (ball bearing),	
255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball	
07EV	bearing), waterproof	
075X 270	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	
056	Servo, high-torque, waterproof (blue case)	
553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	
550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	
551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	
538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)	
540	Telemetry trigger magnet, 5X2mm (1)	
509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	
	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	
507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)	
516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	
510 528	Transmitter, TQ Z.4GHZ, 2-channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-	
010	channel (transmitter only)	
529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-	
	channel (transmitter only)	
530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-	
	channel (transmitter only)	
511	Traxxas® Link Bluetooth® module	
537	Wire retainers, gear cover/ 3x4mm BCS (2)	
018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	
	detection, fwd/rev/brake) Doodyr To Doog Nodol	
1051 1	Ready-To-Race Model	
4054-4	Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system	
4054-4	Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system RCAT SUSTOTS ON	
4054-4 450	ICAT SUSPENSION           Driveshaft assembly (1), left or right (fully assembled, ready to	
450	ICAT SUSPENSION           Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)	
<b>450</b>	<b>IGENT SUSTEMENTS</b> Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Shock tower (rear)	
<b>450</b> 638 652	Item of the second se	
<b>450</b> 638 652 <b>752</b>	ICENT STISTIGTISTOTT         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)	
<b>450</b> 638 652	ICENT SUSTON         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	
<b>450</b> 638 652 <b>752</b> <b>652A</b>	IPERISTON         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)	
<b>450</b> 638 652 <b>752</b>	IPERISTON         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	
<b>450</b> 638 652 <b>752</b> <b>652A</b>	IPERISTON         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)	
450 638 652 752 652A 652G	IGENT STISTIGNISION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	
450 638 652 752 652A 652G 652T	Rear STISTENTSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)	
450 638 652 752 652A 652G 652T	IGENT STISTIGNISION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6	
450 638 652 752 652A 652G 652T 652P 652X	IGENT STISTIGNSTON         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)	
450 638 652 752 652A 652G 652T 652P 652X 753X	Rear SIISIGNSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)	
450 638 652 752 652A 652G 652T 652P 652X 753X 750A	Rear SIISIGNSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers, (2)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle, carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 753X 750A 750X	Rear SIISIGNSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 753X 750A 750A 750X 750G	Install       Image: Stall Stall         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, green, rear (left & right), heavy duty (2)	
450 638 652 652A 652G 652C 652P 652X 753X 750A 750A 750A 750X 750G 750T	Install       Image: Stall Stall         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, green, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 753X 750A 750X 750X 750C 750T 750L	Rear SUSUBLESION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear(2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2)	
450 638 652 652A 652G 652C 652P 652X 753X 750A 750A 750A 750X 750G 750T	Rear SIISIGNSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle, carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2)         <	
450 638 652 752 652A 652G 652T 652P 652X 753X 750A 750X 750X 750C 750T 750L	Rear SUSUBLESION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear(2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 753X 750A 750X 750X 750C 750T 750L	Rear SIISIGNSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers, (2)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, green, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 750A 750A 750A 750G 750G 750L 640	<b>Rear SIISIGNS</b> Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Shock tower (rear) Stub axle carriers (2) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, blue, rear (left & right), heavy duty (2) Suspension arms, plue, rear (left & right), heavy duty (2) Suspension arms, orange, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 750X 750A 750X 750A 750X 750C 750T 750L 640 031	ICENT SUBJENTION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, rear (rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2) </td	
450 638 652 752 652A 652G 652T 652P 652X 750A 750A 750A 750A 750C 750L 640 031 032	ICENT SUBJENTION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, green, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 750X 750A 750X 750A 750X 750C 750T 750L 640 031	Refit Stistiension         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)      <	
450 638 652 752 652A 652G 652T 652P 652X 753X 750A 750A 750A 750A 750A 750C 750T 750L 640	IGENT SUBJECTION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         Suspens	
450 638 652 752 652A 652G 652F 652P 652X 753X 750A 750X 750C 750C 750L 640 031 032 033 034	IGENT SILSIGNSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, black, rear (left & right), heavy duty (2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 750X 750X 750X 750X 750C 750L 640 031 032 033 034 035	IGENT SUBJECTION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         Suspens	
450 638 652 752 652A 652G 652F 652P 652X 750A 750A 750A 750G 750T 750G 750C 640 031 032 033 034 035 036	IGENT SILSIGNSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (pink-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axles, rear (2)         Suspension arms, blue, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)         Suspension arms, red, rear (left & right), heavy duty (2)         Suspension arms, orange, rear (left & right), heavy duty (2)	
450 638 652 752 652A 652G 652T 652P 652X 750A 750X 750A 750A 750A 750C 750T 750L 640 031 032 033 034 035 036 037	Refr Stistiension         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         Suposion arms, black, rear (left & right), heavy d	
450 638 652 752 652A 652G 652F 652P 652X 753X 750A 750X 750C 750T 750L 640 031 032 033 034 035 036 037 029 038X	Rear SUISUENTSIONDriveshaft assembly (1), left or right (fully assembled, ready toinstall)/ screw pin (1)Shock tower (rear)Stub axle carriers (2)Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6aluminum (blue-anodized)/ 5x11mm ball bearings (4)Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6aluminum (orange-anodized)/ 5x11mm ball bearings (4)Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6aluminum (orange-anodized)/ 5x11mm ball bearings (4)Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6aluminum (pink-anodized)/ 5x11mm ball bearings (4)Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6aluminum (red-anodized)/ 5x11mm ball bearings (4)Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6aluminum (red-anodized)/ 5x11mm ball bearings (4)Stub axles, rear (left & right), heavy duty (2)Suspension arms, black, rear (left & right), heavy duty (2)Suspension arms, green, rear (left & right), heavy duty (2)Suspension arms, red, rear (left & right), heavy duty (2)Suspension arms, red, rear (left & right), heavy duty (2)Suspension arms, red, rear (left & right), heavy duty (2) <td c<="" td=""></td>	
450 638 652 752 652A 652G 652T 652P 652X 750A 750A 750A 750A 750A 750C 750T 750L 640 031 032 033 034 035 036 037 029	Refr Stistiension         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         Suposion arms, black, rear (left & right), heavy d	
450 638 652 752 652A 652G 652F 652P 652X 753X 750A 750X 750C 750T 750L 640 031 032 033 034 035 036 037 029 038X	Ref1*SUSDENSION         Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)         Shock tower (rear)         Stub axle carriers (2)         Stub axle carriers (2) (requires 5x11x4mm bearings)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (blue-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (green-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (orange-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         aluminum (red-anodized)/ 5x11mm ball bearings (4)         Stub axle carriers, Rustler@/Stampede@/Bandit (2), 6061-T6         Suspension arms, black, rear (left & right), heavy d	

 
 2664
 Big Bore shock cylinder (long) (1)

 5862
 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)

## Page 4 Bandit®: TQ<sup>™</sup> 2.4GHz Radio (Model 24054-4) Parts List

i uge 4		=150
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6	4683
2662	aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6	4686
2669	aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings	4690
1942	& washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	
	(2)	2527
2742X	Rod ends, short (6)/ hollow balls (6)	2537 <b>5114</b>
2667	Shock caps, aluminum (2) (Big Bore Shocks)	2545
2362 1664T	Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2)	1942
2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)	
20001	(2)	2742
1664	Shock shafts, steel, chrome finish (long) (2)	5347
2765	Shock shafts, steel, chrome finish (x-long) (2)	2742
1765	Silicone diaphragms (4)	3744
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	3742 3743
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)	3743
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)	3743
	Shocks (Ultra Shocks)	3743
26.40		<u> </u>
<b>3642</b> 3765A	Attachment screws, shock (3x12mm shoulder screws) (6) Body, Ultra Shock (long) (grey) (2)	3743
3766A	Body, Ultra Shock (XXL) (grey) (2)	3743
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	
2742X	(2) Rod ends, short (6)/ hollow balls (6)	6845
3767	Shock caps (2)/ shock bottoms (2)	1937
8361	Shock caps (black) (4) (assembled with hollow balls)	
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	2445
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)	3642
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	2441
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	2441
2362 1664T	Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2)	2444
2765T	Shock shafts, hardened steel, titanium nitride coated (ong) (2) Shock shafts, hardened steel, titanium nitride coated (x-long) (2)	
1664	Shock shafts, steel, chrome finish (long) (2)	2444
2765	Shock shafts, steel, chrome finish (x-long) (2)	2444
1765	Silicone diaphragms (4)	
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	2444
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	
2457	Spring, rear(black) (2)	2444
2458P	Springs (front) (pink) (2)	
2458A	Springs (front) (white) (2)	
2457P	Springs, (rear) (pink) (2)	2444
2458	Springs, front (black) (2)	
2457A	Springs, rear (white) (2)	2444
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load	3440
27604	spacers & springs) (rear) (2)	2443
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)	2443
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	2443
	Slipper Clutch Components	2443
3793	Input shaft (slipper shaft) / spring pin	
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	
	4.0mm NL (1)/ 5.0mm NL (1))	2443
2554 5556	Screws, 3x6mm caphead machine (hex drive) (6)	
5556	Slipper pressure plate & hub (aluminum alloy)	2443
0700	Spur Gears & Pinion Gears	
3790	Gear adapter, fixed	2443
2416 1918	Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw	2443
2419	Gear, 19-1 pinion (40-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw	
2421	Gear, 21-T pinion (48-pitch) / set screw	1942
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	5525
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw	2742 5347
4725 4676	Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Control	2742
40/0	slipper clutch)	3739

4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper
4686	clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control
4690	slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control
	slipper clutch)
	Steering Components
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X 3744	Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters
3744	Shoulder screws, steering bellcranks (3x30mm cap-head machine)
01 12	(2)/ draglink shoulder screws (chrome) (2)
3743	Steering bellcranks (I&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/
3743G	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6
	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/
3743X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/
	5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo
4007	spring retainer/servo horn, steering
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2)
	(assembled with rod ends and hollow balls)
	Suspension Linkage
3642	Attachment screws, shock (3x12mm shoulder screws) (6)
2441A	Camber link set for Bandit (grey) (plastic/ non-adjustable)
2441	Camber link set for Bandit® (plastic/ non-adjustable)
2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6
2444A	balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends
	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444A 2444G	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum,
	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2444G 2444T	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum,
2444G 2444T	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T	balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444G 2444T 2444P	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
2444G 2444T 2444P 2444R	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, frear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2444G 2444T 2444P 2444R 2443X	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, frear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2444G 2444T 2444P 2444R 2443X	balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
2444G 2444T 2444P 2444R 2443X 2443A	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443A 2443A	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443A	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443A 2443A	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443A 2443A	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443A 2443A 2443G 2443T	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443X 2443G 2443G 2443T 2443P	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443A 2443A 2443G 2443T	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443G 2443T 2443P	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1)
2444G 2444T 2444P 2444R 2443X 2443X 2443G 2443G 2443T 2443P	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls) <sup>7</sup> aluminum wrench (1) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443G 2443T 2443P 2443P 2443R	<ul> <li>balls)<sup>7</sup> aluminum wrench (1)</li> <li>Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES red-anodized,</li></ul>
2444G 2444T 2444P 2444R 2443X 2443X 2443A 2443G 2443T 2443P 2443P 2443R 1942 5525R	<ul> <li>balls)<sup>7</sup> aluminum wrench (1)</li> <li>Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES red-anodized, 7075-T6 al</li></ul>
2444G 2444T 2444P 2444R 2443X 2443X 2443A 2443G 2443T 2443P 2443P 2443R 1942 5525R 2742	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato@/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)
2444G 2444T 2444P 2444R 2443X 2443X 2443A 2443G 2443T 2443P 2443P 2443R 1942 5525R 2742 5347	<ul> <li>balls)<sup>7</sup> aluminum wrench (1)</li> <li>Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)</li> <li>Camber links, rear (TUBES pink-anodized, 7075-T6</li></ul>
2444G 2444T 2444P 2444R 2443X 2443X 2443A 2443G 2443T 2443P 2443P 2443R 1942 5525R 2742	balls) <sup>7</sup> aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato@/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)

#### Page 5 Bandit®: TQ<sup>™</sup> 2.4GHz Radio (Model 24054-4) Parts List

3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens	24	
2637	caster blocks) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front	24	
2640	suspension arm to caster block) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to	24	
2040	strengthen front bulkhead)		
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)	24	
2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum,	24	
	stronger than titanium) (2) (assembled with rod ends and hollow		
2445A	balls)/ aluminum wrench (1) Toe links, front (TUBES charcoal gray-anodized, 7075-T6	47 17	
24404	aluminum, stronger than titanium) (2) (assembled with rod ends	24	
	and hollow balls)/ aluminum wrench (1)	24	
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow		
	balls)/ aluminum wrench (1)	24	
2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum,	24	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	_	
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum,	34 24	
	stronger than titanium) (2) (assembled with rod ends and hollow	24	
04450	balls)/ aluminum wrench (1)	24	
2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow	24	
	balls)/ aluminum wrench (1)	24	
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber	24 24	
1935	links) Turnbuckles, 36mm (2)	24	
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear)		
	(assembled with rod ends and hollow balls) (1 left, 1 right)	51	
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)	37	
2445	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 55mm (75mm center to center) (2)		
2443	(assembled with rod ends and hollow balls)	54	
	Team Traxxas Items	37 36	
2514	Decal sheet, racing sponsors	36	
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	51	
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	94	
9909	Traxxas® racing banner, red & black (3x7 feet)	36	
9909	Traxxas® racing banner, red & black (3x7 feet)	94	
3775	TITES & Wheels Bushings, self-lubricating (5x8x2.5mm) (12)	<b>94</b> 37	
3775 <b>2475</b>	TITCS & WICOLS Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit)	94	
3775	TITCES & WICEEIS         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	<b>94</b> 37 23	
3775 2475 1747P	TITCS & WICOLS Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit)	<b>94</b> 37	
3775 2475 1747P 3647 1747R 1747R	Tir(-65 & Wir(-66 S Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	94 37 23 18 23	
3775 2475 1747P 3647 1747R 1747R 1747G 1747T	Tir(35 & Wir(30 S) Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	94 37 23 15	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1747A	Tiros & Windols Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	94 37 23 18 23	
3775 2475 1747P 3647 1747R 1747R 1747G 1747T	Tir(35 & Wir(30 S) Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	94 37 23 18 23 23	
3775 2475 1747P 3647 1747R 1747G 1747G 1747A 1985 2474 1647	Tirces & Wirce S Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rear wheels (2) (Bandit) Silicone Grease	94 37 23 18 23 23	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1747A 1985 2474 1647 3471	Tir(-55 & Wir(-66 )5 Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rear wheels (2) (Bandit) Silicone Grease Street tread tires, 2.15"Pro-trax (f)(2)	94 37 23 18 23 23 23 94 55	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1747A 1985 2474 1647 3471 2754	Tir(65 & Wir(66   5 Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rear wheels (2) (Bandit) Silicone Grease Street tread tires, 2.15"Pro-trax (f)(2) Stub axle pins (4)	94 37 23 18 23 23 94	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1747A 1985 2474 1647 3471	TirGS & Windels Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rear wheels (2) (Bandit) Silicone Grease Street tread tires, 2.15"Pro-trax (f)(2) Stub axle pins (4) Tire, front 2.1" spike (2)	94 37 23 11 23 23 23 94 55 55 25 31	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771	Tirces & Winders Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rear wheels (2) (Bandit) Silicone Grease Street tread tires, 2.15"Pro-trax (f)(2) Stub axle pins (4) Tire, front 2.1" spike (2) Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam	94 377 232 155 24 24 255 255 255 21 31 16	
3775 2475 1747P 3647 1747R 1747G 1747G 1747G 1985 2474 1647 3471 2754 1771 2470T	Tirces & Winders Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rear wheels (2) (Bandit) Silicone Grease Street tread tires, 2.15"Pro-trax (f)(2) Stub axle pins (4) Tire, front 2.1" spike (2) Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)	94 37 23 18 23 23 23 23 94 55 25 31 16 55	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771	Tirces & Winders Bushings, self-lubricating (5x8x2.5mm) (12) Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rear wheels (2) (Bandit) Silicone Grease Street tread tires, 2.15"Pro-trax (f)(2) Stub axle pins (4) Tire, front 2.1" spike (2) Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam	94 377 232 155 24 24 255 255 255 21 31 16	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T	III (65 & Witels)         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTEE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Street tread tires, 2.15" pro-trax (f)(2)         Street tread tires, 2.15" pro-trax (f)(2)         Street tread tires, 2.15" pro-trax (f)(2) <td colsp<="" td=""><td>94 37 23 18 23 23 23 23 94 55 31 10 55 31</td></td>	<td>94 37 23 18 23 23 23 23 94 55 31 10 55 31</td>	94 37 23 18 23 23 23 23 94 55 31 10 55 31
3775 2475 1747P 3647 1747R 1747G 1747G 1747G 1985 2474 1647 3471 2754 1771 2470T	III (35 & Wildels         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tire, front 2.1" spike (2)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)         Tires & wheels, assemble	94 37 23 18 23 23 23 23 94 55 31 10 55 31	
3775 2475 1747P 3647 1747R 1747G 1747G 1747G 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T	TITCS & WITCS         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tire, front 2.1" spike (2)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         ribbed 2.2" tires with foam inserts) (2) (Bandit® front))	94 37 23 18 23 23 23 23 94 55 31 10 55 31	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T	III (35 & Wildels         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         PTEE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tire, front 2.1" spike (2)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)         Tires & wheels, ass	94 377 23 18 23 23 23 24 55 55 31 31 36 55 31 36 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747G 1747G 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T	<b>III (6S &amp; Witee IS</b> Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	94 37 23 23 23 23 24 55 55 31 36 55 31 36 34 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T 2478T	<b>III (-6S &amp; Witeels</b> Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tire, front 2.1" spike (2)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         tires with foam inserts) (2) (Bandit® front))         Tires & wheels, assembled (2.2" black chrome wheel	94 377 23 18 23 23 23 24 55 55 31 31 36 55 31 36 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T 2478T	<b>III (6S &amp; Witee IS</b> Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	94 37 23 23 23 23 24 55 55 31 36 55 31 36 34 34 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T 2478T 2470G	TITGS & WI1GG IS         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (corage-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (corage-anodized) (4)         Nuts, aluminum, flanged, serrated (10, 100)	94 37 23 23 23 24 24 25 25 25 25 25 31 36 55 31 36 34 34 34 34 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T 2479T 2478T 2470G 2471G	<b>III (-6S &amp; Witeels</b> Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tire, front 2.1" spike (2)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         Niles & wheels, assembled (2.2" black chrome wheels, Alias®         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))         Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (	94 37 23 23 23 24 24 25 25 25 25 25 31 36 55 31 36 34 34 34 34 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T 2478T 2470G	III (-6S & Windels'         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tire, front 2.1" spike (2)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))         Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black, satin ch	94 37 23 23 23 24 24 25 25 25 25 25 31 36 55 31 36 34 34 34 34 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T 2479T 2478T 2470G 2471G	TITGS & WI1GGIS         Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized)	94 37 23 23 23 23 23 23 23 25 55 25 31 31 36 31 36 34 34 34 34 34 34 34 34 34 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2479T 2479T 2478T 2470G 2471G	<b>III (6S &amp; Witeels</b> Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (50)         Nuts, s	94 377 23 23 23 23 23 24 55 55 25 25 25 25 31 31 36 34 34 34 34 34 34 34 34 34 37 87 87 87 87 87 87	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2470T 2471T 2479T 2479T 2479G 2471G 2479G	<b>III (6S &amp; Witeels</b> Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))         Tires & wheels, assembled (2.2" black, chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)         Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit®	94 37 23 23 23 23 23 23 23 25 55 25 31 31 36 31 36 34 34 34 34 34 34 34 34 34 34 34 34 34	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2471T 2470T 2471T 2479T 2479T 2479G 2471G 2479G	TITCS & WindelsBushings, self-lubricating (5x8x2.5mm) (12)Front wheels(2)(Bandit)Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)Nuts, 4mm flanged nylon locking (steel, serrated) (8)Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)Rear wheels (2) (Bandit)Silicone GreaseStreet tread tires, 2.15"Pro-trax (f)(2)Stub axle pins (4)Tire, front 2.1" spike (2)Tires & wheels, assembled (2.2" black chrome wheels, Alias®2.2" tires) (2) (Bandit® rear, medium compound with foaminserts)Tires & wheels, assembled (2.2" black chrome wheels, Alias®ribed 2.2" tires) (2) (Bandit® front, medium compound w/ foaminserts)Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias@ 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias@ ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front,Tires & wheels, assembled (2.2" black, satin chrome beadlock 	94 377 23 23 23 23 23 24 55 55 25 25 25 25 31 31 36 34 34 34 34 34 34 34 34 34 37 87 87 87 87 87 87	
3775 2475 1747P 3647 1747R 1747G 1747T 1747A 1985 2474 1647 3471 2754 1771 2470T 2470T 2471T 2479T 2479T 2479G 2471G 2479G 2478G	<b>Tires &amp; Wheels</b> Bushings, self-lubricating (5x8x2.5mm) (12)         Front wheels(2)(Bandit)         Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)         Nuts, 4mm flanged nylon locking (steel, serrated) (8)         Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)         Rear wheels (2) (Bandit)         Silicone Grease         Street tread tires, 2.15"Pro-trax (f)(2)         Stub axle pins (4)         Tire, front 2.1" spike (2)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)         Tires & wheels, assembled (2.2" black chrome wheels, Alias®         ribed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)         Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires with foam inserts) (2) (Bandit® front, medium compound with foam inserts)         Tires & wheels, assembled (2.2" bla	94 377 23 23 23 23 23 24 55 55 25 25 25 25 31 31 36 34 34 34 34 34 34 34 34 34 37 87 87 87 87 87 87	

2478A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
2470R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® 2.2" tires) (2) (Bandit rear, medium compound with foam inserts)
2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
2479R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)
2478R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
4740	Tires, 2.1" Pro-Trax ribbed (front) (2)
1770	Tires, 2.15 spiked (rear) (2)
2470	Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2471	Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)
2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)
3470	Tires, street slicks (rear) (2)
2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)
2480A	Wheels, 2.2" (black chrome) (2) (Bandit® rear)
2481 2480	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front)
	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear)
2473A 2472A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit front) Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)
2472A 2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit rion)
2472	
	Transmission Components
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478	(Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum)
3790	Gear adapter, fixed
3691	Gearbox halves (L&R) (black) w/ idler gear shaft
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
5148	Grease, white lithium
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
3696	Idler gear, steel (30-tooth)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
<b>1552</b> 2382	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
2388X	shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
10/-	(6)
1647	Silicone Grease
5556 3195	Slipper pressure plate & hub (aluminum alloy)
3695	Top drive gear, steel (22-tooth) Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
	Stampede®, Slash®)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight:

- 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

#### Page 6 Bandit®: TQ<sup>™</sup> 2.4GHz Radio (Model 24054-4) Parts List

Page 6	Bandit®: TQ™ 2.4GHz Radio (Model 24054-4) Parts	Lis
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,	244
	2.5mm, 3.0mm), 1/4" drive	193
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive	193 244
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive	244
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive	
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive	244
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive	
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive	
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint	
3415	wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,	
	3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,	
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm	
	wrenches/ driver handle)	
2537	Turnbuckles & Threaded Rods	
2537 <b>2444X</b>	3mm threaded rods: 1 each of 20mm,25mm&44mm Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow	
	balls)/ aluminum wrench (1)	
2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum,	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow	
2443X	balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends	
	and hollow balls)/ aluminum wrench (1)	
2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum,	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow	
2443R	balls)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)	
2742	Rod ends, long (6)/ hollow ball connectors (6)	
<b>5347</b> 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	
2142A 2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum,	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends	
	and hollow balls)/ aluminum wrench (1)	
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum,	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow	
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	

45R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
	balls)/ aluminum wrench (1)

1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)

```
1935 Turnbuckles, 36mm (2)
```

2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear)
	(assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)

- 44 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM