

TRX-4® Equipped with Traxx® (Model 82034-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components	5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)
8241	Axle housing, front	5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)	5116A 5114A	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)
8227	Axle mount set (complete) (front & rear) (for suspension links)	5114A 5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)
8228	Axle shaft, front (left)/ drive pin/ cross pin	5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
8229	Axle shaft, front (right)/ drive pin/ cross pin	5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	8889	Bearing retainers, inner (2)/ outer (2)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,	1675	Bushings, self-lubricating (5x11x4mm) (14)
****	front (machined) (2) (assembled)		Body (1969 Chevrolet® Blazer)
8230	Axle shaft, rear (left)	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8231	Axle shaft, rear (right)		(includes grille, side mirrors, door handles, windshield wipers,
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	0440	decals, window masks)
8061	portal drive input gear) Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	9112X	Body, Chevrolet Blazer (1969), complete, black (painted) (includes grille, side mirrors, door handles, windshield wipers,
	rear (machined) (2) (assembled)		front & rear bumpers, decals)
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8256	Portal drive axle mount, rear (left & right)		drill bit (fits #9126 or #9127 front bumpers)
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8256A	(left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9124 9113	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) Decal sheets, Chevrolet Blazer (1969 - 1972)
0200A	anodized) (left and right)/ 2.5x16 CS (4)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		System
	anodized) (left and right)/ 2.5x16 CS (4)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8252	(left and right)/ 2.5x16 CS (4) Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	9123	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8253	Portal drive housing, inner, rear (left or right) (2)	3123	headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
8251	Portal drive housing, outer (front or rear) (2)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8064	Portal drive input gear, front (machined) (left or right) (requires		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
	#8060 front axle shaft)	8091	Installation kit, Pro Scale® Advanced Lighting Control System,
8257	Portal drive input gear, front/ drive pin/ cross pin		TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse lights and turn signal harnesses, hardware)
8259 8065	Portal drive input gear, rear Portal drive input gear, rear (machined) (left or right) (requires	8090	LED light set, complete with power supply (contains headlights,
0003	#8063 rear axle)		tail lights, side marker lights, & distribution block) (fits #9111 or
8258	Portal drive output gear, front or rear		9112 body)
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
	(2)/ 3x12 BCS (2)		(self-tapping) (8)
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		#9112 body)
	anodized) (2)/ 3x12 BCS (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power
02E2V	(2)/ 3x12 BCS (2)		module & distribution block)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)	8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-		1972), complete with power module (contains headlights, tail
	anodized) (2)/ 2.5x10 CS (2)		lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	6594	Receiver communication cable, Pro Scale® Advanced Lighting
8253R	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)		Control System
0255K	(2)/ 2.5x10 CS (2)	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/		BCS (self-tapping) (4)
	2.5x10 CS (12)		Body (1972 Chevrolet® Blazer)
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
8251G	anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/		grille, side mirrors, side trim, door handles, windshield wipers,
02310	2.5x10 CS (12)	9111X	decals, window masks) Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	JIIIX	grille, side mirrors, door handles, windshield wipers, front & rear
	2.5x10 CS (12)		bumpers, decals)
8255	Stub axle (portal drive) (2)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8255A	Stub axle, extended thread (portal drive) (2)	0400	drill bit (fits #9126 or #9127 front bumpers)
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
	Bearings & Bushings	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
	<u> </u>	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
8892	Ball bearing set, TRX-4® Traxx®, black rubber sealed, stainless (contains 5x11x4mm (40), 20x32x7mm (2), & 17x26x5mm (2)	6593	Distribution block, Pro Scale® Advanced Lighting Control
	bearings/ 5x11x4mm PTFE-coated washers (40)) (for 1 pair of	044-	System
	front or rear tracks)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
5107X	Ball bearing, black rubber sealed, stainless (17x26x5mm) (2)		housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
5196X 5119A	Ball bearing, black rubber sealed, stainless (20x32x7mm) (2) Ball bearings, black rubber sealed (10x15x4mm) (2)		body)
5119A 5120A	Ball bearings, black rubber sealed (10x13x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2)		
3.20/1	(L		

Page 2	TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio	(Model 8	82034-4) Parts List
8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse lights and turn signal harnesses, hardware)	8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)
8090	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)	8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies)
9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8)	8032R	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware)
9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body)	8036R	LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires
6592	Power module, Pro Scale® Advanced Lighting Control System	0025	#8028 power supply)
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)
8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or	8037 8073	LED lights, high/low switch (for #8035 or #8036 LED light kits) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)
	9112 body)	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	6592	(fits #8010 or 9230 series bodies)
9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
	lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)	8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- 150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or
0420T	Body (1979 Chevrolet® Blazer) Body, Chevrolet Blazer (1979), complete (black) (includes grille.		9230 series bodies)
8130T	side mirrors, door handles, windshield wipers, front & rear	6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
04000	bumpers, decals)	8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS
8130P	Body, Chevrolet Blazer (1979), complete (clear, requires painting) (includes grille, side mirrors, side trim, door handles,	9074	(24) (fits #8010 series bodies)
04007	windshield wipers, decals, window masks)	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 series bodies)
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille,	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series bodies)
	side mirrors, door handles, windshield wipers, front & rear bumpers, decals)		Body (Mercedes-Benz® G 500®)
8131	Decal sheet, Chevrolet Blazer (1979)	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/
6593	Distribution block, Pro Scale® Advanced Lighting Control System		window masks (includes rear body post, grille, side mirrors, door handles, windshield wipers)
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series bodies)	8812 6593	Decals, Mercedes-Benz® G 500® Distribution block, Pro Scale® Advanced Lighting Control System
8134	Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 or 9212 series bodies)	8813X	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2
8082	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount,	8893	ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825 body) Installation kit, Pro Scale® Advanced Lighting Control System,
8039	reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028		TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses, hardware)
	power supply)	8899	LED light set (contains headlights, tail lights, roof lights, and
8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 corice bodies)		distribution block) (fits #8811 body, requires #8028 power supply)
8133X	series bodies) Mirrors, side (folding) (fits #8130 series bodies)	8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 series bodies)	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)	6592	(self-tapping) (3) Power module, Pro Scale® Advanced Lighting Control System
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power
8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck		module & distribution block)
	(1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or 9212 series bodies)	8898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)
6594	Receiver communication cable, Pro Scale® Advanced Lighting	6594	Receiver communication cable, Pro Scale® Advanced Lighting
8135	Control System Tail lights, left & right (assembled)/ tail light retainers, left &	8822	Control System Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS
	right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)	8816X	(4) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS
	(fits #8130 or 9212 series bodies)	8814X	(self-tapping) (2) Tail light lens (2)/ tail light housing (2)/ tail light housing mount
8010X	Body (1979 Ford® Bronco) Body, Ford Bronco, complete (black) (includes front and rear	00177	(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)
00 IUA	bumpers, push bar, rear body mount, grille, side mirrors, door		Body (Tactical Unit)
	handles, windshield wipers, spare tire mount, red and sunset	8211X	Body, Tactical Unit, night camo (painted)/ decals
8078R	decals) (requires #8072 inner fenders) Decal sheet, Bronco, red (fits #8010 body)	8019 8017	Fender brace, inner, front & rear Fender flares, front & rear (2 each) (fits #8011 or #8211 series
6593	Distribution block, Pro Scale® Advanced Lighting Control	0017	bodies)
	System	8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)

8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8236	Bumper, rear
	#8011 series bodies)	8125	Bumper, rear (176mm wide)
021	Spare tire mount/ mounting bracket/ screw pins (2)	8238	Skidplate/ lower gear cover
	Body (TRX-4® Sport)		Chassis & Attachments
3112	Body with camper, TRX-4® Sport (clear, trimmed, requires	8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm
111R	painting)/window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,	8215	wheelbase) Body mounts & posts, front & rear (complete set)
,,,,,,	requires painting)/ window masks/ decal sheet	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window		BCS (5)/ 2.5x8 CS (2)
3113	masks/ decal sheet Decal Sheet, TRX-4® Sport	8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
6 593	Distribution block, Pro Scale® Advanced Lighting Control		(includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
	System	8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack,		(includes rear upper & lower suspension links, front & rear
	fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)	8220	shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right)
3120	Expedition rack/ mounting hardware (fits #8111 or #8111R body)	8218	Floor pans, left & right
3422	Fire extinguisher, red (2)	8224X	Receiver box cover (for use only with #8224 receiver box &
3116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)	0040	#2260 BEC)/ foam pads/ seals/ silicone grease
3083	Installation kit, Pro Scale® Advanced Lighting Control System,	8219 8225	Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone
	TRX-4® Sport (includes mount, rear lens, reverse lights and turn	0220	grease)
2002	signal harnesses, hardware)	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8083	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn	8239 8216	Servo mount, steering/ chassis crossmember Shock towers, front & rear (left & right)
	signal harnesses, hardware)	8226	Tray, battery
8086	LED expedition rack scene light kit (fits #8111 body, requires	0220	Differential Components
8084	#8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires	8281	Carrier, differential/ differential slider/ T-Lock fork
5004	#8028 power supply)	8280A	Differential cover, front or rear (black)
8088	LED light bar, front bumper (fits #8866 front bumper, requires	8280X	Differential cover, front or rear (chrome plated)
	#8028 power supply)	8280	Differential cover, front or rear (grey)
8087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)	8280R	Differential cover, front or rear (red)
8085	LED light set, complete with power supply (contains headlights,	8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
	tail lights, & distribution block) (fits #8111 or #8112 body)	8282	Gear set, differential (output gears (2), spider gears (4), spider
3119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or		gear shaft (2))
6592	#8112 body) Power module, Pro Scale® Advanced Lighting Control System	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(includes mount, communication cables, hardware)		(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
6591	Pro Scale® Advanced Lighting Control System (includes power	8279	Ring gear, differential/ pinion gear, differential
8085X	module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power	8279R	Ring gear, differential/ pinion gear, differential (machined)
0003X	module (contains headlights, tail lights, & distribution block) (fits	8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
	#8111 or #8112 body)	8288	Ring gear, differential/ pinion gear, differential (underdrive,
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System		machined)
8122	Shovel/ axe/ accessory mount/ mounting hardware	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)
8118	Spare tire mount/ mounting hardware		Driveline Components
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2)	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
8121X	(left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards, blue/ mounting hardware	0230	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8121G	Traction boards, green/ mounting hardware	8255	Stub axle (portal drive) (2)
8121A	Traction boards, yellow/ mounting hardware	8255A	Stub axle, extended thread (portal drive) (2)
3121	Traction boards/ mounting hardware	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
	Body Accessories	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
1926	Antenna caps, vinyl (2)/ antenna spool	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		anodized) (4)/ 3x10 screw pin (4)
1834	Body Clips (12) (standard size)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
1834A 3934	Body clips, black (12) (standard size) Body clips, heavy duty (12)	8269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	02031	3x10 screw pin (4)
8215	Body mounts & posts, front & rear (complete set)		Hardware
8115	Body posts, front & rear	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1915	Body washers, foam adhesive (10)	1834	Body Clips (12) (standard size)
2514 3081	Decal sheet, racing sponsors	1834A	Body clips, black (12) (standard size)
0001	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)	3934	Body clips, heavy duty (12)
3080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	3934A	Body clips, heavy duty (black) (12)
	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	4859 5150	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)	8894	Hardware kit, black stainless steel, TRX-4® Traxx® (contains all
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)		stainless steel hardware used on #8880 TRX-4® Traxx®)
	Bumpers & Skidplates	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless
3234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)	8298	steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless stee
8234R	Bumper D-rings, grey (front or rear)/ 2.0x12 CS (4) Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	0230	hardware used on TRX-4®)
	Bumper mounts, front & rear/ bumper mount, rear (offset)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
3067X			ataining at all bandoness and an TDV 40 High Lift Kith
8237	Bumper mounts, front & rear/ screw pins (4)		stainless steel hardware used on TRX-4® High Lift Kit)
8067X 8237 8124 8235	• • • • • • • • • • • • • • • • • • • •	5476X 1747P	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)

Page 4	TRX-4® Equipped with T	raxx®: TQ™ 2.4 GHz Radio	(Model 82034-4) Parts List
. age -	Tiest 46 Equipped With 1	TUAN ST. I G ZI T STILL MUUIS	(mode: 0200+ +) i dits 21st

Page 4	IKX-4® Equipped with Iraxx®: IQ ···· 2.4 GHz Radio	(wodei	82034-4) Parts List
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)	8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		(for use with TRX-4® Long Arm Lift Kit)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8160X	with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without
1985 8221	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	01007	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
2523	Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6)	8160R	Shocks, GTS, aluminum (red-anodized) (assembled without
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)		springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
3236	Screws, 2.5x12mm cap-head machine (6)	8160	Shocks, GTS, silver aluminum (assembled without springs) (4)
2618	Screws, 2.5x16mm cap-head machine (6)	0452	(for use with #8140 TRX-4® Long Arm Lift Kit)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)	8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)		stripe) (for use with TRX-4® Long Arm Lift Kit)
3965 8299	Screws, 2.5x8mm cap-head machine (6) Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)		with TRX-4® Long Arm Lift Kit)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green
2577	Screws, 3x10mm button-head machine (hex drive) (6)	8157	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	0.07	(for use with TRX-4® Long Arm Lift Kit)
2579	Screws, 3x15mm button-head machine (hex drive) (6)	8146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
2591	Screws, 3x23mm button-head machine (hex drive) (6)		5x63mm (blue powder coated steel) (assembled with hollow
2581	Screws, 3x25mm button-head machine (hex drive) (6)	04.400	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
2616 2582	Screws, 3x27mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6)	8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls)
2575	Screws, 3x6mm button-head machine (hex drive) (6)		(for use with #8140R TRX-4® Long Arm Lift Kit)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated
2576	Screws, 3x8mm button-head machine (hex drive) (6)		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
3931	Screws, 3x8mm flat-head machine (hex drive) (6)		Long Arm Lift Kit)
3933	Screws, 4x16mm button-head machine (hex drive) (6)	8144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8886	Stub axle nut (4)		Long Arm Lift Kit)
8891 5480Y	Tension wheels (6)/ road wheels (4)	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with
5480X	Wheel wrench, splined, 17mm		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	LED Light Accessories	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled
8031	3-in-1 wire harness, LED light kit	04.42V	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8089	4-in-2 wire harness, LED light kit	8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
6589 6593	Distribution block, LED light set Distribution block, Pro Scale® Advanced Lighting Control		Long Arm Lift Kit)
0595	System	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated
8083	Installation kit, Pro Scale® Advanced Lighting Control System,		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
	TRX-4® Sport (includes mount, rear lens, reverse lights and turn	0445	Long Arm Lift Kit)
	signal harnesses, hardware)	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8086	LED expedition rack scene light kit (fits #8111 body, requires	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated
8084	#8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
0004	#8028 power supply)		Long Arm Lift Kit)
8088	LED light bar, front bumper (fits #8866 front bumper, requires	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated
	#8028 power supply)		steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8085	LED light set, complete with power supply (contains headlights,	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled
0000	tail lights, & distribution block) (fits #8111 or #8112 body)	· · · -	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated
8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
	and #8018, #8072, or #8080 inner fenders)	04.400	Long Arm Lift Kit)
6592	Power module, Pro Scale® Advanced Lighting Control System	8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
	(includes mount, communication cables, hardware)		Long Arm Lift Kit)
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power		2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires,
00001	module (contains headlights, tail lights, & distribution block) (fits	0404	foam inserts) (1 left, 1 right)
	#8111 or #8112 body)	8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
6594	Receiver communication cable, Pro Scale® Advanced Lighting	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
	Control System	8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black
	Long Arm Lift Kit		chrome, beadlock) (beadlock rings sold separately)
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal
	#8140X TRX-4® Long Arm Lift Kit)	0400	gray, beadlock) (beadlock rings sold separately)
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use	8180	Wheels, TRX-4® Sport 2.2 (2)
8162	with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140		Motors & Electronics
0102	TRX-4® Long Arm Lift Kit)	1926	Antenna caps, vinyl (2)/ antenna spool
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
0455	Arm Lift Kit)	2064A	(includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo)
8150	Driveshaft extension kit, center (includes internal splined, x-long	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
	(2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	2072X	Gear set, metal (for 2070, 2075 servos)
8140	Long arm lift kit, TRX-4®, complete	2252	Gear set, metal (for 2250, 2255 servos)
8140X	Long arm lift kit, TRX-4®, complete (includes blue powder	2272	Gear set, metal (for 2270 waterproof servo)
	coated links, blue-anodized shocks)	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
8140R	Long arm lift kit, TRX-4®, complete (includes red powder coated	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
	links, red-anodized shocks)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)

Page 5	TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio	(Model	82034-4) Parts List
8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized)	2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
3975R	Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)	2994	Battery/charger completer pack (includes #2970 iD® charger (1),
8290	Plate, motor/ upper spur gear cover		#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	2991	Battery/charger completer pack (includes #2972 Dual iD charger
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	2262	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2202	(includes receiver box cover and seals)
2271	Servo case/ gaskets (for 2270 waterproof servo)	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro	2973	Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2063X	Servo	2913	Battery Identification
2003A	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
5669	Servo horn (with built-in spring and hardware) (for Summit		Identification
	locking differential)	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn		Battery Identification
	recommended for optimal performance)	6525	Communication link, telemetry expander
2255	Servo, digital high-torque 400 brushless, metal gear (ball	6512	Cover plate, Traxxas® Link Bluetooth® module
	bearing), waterproof (#2262 external BEC and #8247X metal	2978 2064A	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo)
2270	servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2072X	Gear set, metal (for 2070, 2075 servos)
2065A	Servo, sub-micro, waterproof	2252	Gear set, metal (for 2250, 2255 servos)
2065R	Servo, sub-micro, waterproof, metal gear	2272	Gear set, metal (for 2270 waterproof servo)
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	2072R 2968X	Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for
2261	detection, fwd/rev/brake) Y-harness, BEC	2900A	Traxxas® iD® batteries)
2201	Pro Scale® Winch & Accessories	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
0000			Traxxas® iD® batteries)
8866	Bumper, front, winch, TRX-4® Sport (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® Sport with 8855 winch)	6561	Mount, telemetry expander
	(191mm wide)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
8859	Fairlead, winch	6519	Receiver, micro, TQ 2.4GHz (3-channel)
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
8870A	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (gray-anodized) (use with front	6552	Seal kit, expander box (includes o-ring, seals, and silicone
00.071	bumpers #8865, 8866, 8867, 8869, or 9224)	6526	grease) Sensor, auto-detectable, temperature
8870G	Fairlead, winch, aluminum (green-anodized) (use with front	6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage
00707	bumpers #8865, 8866, 8867, 8869, or 9224)	6521	Sensor, temperature and voltage (long)
8870T	Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
	bumpers #8865, 8866, 8867, 8869, or 9224)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
8862	Gearmotor, winch	2271	Servo case/ gaskets (for 2270 waterproof servo)
8863 8858	Hook, winch (steel)/ line retainer/ washer Housings (front & rear), winch/ decal	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8864X	Line, winch (blue)	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8864	Line, winch (gray)	2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864R	Line, winch (red)	20007	servo)
8860	Spool shaft assembly, winch	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8861 8855	Spool, winch Winch kit with wireless controller, TRX-4® and TRX-6®	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing)
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)		waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8857	Wireless remote, winch, TRX-4® and TRX-6®	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	Radio System, Batteries & Chargers		bearing), waterproof (#2262 external BEC and #8247X metal
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery	2270	servo horn recommended for optimal performance)
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery	2270 2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	2065A	Servo, sub-micro, waterproof
2872X 2842X	5000mah 11.1v 3-Cell 25C LiPo Battery	2065R	Servo, sub-micro, waterproof, metal gear
2842X 2843X	5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
2914	Battery, Power Cell AA Alkaline (4)	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2976	AC to DC adapter		#6550X telemetry expander)
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6507R	enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
2943	Battery charge indicators, green (4), grey (4), blue (4)	000711	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517		receiver)
8222	transmitter) Rattery stran (for use with 2200mAh 2-cell and 1400mAh 3-cell	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	6511	Traxxas® Link Bluetooth® module
2923X			
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	2261	Y-harness, BEC
2940X 2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	2261	·
2940X	• • • • • • • • • • • • • • • • • • • •	82034-4	Readly-To-Race Model TRX-4® with Deep-Terrain Traxx®: 4WD Electric Truck with TQ™

	Scale Details		Springs
3120X	Expedition rack, complete (includes traction boards, shovel, axe, jack,	8041	Springs, shock (GTS) (front) (0.45 rate) (2)
	fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)	8040	Springs, shock (GTS) (rear) (0.54 rate) (2)
022T	Fuel canisters (black) (2)/ screw pin	8042 8043	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
)22R	Fuel canisters (blue) (2)/ screw pin	8044	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
022	Fuel canisters (red) (2)/ screw pin	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
022X	Fuel canisters (white) (2)/ screw pin		Spur Gears & Pinion Gears
022A	Fuel canisters (yellow) (2)/ screw pin	07.40	
023	Jack (1)/ 2x8 BCS (1)	6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
8023T	Jack (black) (1)/ 2x8 BCS (1)	6747 3942X	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened stee
3122 3 121X	Shovel/ axe/ accessory mount/ mounting hardware Traction boards, blue/ mounting hardware	33427	(fits 3mm shaft)/ set screw
3121A 3121G	Traction boards, green/ mounting hardware	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened stee
3121A	Traction boards, yellow/ mounting hardware		(fits 3mm shaft)/ set screw
3121	Traction boards/ mounting hardware	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened stee
	Shock Oil	3945X	(fits 3mm shaft)/ set screw
031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	3943A	Gear, 15-T pinion (32-p), heavy duty (machined, hardened stee (fits 3mm shaft)/ set screw
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened stee
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		(fits 3mm shaft)/ set screw
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened stee
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)		(fits 3mm shaft)/ set screw
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened stee
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	3949X	(fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened stee
5029	Shock oil bottle (60cc) (for mixing shock oil)	33437	(fits 3mm shaft)/ set screw
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened stee
5038	80 wt premium shock oils with spinning carousel rack) Spinning carousel rack		(fits 3mm shaft)/ set screw
0000		3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened stee
	Shocks (GTR)	20507	(fits 3mm shaft)/ set screw
7066	Body, GTR shock (molded composite) (2)	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened stee (fits 3mm shaft)/ set screw
7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)	6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
7028	Hollow balls (20)	8052	Spur gear, 39-tooth (32-pitch)
7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)	8053	Spur gear, 45-tooth (32-pitch)
7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-		Steering Components
	clips, shock rod ends, hollow balls) (renews 2 shocks)	8232	Caster blocks (portal drive), left & right
7063	Shaft, GTR shock (2)	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and righ
7063T	Shaft, GTR shock (TiN-coated) (4)	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), lef
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each,		and right
7061	front (left & right), rear (left & right)) Shocks, GTR composite, 1/16 E-Revo/Slash (assembled, without	8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and rig
1001	springs) (2)	8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right
7061X	Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts	2072X	Gear set, metal (for 2070, 2075 servos)
	(fully assembled, without springs) (4)	2072R 8274	Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
7145	Spring, shock (GTR) (1.76 rate, orange) (1 pair)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
7146	Spring, shock (GTR) (1.92 rate, green) (1 pair)	0000	adjustment shims; 3.5mm (2), 1.17mm (2)
7147 7148	Spring, shock (GTR) (2.06 rate, tan) (1 pair) Spring, shock (GTR) (2.22 rate, black) (1 pair)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
140			(4))
	Shocks (GTS)	8276	Rod ends (10)
8266A	Body, GTS shock (aluminum, blue-anodized) (1)	8277	Rod ends, angled 10-degrees (8)
3266G	Body, GTS shock (aluminum, green-anodized) (1)	2742	Rod ends, long (6)/ hollow ball connectors (6)
3266R	Body, GTS shock (aluminum, red-anodized) (1)	8278 8247X	Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1)
3266 3 266X	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/	2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing)
	bottom cap (2)/ upper retainer (2)/ lower retainer (2))		waterproof
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
5475	Multi-tool (plastic)		bearing), waterproof
3261	Piston, damper (red) (4)/ e-clips (8)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings,	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls captured (4)
2062	e clips, rod ends, and travel limiters)	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
3263 3263T	Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
3260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
2007	TiN shafts (assembled with spring retainers) (2)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
3260A	Shocks, GTS, blue-anodized (assembled with spring retainers)		Suspension Linkage
	(2)	0050	<u> </u>
260G	Shocks, GTS, green-anodized (assembled with spring retainers) (2)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear introduces chart formula half shoft hattery tray 288mm FCS (A))
3260R	Shocks, GTS, red-anodized (assembled with spring retainers) (2)	8057	fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase)
3260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)	0007	(includes rear upper & lower suspension links, front & rear
	Slipper Clutch Components		shock towers, long female half shaft)
			Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
3292		8274	Tronon ban oot, complete, frot 40 (alammam, 1 11 E coatoa)
	Input shaft/ output shaft (transmission)	8274 5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
3286		5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8292 8286 8254	Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear		Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset
3286	Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)

Page 7	TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio	(Model	82034-4) Parts List
8277	Rod ends, angled 10-degrees (8)	8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
2742	Rod ends, long (6)/ hollow ball connectors (6)	04704	chrome, beadlock) (beadlock rings sold separately)
8278	Rod ends, offset (4)	8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8243	Suspension link, front, 5x100mm (lower) (steel) (2)		rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	8180	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	0100	Kit)
	Team Traxxas Items	8271	Wheels, TRX-4® 1.9 (2)
2514	Decal sheet, racing sponsors	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
6160X 9950	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set(flag logo/ 6-color)	8178 8268	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Tactical 1.9 (2)
9909	Traxxas® racing banner, red & black (3x7 feet)	0200	
	Tires & Wheels	2000	Transmission Components
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	8283 8284	Cable, T-lock (front) Cable, T-lock (rear)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	0004	output gear, 2x9.8 pins (5))
8169G 8168G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)	8291 8285	Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3)
8169R	Beadlock rings, green (2.2) (aluminum) (4)/ 2x10 CS (48)	5041	Grease, premium high performance (20cc)
8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	8292	Input shaft/ output shaft (transmission)
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8168	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
4=4=0	extended thread stub axle)	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
1747P 1747R	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		(1) 3x6 BCS with threadlock (1))
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	8294	Output gear, high range, 24T (metal)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8286	Output shafts (transfer case), front & rear
8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8290	Plate, motor/ upper spur gear cover
	1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,	8249	Slipper eliminator plate
8182	foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8296 8196	Transmission gears, single speed, metal Two speed conversion kit
0102	1.9" satin black chrome, blue beadlock style wheels, Canyon	0130	Traxxas Tools
	Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)	2.422V	
8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	3433X 3433	Body reamer (aluminum handle) Body reamer (plastic handle)
	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)	3436	Cap, body reamer
8166	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	3432	Scissors, curved tip
	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	3431	Scissors, straight tip
04CCV	#8255A extended thread stub axle)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	#8255A extended thread stub axle)		and 8.0mm), 1/4" drive
8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels,	8720	Speed bit handle, large (overmolded)
	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet	8721	Speed bit handle, medium (one piece)
8273	(requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon	8722	Speed bit handle, premium (rubber overmold)
0213	Trail 4.6x1.9" tires) (2)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	wheels, Canyon Trail 4.6x1.9" tires) (2)		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon		8.0mm), 1/4" drive
8179	Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels,	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
0175	Canyon Trail 4.6x1.9" tires) (2)		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
8179X	Tires & wheels, assembled, glued (TRX-4® Sport, satin chrome,		2.5mm, 3.0mm), 1/4" drive
	black beadlock 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
8172	Tires and wheels, assembled (Method 105 2.2™ black chrome		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)	8716	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels,	0710	drive
	Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	Lift Kit)		3.0mm) 1/4" drive
8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
8170	Tires, Canyon Trail 5.3x2.2 [™] / foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)	8715X	2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	07 13X	2.5mm, 3.0mm), 1/4" drive
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
	3x10 screw pin (4)		Phillips, and #2 Phillips bits), 1/4" drive
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8269G	anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
02030	3x10 screw pin (4)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
	3x10 screw pin (4)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	#8255A extended thread stub axle)	5480X	Wheel wrench, splined, 17mm
			7 I 7

Page 8 TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio (Model 82034-4) Parts List

TRX-4® Traxx® 8889 Bearing retainers, inner (2)/ outer (2) 8890 Drive wheel (1) 8885 Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right)) 8888 Spring (4) 8887 Stub axle (1) 8886 Stub axle nut (4) Tension wheels (6)/ road wheels (4) 8891 8881 Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) 8882 Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) 8883 Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) 8884 Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) 8880 Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) 8895 8896 Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) Treads, Deep-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) 8878 Treads, Deep-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) 8879

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM