

## BIGFOOT® No. 1 Officially Licensed Replica (Model 36034-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
5116 1675	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14)	9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	9463R	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12
	Body & Accessories	3725X	BCS (with threadlock) (2)  Battery expansion kit (allows for installation of taller multi-cell
1926	Antenna caps, vinyl (2)/ antenna spool	0.20%	battery packs) (Rustler, Bandit, Stampede) (requires part
1726 3662	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body accessories kit, Bigfoot® #1, (includes winch, front and rear		#3627X)
3002	bumpers, roll bar, light bar, engine detail & mounting hardware) (grille sold separately)	3627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
1834	Body Clips (12) (standard size)	3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
3934	Body clips, heavy duty (12)	2735 2735P	Bumper (front) Bumper (front) (pink)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	3621	Bumper (front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (black)
3614	Body mounts (front & rear)	3621X	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm
3619	Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)		RST (2) (blue)
1815	Body washers (8)	3621A	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm
6716	Body Washers, Foam, 2mm/3mm/4mm	3621P	RST (2) (green)
3658	Body, Bigfoot 4X4® Firestone, Officially Licensed replica (painted, decals applied)		Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (pink)
3657	Body, Bigfoot 4X4®, Officially Licensed replica (clear, requires painting)/ window masks/ decal sheet	3630	Bumper, front/ bumper mount/ 4x12 CCS (4)/ 4x22 BCS (2)/ 3x10 BCS (2) (fits 2WD Bigfoot® No. 1) (for LED light kit installation)
3660	Body, Bigfoot® #1 (clear, requires painting)/ window masks/ decal sheet	3622X	Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
3653	Body, Bigfoot® No. 1 Flame, Officially Licensed replica (painted, decals applied)	3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC
3661X	Body, Bigfoot® No. 1, blue-x, Officially Licensed replica (painted, decals applied)		mounting plate)
3661	Body, Bigfoot® No. 1, Officially Licensed replica (painted, decals	3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
3621	applied) Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
0021	(2) (black)	9462X 9462	Side plates, wheelie bar, blue (aluminum) (2)
3621X	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm	9462G	Side plates, wheelie bar, charcoal gray (aluminum) (2) Side plates, wheelie bar, green (aluminum) (2)
	RST (2) (blue)	9462A	Side plates, wheelie bar, green (aluminum) (2)
3621A	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm	9462P	Side plates, wheelie bar, pink (aluminum) (2)
3621P	RST (2) (green) Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm	9462R	Side plates, wheelie bar, red (aluminum) (2)
00211	RST (2) (pink)	3623	Skid plates, front & rear (black)
2514	Decal sheet, racing sponsors	3623X	Skid plates, front & rear (blue)
3656	Grille, Bigfoot® #1, (chrome)/ decals/ adhesive tape	3623A 3623P	Skid plates, front & rear (green) Skid plates, front & rear (pink)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
5185 4974	Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	3677X	Wheelie bar mount (1) / hardware (blue)
3677X	Wheelie bar mount (1) / hardware (blue)	3677A	Wheelie bar mount (1) / hardware (green)
3677A	Wheelie bar mount (1) / hardware (green)	3677P	Wheelie bar mount (1) / hardware (pink)
3677P	Wheelie bar mount (1) / hardware (pink)	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit	9464	series) Wheelie bar mount (heavy duty)
3678	series) Wheelie bar, assembled (black) (fits Slash®, Stampede®,	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
3678X	Rustler®, Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678A	series) Wheelie bar, assembled (green) (fits Slash®, Stampede®,	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
3678T	Rustler®, Bandit® series) Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	9460	Bandit® series) Wheelie bar, black (assembled)/ wheelie bar mount
	axles (2)/ rubber tires (2)	9460X	Wheelie bar, black (assembled)/ wheelie bar mount
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
	axles (2)/ rubber tires (2)  Chassis & Attachments	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	5186	axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
9463	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12	9461X	axles (2)/ rubber tires (2) Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
	BCS (with threadlock) (2)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)	9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)

94616 wheele bar, 686-17 aluminum (prem-anodated (2) 546-18 aluminum (prem-anodated) (2) 546-18 alumin	Page 2	BIGFOOT® No. 1 Officially Licensed Replica: TQ™	2.4 GHz	Radio (Model 36034-8) Parts List
wheels, wheelbe and, 661-17 a luminum (orang-anodized) (2) self-sized states and provided the states of the states	9461G			
wheels, wheelde bar, 606-17 a Juminum (pink-anodized) (2) starts wheel bar, 1400 completed (2) starts and barriang (4) compact (3) starts (4) s	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/		bearings)
wheels, wheels but, 661-178 aluminum (red-anodized) (2) 5022 Differential Continuous Control of the Control of	9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/		aluminum (blue-anodized)/ 5x11mm ball bearings (4)
Wheels, wheels ber, black (28mm (2), 18mm (2)	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/		aluminum (green-anodized)/ 5x11mm ball bearings (4)
Differential complate (its 1019-celle 2WD Nutside®). Bandit, Stanpede®, Rustler®). Stanpede®, Rustler®, Stanped®, Rustler®, Stanpede®, Rustler®, Sta	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))		aluminum (orange-anodized)/ 5x11mm ball bearings (4)
Differential, complete (filts 11/10-scale 2VID Rustlere), Bandt, Differential, complete (filts 11/10-scale 2VID Rustlere), Bandt, 123 Start (2) St		Differential Components	3030P	
Stampodos Rusilerios   2028		Stampede®, Slash®)	3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
Painet gears (4) planet shafts (4) sus gears (2) sun gears (2) sun gears (2) sun gears (2) sun gears (3) sun gears	2381X			. , , , , ,
### 17   All Partierned state   Saperned   S	2382			
Palmetary geef orderedisal with sided in ring geal (complete) (its bands of the second of the seco				
Screws, 2.68mm countersunk machine (6) (EZ Start 2 molor)  114d Silacoe Grasse  114d Silacoe	2388X		3631T	Suspension arms, orange, front, heavy duty (2)
Sallobie United   Purple   P	5169			
Suspension pins, 44mm (g) 4 cellup (Use with the bar to strengthen from bubband)   Suspension pins, 54mm (g) 4 cellup (Use with the bar to strengthen from bubband)   Suspension screw pin set, 54el (hex drive) (requires part # 2640 for a complete suspension pins (Matter®, Stampedee®)   Suspension screw pin set, 54el (hex drive) (requires part # 2640 for a complete suspension pins part # 2640 for a complete suspension pins, part # 2640 for a complete suspension pins part # 2640 for a complete suspension pins, part # 2640 for a complete suspension pins part # 2640 for a complete suspension pins, part # 2640 for a complete suspension pins part # 2640 for a complete suspension pins, part # 2640 for a complete suspension pins, part # 2640 for a complete suspension pins,	1647		3740	
Differential output yokes, black (2)/ 3x5mm countersunk screws (2)   Sovery pin (2)   Sov		Driveline Components	2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to
serew pin (2)  4228X Differential output yokes, hardened steel (wt U-joints) (2)  4228X Differential output yokes, hardened steel (wt U-joints) (2)  4238X Differential output yokes, hardened steel (wt U-joints) (2)  42518 Differential output yokes, hardened steel (wt U-joints) (2)  4252 Differential output yokes, hardened steel (wt U-joints) (2)  4252 Differential output yokes, hardened steel (wt U-joints) (2)  4253 Differential output yokes, hardened steel (wt U-joints) (3)  4253 Differential output yokes, hardened steel (wt U-joints) (4)  4254 Differential output yokes, hardened steel (wt U-joints) (6)  4255 (1)  4256 Differential output yokes, hardened steel (wt U-joints) (7)  4256 Differential output yokes, hardened steel (wt U-joints) (8)  4256 Differential output yokes, hardened steel (wt U-joints) (8)  4257 Differential output yokes, hardened steel (wt U-joints) (8)  4258 Differential output yokes, hardened steel (wt U-joints) (8)  4258 Differential output yokes, hardened steel (wt U-joints) (9)  4258 Differential output yokes, hardened steel (wt U-joints) (9)  4258 Differential output yokes, hardened steel (wt U-joints) (9)  4259 Differential output yokes, hardened steel (wt U-joints) (9)  4250 Differential output yokes, hardened steel (wt U-joints) (9)  4251 Differential output yokes, hardened steel (wt U-joints) (9)  4252 Differential output yokes, hardened steel (wt U-joints) (9)  4253 Differential output yokes, hardened steel (wt U-joints) (9)  4254 Differential output yokes, heavy duty (2) screen provided the wide of ded ship (1) steel (1) points (1) (1)  425 Differential output yokes, heavy duty (2) screen provided (1) the provided (1) points (1) (1)  425 Differential output yokes, heavy duty (2) screen provided (1) points (1) (1)  426 Differential output yokes, heavy duty (2) screen provided (1) points (1) (1)  427 Differential output yokes, heavy duty (2) screen provided (2) points (1) (1)  428 Differential output yokes, and seed the provided (2) points (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		• , , ,	2040	
Differential output yokes, heavy duty (2) screw in (2)   1951		screw pin (2)	3040	for a complete suspension pin set) (Rustler®, Stampede®,
bit state with a transplace of the complete and the compl			2532	•
1953   Half shaft pro-pack (internal-splined (6) external-splined (6)   1975   Half shaft, chard also plined (steel-spline constant velocity) (1)   1975   Half shaft, stear and the splined (steel-spline constant velocity) (1)   1976   Half shaft, stear and the splined (steel-spline constant velocity) (1)   1976   Half shaft, stear and the splined (2) internal-splined (2)   1976   Half shaft, shard (yet (external-splined (2))   1976   Half shaft, shard (yet (external-splined (2))   1976   Half shaft, shard (yet (external-splined (2))   1976		Driveshafts, rear, steel-spline constant-velocity (complete		Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
Helf shaft, scharnal splined (steel-spline constant velocity) (1) (fits 2MP Rustler-Stampode®)   274	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)	2727	
1. Tumbuckles, 78mm (2) 1. Stub ade carriers, (1) (1) (1) (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	6752	Half shaft, external splined (steel-spline constant velocity) (1)	3/3/	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
### shafts, heavy duty (external splined (2)/ internal splined (2)/ metal U-joints (4) Half shafts, long truck (external-splined (2)/ internal-splined (2)	6751	• •	2336	
Half shafts, long truck (external-splined (2) & internal-splined (2) for metal U-joints (4)   Joints (4)   Joints (4)   Joints (4)   Stampede®)   Stantis (1)   Joints (4)   Stampede®)   Stantis (2)   (assembled w/ rod ends & hollow balls) (fits Stampede®)   Stantis (2)   (assembled w/ rod ends & hollow balls) (fits Stampede®)   Stantis (2)   (assembled w/ rod ends & hollow balls) (fits Stampede®)   Stantis (2)   (assembled w/ rod ends & hollow balls) (fits Stampede®)   Stantis (2)   (assembled w/ rod ends & hollow balls) (fits Stampede®)   Stantis (2)   (assembled w/ rod ends & hollow balls) (fits Stampede®)   Stantis (2)   (assembled w/ rod ends & hollow balls) (fits Stampede®)   Stantis (2)		Half shafts, heavy duty (external splined (2)/ internal splined (2))/	3741A	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
Notition Mis Steer-spinical collistant-velocity driveshinating includes judges and hardward pushings or bearings of Stub axide carriers, Rustlere/Stampedes/Bandit (2), 6961-16 aluminum (blue-anodized) 5x11mm ball bearings (4) 37415 Turnbuckles, Rustlere/Stampedes/Bandit (2), 6961-16 aluminum (green-anodized) 5x11mm ball bearings (4) 37415 Turnbuckles, Rustlere/Stampedes/Bandit (2), 6961-16 aluminum (green-anodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (prachanodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (prachanodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (prachanodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (prachanodized), camber links, front, 3mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) werench aluminum (red-anodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (pink-anodized), camber links, front, 3mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) werench aluminum (red-anodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (pink-anodized), camber links, front, 3mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) werench aluminum (red-anodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (red-anodized), camber links, front, 3mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) werench aluminum (red-anodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (red-anodized), camber links, front, 3mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) werench aluminum (red-anodized) 5x11mm ball bearings (4) 37417 Turnbuckles, aluminum (red-anodized), camber links, front, 3mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) werench aluminum (red-anodized) 5x11mm ball bearings (4) 3mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) (requires 5mm aluminum (red-anodized) (anuminum (red-anodized) 5x11mm ball bearings (4) 3x11mm ball	1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
3652A   Stub axle carriers   2/ (requires Sx   174mm ball bearings   4)		pins, dustboots, lube, and hardware)	3741G	(requires 5mm aluminum wrench #5477)
Signaturnium (green-anotized) is 11m ball bearings (4) auminum (pink-anotized) is 11m ball bearings (4) auminum (red-anotized) is 11m ball bearings (4) auminum (red		Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
sub axie carriers, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (proge-anodized) 5x1 mm ball bearings (4)  Stub axie carriers, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (pink-anodized) 5x1 mm ball bearings (4)  Stub axie carriers, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (pink-anodized) 5x1 mm ball bearings (4)  Stub axie carriers, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (red-anodized) 5x1 mm ball bearings (4)  Stub axie carriers, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (red-anodized) 5x1 mm ball bearings (4)  Stub axie prear, Sustler@Stampede@Bandit (2), 6061-T6 aluminum (red-anodized) 5x1 mm ball bearings (4)  Stub axie prear, Sustler@Stampede@Bandit (2), 6061-T6 aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wir or ends & hollow balls) wrench  Stub axie, rear, steel-splined constant velocity (1)  Stub axie, rear (2)  Stub axie, rear, steel-splined constant velocity (1)  Stub axie, rear, steel-splined constant velocity (1)  Stub axie, rear, steel-splined constant velocity (1)  Stub axie, rear, steel-	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3741T	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
Stub axie carriers, Rustler@Stampede@Ishandit (2), 6061-T6	3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3741P	Turnbuckles, aluminum (pink-anodized), camber links, front,
stub axie carriers, Rustlerei/Stampede@Wandit (2), 6081-16 aluminum (red-anodized) fx1 fmm ball bearings (4)  2754 Stub axie pins (4)  2753X Stub axie, rear, steel-splined constant velocity (1)  2753X Stub axies, rear, heavy duty (2)/pins (2)  2753X Stub axies, rear, heavy duty (2)/pins (2)  2753T Smm threaded rods: 1 each of 20mm,25mm844mm  3637 Axies (front) (2)  2778 Ball bearings (5x8x2.5mm) (2)  2830A Bulkhead (front) (grey)  2830B Bulkhead (front) (grey)  2830B Bulkhead (front) (grey)  2831B Bushings (plastic) (5x8x2.5mm) (4)  2832C Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832C Caster blocks, 30-degree, pren-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pren-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pren-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pren-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pren-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pren-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pren-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2832X Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)  2833X Caster blocks, 30-degree, pink-anodized 6061-		aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3741X	wrench
Stub axle, rear, steel-splined constant velocity (1)   2753X   Stub axles, rear (2)   Stub axles, rear, heavy duty (2)/pins (2)   Stab axles, rear, heavy duty (2)/pins (2)   Stab axles, rear, heavy duty (2)/pins (2)   Stab axles, rear, heavy duty (2)/pins (2)/pin		aluminum (red-anodized)/ 5x11mm ball bearings (4)		39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
Stub axles, rear, heavy duty (2)/pins (2)   3644   Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (assembled with rod ends and hollow balls) (1 left, 1 right) (2)   3745	6753	Stub axle, rear, steel-splined constant velocity (1)	2336X	(2)(assembled with rod ends & hollow balls) (fits Stampede®)
### (assembled with rod ends and hollow balls) (1 left, 1 right) ### (assembled with rod ends and hollow balls) (1 left, 1 right) ### (assembled with rod ends and hollow balls) (1 left, 1 right) ### (assembled with rod ends and hollow balls) ### (assembled with rod ends and hollow balls (1 left, 1 right) ### (assembled with rod ends and hollow balls (1 left, 1 right) ### (assembled with rod ends and hollow balls (1 left, 1 right) ### (assembled with rod ends and hollow balls (1) ### (assembled with rod ends and hollow balls (1) ### (assembled with rod ends and hollow balls (1) ### (assembled with rod ends and hollow balls (1 left, 1 right) ### (assembled with rod ends and hollow balls (1) (assembled with rod ends and hollow balls (1) (assembled with rod ends and hollow balls (1) ### (assembled with rod ends and hollow balls (1) (assembled with rod ends and hollow balls (1) (assembled with rod ends and hollow balls (1 left assembled with rod ends and hollow balls (1 left assembled with rod ends and		, , ,	2044	· · ·
3745   3mm threaded rods: 1 each of 20mm,25mm&44mm   3637   Axles (front) (2)   3648   3649	000000		3044	
Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bushings, self-lubricating (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Boy Caster blocks, (30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, prae-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Boy Caster	2537	_	3745	, , , , , , , , , , , , , , , , , , , ,
Sall bearings (5x8x2.5mm) (2)   Sall bearings (blue rubber sealed (5x11x4mm) (2)			3645	
Bulkhead (front) (black)  Bulkhead (front) (grey)  Bushings (plastic) (5x8x2.5mm) (4)  Bushings, self-lubricating (5x11x4mm) (14)  Bushings, self-lubricating (5x11x4mm) (14)  Bushings, self-lubricating (5x11x4mm) (14)  Body Clips (12) (standard size)  Body clips, heavy duty (12)  Body clips, heavy duty (12)  Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  Bushings, self-lubricating (5x11x4mm) (14)  Body Clips (12) (standard size)  Body clips, heavy duty (12)  Double-sided adhesive tape (25mm x 25mm)  Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench  Nuts, 4mm flanged nylon locking (12)  Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)  Nuts, 4mm flanged nylon locking (steel, serrated) (8)  Rod ends, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  Body clips, heavy duty (12)  Double-sided adhesive tape (25mm x 25mm)  Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench  Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)  Nuts, 4mm nylon locking (10)  Nuts, 4mm nylon locking (10)  Nuts, 4mm nylon locking (10)  Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm) (gre		- · · · · · · · · · · · · · · · · · · ·		, , , , , , , , , , , , , , , , , , , ,
Bulkhead (front) (grey)  Bushings (plastic) (5x8x2.5mm) (4)  Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36327 Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36328 Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36329 Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36320 Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36321 Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36322 Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36324 Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36325 Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36326 Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36327 Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36328 Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  36329 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  36320 Rod ends, heavy duty (Jato®/Slayer) (8)  36321 Rod ends, Revo® (large) with hollow balls (12)  36322 Rod ends, short (6)/ hollow balls (6)  36323 Rod ends, short (6)/ hollow balls (6)				Hardware
Bushings (plastic) (5x8x2.5mm) (4)  Bushings, self-lubricating (5x11x4mm) (14)  Bushings, self-lubricating (15)  Bushings, self-lubricating (10)  Bushings, self-lubr		, , ,	1926	
3632 Caster blocks, (l&r) (30-degree) 3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pi		, , , , , , , , , , , , , , , , , , , ,	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632X Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) 3632X Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 3632 Rod ends, heavy duty (Jato®/Slayer) (8) 3632 Rod ends, Revo® (large) with hollow balls (12) 36347 Rod ends, short (6)/ hollow balls (6) 36348 Rod ends, short (6)/ hollow balls (6) 36349 Duble-sided adhesive tape (25mm x 25mm) 3647 Nuts, 3mm nylon locking (12) 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8) 3647 Nuts, 4mm nylon locking (10) 3648 Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) 3649 Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) 3640 Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) 3641 Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) 3642 Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) 3644 Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) 3655 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) 3647 Rod ends, long (6)/ hollow ball connectors (6) 36525R Rod ends, heavy duty (Jato®/Slayer) (8) 3649 Nuts, 4mm nylon locking (12) 3640 Nuts, 4mm nylon locking (12) 3640 Nuts, 4luminum, flanged, serrated (4mm) (pred-anodized) (4) 3647 Nuts, aluminum, flanged, serrated (4mm) (pred-anodized) (4) 3640 Nuts, 4luminum, flanged, serrated (4mm) (pred-anodized) 3641 Nuts, aluminum, flanged, serrated (4mm) (pred-anodized)				
& right)/ suspension screw pin (2)  3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632 Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632 Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632 Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632 Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632 Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632 Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  3632 Rod ends, long (6)/ hollow ball connectors (18)/ ball screws (2)  3632 Rod ends, long (6)/ hollow ball connectors (6)  3632 Rod ends, long (6)/ hollow balls (12)  3634 Rod ends, short (6)/ hollow balls (6)  3634 Rod ends, short (6)/ hollow balls (6)		. ,		
Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632C Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632C Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  1747C Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)  Note, aluminum, flanged, serrated (4mm) (orange-anodized) (4)  Note, aluminum, flanged, serra	3032A			• • • • • • • • • • • • • • • • • • • •
Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  1747 Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)  1747 Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)  1747 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1747 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1747 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1748 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1749 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1740 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1741 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1741 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1742 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1743 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1744 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1745 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1746 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1747 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1748 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1749 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1740 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  1741 Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  17	3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left	2745	Nuts, 3mm nylon locking (12)
Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  1747T Nuts, aluminum, flanged, serrated (4mm) (preen-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm)	3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum		
Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left right)/ suspension screw pin (2)  Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  Rod ends, heavy duty (Jato®/Slayer) (8)  Rod ends, long (6)/ hollow ball connectors (6)  Rod ends, Revo® (large) with hollow balls (12)  Rod ends, short (6)/ hollow balls (6)  Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & 1747T   Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)  Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)  Rod ends, (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  Rod ends, long (6)/ hollow ball connectors (6)  S525R Rod ends, heavy duty (Jato®/Slayer) (8)  Rod ends, Revo® (large) with hollow balls (12)  Rod ends, short (6)/ hollow balls (6)  Rod ends, short (6)/ hollow balls (6)	3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  FTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)  Rod ends, heavy duty (Jato®/Slayer) (8)  Rod ends, long (6)/ hollow ball connectors (6)  Rod ends, Revo® (large) with hollow balls (12)  Rod ends, short (6)/ hollow balls (6)	3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
For the state of t	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6) 5525R Rod ends, Revo® (large) with hollow balls (12) 5347 Rod ends, Revo® (large) with hollow balls (12) 5347 Rod ends, short (6)/ hollow balls (6) 5347 Rod ends, short (6)/ hollow balls (6) 5348 Rod ends, short (6)/ hollow balls (6) 5349 Rod ends, short (6)/ hollow balls (6)	5525R	• /	1942	` ,
5347 Rod ends, Revo® (large) with hollow balls (12) 2742X Rod ends, short (6)/ hollow balls (6) 5347 Rod ends, Revo® (large) with hollow balls (12) 2742X Rod ends, short (6)/ hollow balls (6) 6044		= : :	5525R	
1044 Common and Common				
				Rod ends, short (6)/ hollow balls (6) Screw pin set (Rustler®/ Bandit/ Stampede®)

Page 3	BIGFOOT® No. 1 Officially Licensed Replica: TQ™	2.4 GHz	Radio (Model 36034-8) Parts List
3288	Screw, 3x15mm washerhead self-tapping (6)	2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
3965	Screws, 2.5x8mm cap-head machine (6)	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2587	Screws, 3x10mm caphead machine (6) (no washer)	2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2675	Screws, 3x10mm roundhead self-tapping (6)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2648	Screws, 3x12mm countersunk self-tapping (6)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
3186	Screws, 3x12mm washerhead machine (6)	2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
3286 2563	Screws, 3x12mm washerhead self-tapping (6) Screws, 3x15mm roundhead machine (6)	2950X 2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
3187	Screws, 3x15mm roundhead machine (6)	2960X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2566	Screws, 3x20mm roundhead machine (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2567	Screws, 3x23mm roundhead machine (6)	2985-2S	Battery/charger completer pack (includes #2985 USB-C
2572	Screws, 3x30mm roundhead machine (6)	2000 20	NiMH/LiPo iD® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo
2554	Screws, 3x6mm caphead machine (hex drive) (6)		iD® Battery (1))
2558	Screws, 3x6mm roundhead machine (6)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
3185X	Screws, 3x8mm washerhead machine (large head for motor mount)		voltage)
	(6)	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
3290	Screws, 3x8mm washerhead self-tapping (6)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
2548	Screws, 4x12mm countersunk machine (100-degree) (6)		Identification
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2573	Screws, 4x15mm roundhead machine (6)	2970	Battery Identification Charger E7 Book Plus 4 amp NiMH/I iBo with iD Auto Battery
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)		Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
3642	Shoulder screws, Ultra Shocks (3x12) (6)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2754 3740	Stub axle pins (4) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens	2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
	caster blocks)	2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
2746	Washers, 3x6mm metal (12)	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
	<b>LED Lights</b>	2053	Gear set (for 2055, 2056 servos)
3690	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)	2072A	Gear set (for 2070, 2075 servos)
	(requires front bumper #5835X for 2WD Slash®, #3635 for 2WD	2272	Gear set, metal (for 2270 waterproof servo)
	Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
3795	LED light harness, rear (requires #2477 wheelie bar mount)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
3697	LED light set, complete (includes front and rear bumpers with		Traxxas® iD® batteries)
	LED lights & BEC Y-harness) (fits 2WD Bigfoot® No. 1)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
2263	Y-harness, BEC to LED light set	Ì	pad
	Motors & Electronics	2912	Power adapter, AC, USB-C (45W)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	2916	Power cable, USB-C, 100W (high output)
	voltage)	6519	Receiver, micro, TQ 2.4GHz (3-channel)
3790	Gear adapter, fixed	6526	Sensor, auto-detectable, temperature
2053	Gear set (for 2055, 2056 servos)	6527	Sensor, auto-detectable, voltage
2072A	Gear set (for 2070, 2075 servos)	6522 6521	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (long)
2272	Gear set, metal (for 2270 waterproof servo)	2271	Servo case/ gaskets (for 2270 waterproof servo)
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
1275	Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
	factory installed spur gear on models originally equipped with	2075	Servo, digital high-torque (ball bearing), waterproof
2705	the Titan 12T)	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
3785	Motor, Titan® 12T (12-Turn, 550 size)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)	2056	Servo, high-torque, waterproof (blue case)
3626R	Mounting plate, electronic speed control/receiver box (for installation	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
30201	of XL-5/VXL and waterproof receiver box into Stampede®)	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2271	Servo case/ gaskets (for 2270 waterproof servo)		#6551X GPS module)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	0500	#6550X telemetry expander)
2075	Servo, digital high-torque (ball bearing), waterproof	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	6540	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
2056	Servo, high-torque, waterproof (blue case)	<b>6528</b>	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-
3350R	Velineon® VXL-3s Brushless Power System, waterproof	0320	channel (transmitter only)
	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-
225ED	speed control mounting plate (part #3725))		channel (transmitter only)
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage		channel (transmitter only)
001010	detection, fwd/rev/brake)	6511	Traxxas® Link Bluetooth® module
		6537	Wire retainers, gear cover/ 3x4mm BCS (2)
	Radio System, Batteries & Chargers	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
2827X	3000mah 7.4v 2-Cell LiPo Battery		detection, fwd/rev/brake)
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery		Ready-To-Race Model
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	36034-8	BIGFOOT® No. 1: 1/10 Scale Officially Licensed Replica Monster
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	5500-4-0	Truck with TQ™ 2.4GHz radio system
2976	AC to DC adapter		
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®		Rear Suspension
1726	batteries to separate balance ports)  Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1726 <b>2943</b>	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  Battery charge indicators, green (4), grey (4), blue (4)	1675	Bushings, self-lubricating (5x11x4mm) (14)
2 <b>943</b> 6548	Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
0070	transmitter)	3638 3752	Shock tower (rear)
	,	3/2/	Stub axle carriers (2) (requires 5x11x4mm bushings and bearings)

Stub axle carriers (2) (requires 5x11x4mm bushngs and bearings)

2914

transmitter)

Battery, Power Cell AA Alkaline (4)

3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2656	Charly shofts stool shrems finish (sy lane) (0)
363ZA	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	2656 <b>3642</b>	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	1765	Silicone diaphragms (4)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3758	(2)) Springs (front) (2)
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3758T	Springs, blue (front) (2)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3757T	Springs, blue (rear) (2)
2753X	aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2)	3758A	Springs, green (front) (2)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)	3757A 3758P	Springs, green (rear) (2) Springs, pink (front) (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)	3757P	Springs, pink (nont) (2) Springs, pink (rear) (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)	3757	Springs, rear (black) (2)
3655X <b>3655T</b>	Suspension arms, left & right  Suspension arms, erange, front/rear (left & right), heavy duty (2)	3757R	Springs, rear (red) (2.9 rate) (2)
3655L	Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2)	4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640	3758R <b>3758X</b>	Springs, red (front) (2) Springs, white (front) (2)
	for a complete suspension pin set) (Rustler®, Stampede®,	3757X	Springs, white (rear) (2)
	Bandit)	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers &
	Shock Oil	0700	springs) (front) (2)
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		& springs) (2)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)		spacers & springs) (rear) (2)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)		Slipper Clutch Components
5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	3793	Input shaft (slipper shaft) / spring pin
3030X	80 wt premium shock oils with spinning carousel rack)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
5038	Spinning carousel rack	2554	Screws, 3x6mm caphead machine (hex drive) (6)
	Shocks (Pro-level Aluminum)	5556	Slipper pressure plate & hub (aluminum alloy)
2664	Big Bore shock cylinder (long) (1)		Spur Gears & Pinion Gears
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	3790	Gear adapter, fixed
	(assembled with TiN shafts and springs) (front & rear) (4)	2427	Gear, 14-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)	2416	Gear, 16-T pinion (48-pitch) / set screw
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6	1918 2419	Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	2423	Gear, 23-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings	4725	Gear, pinion (25-tooth) (48-pitch) / set screw
1942	& washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control
.0.2	(2)	4683	slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control
2742X	Rod ends, short (6)/ hollow balls (6)	4003	slipper clutch)
2667 2362	Shock caps, aluminum (2) (Big Bore Shocks) Shock rebuild kit (for 2 shocks)	4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	4000	slipper clutch)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)	4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
1004	(2)		Steering Components
1664	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)	2545	Bushings (plastic) (5x8x2.5mm) (4)
2656 1765	Silicone diaphragms (4)	2742	Rod ends, long (6)/ hollow ball connectors (6)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:	1844	Servo saver
	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	2336	Turnbuckles, 78mm (2)
5860	Shocks)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
3000	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)		(assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm
	shocks)		(2)(assembled with rod ends & hollow balls) (fits Stampede®)
	Shocks (Ultra Shocks)	3645	(requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 61mm (96mm center to center) (2)
3765A	Body, Ultra Shock (long) (grey) (2)	0070	(assembled with rod ends and hollow balls) (fits Stampede®)
3766A	Body, Ultra Shock (XXL) (grey) (2)		Suspension Linkage
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3641A	Camber link set (plastic / non-adjustable ) ( front & rear) (gray)
2742X	Rod ends, short (6)/ hollow balls (6)	3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3767	Shock caps (2)/ shock bottoms (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
8361	Shock caps (black) (4) (assembled with hollow balls)	0740	(2) Red ands lang (6)/ hellow hell connectors (6)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	2742 2742X	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra	3642	Shoulder screws, Ultra Shocks (3x12) (6)
	Shocks)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)
	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)		(strengthens caster blocks) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
3767P	Observations about the second		
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	2637 2640	
	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2)	2637 2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
3767X 2362	Shock rebuild kit (for 2 shocks)		Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to

Page 5	BIGFOOT® No. 1 Officially Licensed Replica: TQ™	2.4 GHz	Radio (Model 36034-8) Parts List
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	3665	Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for	6771	Tires & wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
3737	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	6770 3671	Tires, Maxx® 2.8" (2)/ foam inserts (2) Tires, Talon 2.8" (2)/ foam inserts (2)
	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)	3667	Tires, Terra Groove (dual profile 5.3"x2.7"- 2.0") (2)/ foam inserts (2)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm	3654 1654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2)
	(1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)		0.7 (4)/ axle pin (4) (Slash 2WD)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)	5353 5480X	Wheel nuts, splined, 17mm (blue-anodized) (4)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	5460A 5576	Wheel wrench, splined, 17mm Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)	5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)
	(assembled w/ rod ends & hollow balls) (fits Stampede®)	3772 3672	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, chrome (2.2") (rear) (2)
3741G	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,	3673	Wheels, chrome 2.2" (front) (2)
3/410	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3674	Wheels, dyable nylon 2.2" (rear) (2)
	wrench	3675	Wheels, dyeable nylon 2.2 (front) (2)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3774 5572	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)
	wrench		Transmission Components
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front,	4607	Ball bearings (5x11x4mm) (8)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	<b>5478</b>	Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed
2336X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm	3790 3691	Gearbox halves (L&R) (black) w/ idler gear shaft
20007	(2)(assembled with rod ends & hollow balls) (fits Stampede®)	3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
0044	(requires 5mm aluminum wrench #5477)	5148	Grease, white lithium
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	<b>9492</b> 3696	Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth)
3643	Turnbuckles, camber link, 49mm (82mm center to center)	9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits
3645	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 61mm (96mm center to center) (2)	3793	Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin
	(assembled with rod ends and hollow balls) (fits Stampede®)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
	Team Traxxas Items	4550	Stampede®, Rustler®)
2514	Decal sheet, racing sponsors	<b>1552</b> 2382	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
9950 9909	Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)	2002	shaft (1) all hardened steel
3303	Tires & Wheels	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	9495	Pro Series Magnum 272R™ Transmission, complete (assembled)
1675	Bushings, self-lubricating (5x11x4mm) (14)	55501/	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	2554 3185X	Screws, 3x6mm caphead machine (hex drive) (6) Screws, 3x8mm washerhead machine (large head for motor mount)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	31007	(6)
1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	1647	Silicone Grease
1747T	Nuts, aluminum, flanged, serrated (4mm) (green-unouized) (4)	5556	Slipper pressure plate & hub (aluminum alloy)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3195 <b>3695</b>	Top drive gear, steel (22-tooth)  Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
1647 2754	Silicone Grease		Stampede®, Slash®)
3689	Stub axle pins (4)  Tires & wheels, assembled, glued (2.8") (All-Star black chrome		Traxxas Tools
	wheels, paddle tires, foam inserts) (electric rear) (2) (TSM®	3433X	Body reamer (aluminum handle)
3668A	rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome	3433	Body reamer (plastic handle)
3000A	wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)	3436 3432	Cap, body reamer Scissors, curved tip
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome	3431	Scissors, straight tip
	wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
3660	Talon tires, foam inserts) (electric rear) (2)  Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels		and 8.0mm), 1/4" drive
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)	8720 8724	Speed bit handle, large (overmolded)
6792	Tires & wheels, assembled, glued (black 2.8" wheels,	8721 8722	Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold)
3779	Sledgehammer® tires, foam inserts) (2) (TSM® rated)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 2.0mm, 2.0mm, 5.5mm, 7.0mm
3663X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
3665X	dual profile tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (chrome wheels, Terra Groove	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
3663	dual profile tires, foam inserts) (nitro rear/ electric front) (2)  Tires & wheels, assembled, glued (satin chrome wheels, Terra		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
5500	Groove dual profile tires, foam inserts) (electric rear) (2)		2.5mm, 3.0mm), 1/4" drive

## Page 6 BIGFOOT® No. 1 Officially Licensed Replica: TQ™ 2.4 GHz Radio (Model 36034-8) Parts List

8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	Turnbuckles & Threaded Rods

	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	Turnbuckles & Threaded Rods
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM