

Doporučená paliva pro spalovací motory



ONE TEAM

BY PELIKAN DANIEL

OptiFUEL™
...your passion

Motory ASP	Kód	Olej % (min)	Nitro %
dvoutaktní motory:			
ASP 12A 2.0ccm	2AS00030	18-20%	5-15%
ASP S15A 2.5ccm	2AS00040	18-20%	5-15%
ASP 21 3.34ccm		18-20%	5-15%
ASP S25A 4.1ccm	2AS00050	18-20%	5-15%
ASP 25 RC CLUB 2000 4.1ccm		18-20%	5-15%
ASP 28 4.57ccm		18-20%	5-15%
ASP S32A 5.23ccm	2AS00055	18-20%	5-15%
ASP 36 5.9ccm		18-20%	5-15%
ASP S40A 6.5ccm	2AS00060	18-20%	5-15%
ASP S46A 7.5ccm	2AS00070	18-20%	5-15%
ASP S52A 8.5ccm	2AS00080	18-20%	5-15%
ASP S61A 10ccm	2AS00085	18-20%	5-15%
ASP 75A 12ccm	2AS00090	18-20%	5-15%
ASP S91A 15ccm	2AS00100	18-20%	5-15%
ASP 108 17.22ccm		18-20%	5-15%
ASP 120AR 20cm	2AS00110	18-20%	5-15%
ASP 180AR 30ccm	2AS00120	18-20%	5-15%
čtyřtaktní motory:			
ASP FS 30AR 5.0ccm	2AS00310	15-18%	5-15%
ASP FS 52AR 8.5ccm	2AS00320	15-18%	5-15%
ASP FS 61AR 10ccm	2AS00325	15-18%	5-15%
ASP FS 70AR 11.5ccm	2AS00333	15-18%	5-15%
ASP FS 80AR 13ccm	2AS00335	15-18%	5-15%
ASP FS 91AR 15ccm	2AS00340	15-18%	5-15%
ASP FS 120AR 20ccm	2AS00350	15-18%	5-15%
ASP FS 180AR 30ccm	2AS00351	15-18%	5-15%
ASP FT 160AR 2x12.8ccm	2AS00380	15-18%	5-15%
ASP FS 400AR 5x12.8ccm	2AS00390	15-18%	5-15%
heli motory:			
ASP 36 5.9ccm		18-20%	5-15%
ASP 46 7.5ccm		18-20%	5-15%
ASP 52		18-20%	5-15%



ONE TEAM

BY PELIKAN DANIEL

OptiFUEL™

...your passion

Motory Thunder Tiger

	Olej % (min)	Nitro %
GP-07	20%	5-15%
GP-10	20%	5-15%
GP-18	20%	5-15%
GP-28	20%	5-15%
GP-42	20%	5-15%
GP-65	20%	5-15%
.PRO-30	20%	5-15%
.PRO-40	20%	5-15%
.PRO-46	20%	5-15%
.PRO-61	20%	5-15%
.PRO-91	20%	5-15%
.PRO-120	20%	5-15%
.PRO-120-R	20%	5-15%
F-54S	20%	10-15%
F-91S	20%	10-15%
F-75-S	20%	10-15%
F-54S	20%	10-15%
F91S (9804)	20%	10-15%
F-130S	20%	10-15%
PRO-39H	20%	5-30%
PRO-50H	20%	5-30%
PRO-70H	20%	5-30%
PRO-18BX	20%	10-30%
PRO-12BX	20%	10-30%
PRO-15BX	20%	10-30%
PRO-50BK	20%	10-30%
PRO-12BK	20%	10-30%
PRO-28B-R	20%	10-30%
PRO-28BD-R	20%	10-30%
PRO-21B-R	20%	10-30%
PRO-21BX-R	20%	10-30%
PRO-28BX-R	20%	10-30%
PRO-46M	20%	5-15%
OUTBOARD MARINE ENGINE	20%	5-15%
PRO-21M-OB	20%	5-15%
RED LINE-53H	20%	10-30%



ONE TEAM

BY PELIKAN DANIEL

OptiFUEL™

...your passion

Motory OS MAX	Kód	Olej % (min)	Nitro %
10LA, 15LA, 25LA		18%	5-15%
12CV, 12CVX		18%	10-20% (max 40)
12CVR Series		18%	10-20% (max 40)
MAX 12/15 LD-X Series		18%	10-20% (max 40)
12TG Series		N/A	10-30%
12TR		18%	
12TZ		N/A	10-30%
12TZP		N/A	10-30%
15CV, 15CVX Series		18%	Up to 30
15CV-A, 25FX, 32SX	OS12660	18%	
15CV-M, 15CVMX		18%	10-20% (max 40)
15CVR Series		18%	10-20% (max 40)
15RX Series		18%	10-20% (max 40)
MAX15, 25, 40, 46 LA-S Series	OS11532/OS12352/OS13393	18%	
18CV-R, RX	OS11880	18%	10-20% (max 40)
18CV-RM, RMX		N/A	10-30%
18TM, w/11K-R, T-MAXX		20-22%	10-30%
18TZ Series	OS11943	20-22%	10-30%
21RG Series		18%	10-30%
21RG-M, 21RGM-X		18%	10-30%
21RX-M		18%	
21RZ-R (P)		18%	10-20% (max 30)
MAX21 RZ-V01b , V01b(P)		18%	10-30%
MAX-21VZ-B(P)		18%	10-30%
21VZ-B V SPEC		N/A	10-30%
21VZ-M		N/A	10-30%
21VZ-R		18%	10-30%
21VZ-R Ver II		18%	10-30%
21XM		18%	10-30%
15CV-A, 25FX, 32SX	OS12660/OS12956	18%	5-20%
30VG-(P) Series		N/A	10-30%
32SX-H Series		18%	10-30%
32-SXMX		18%	10-30%
37SZ-H	OS14000	18%	10-30%
50SX-ring & 40,46, 61, 91		18%	5-20%
40, 46, 65 LA Series		18%	5-15%
46AX	OS15490	18%	5-20%
46FX-H ring		18%	10-30%
46SF-H, HS		18%	5-20%
46VX-DFabc engine		18%	Up to 40
46VX-M, VX-M(ST)		18%	10-20% (max 40)
50SX-H		18%	10-30%
50SX-H-ring HYPER	OS15550	18%	10-30%



ONE TEAM

BY PELIKAN DANIEL

OptiFUEL™

...your passion

Motory OS MAX	Kód	Olej % (min)	Nitro %
55AX	OS15612	18%	5-20%
61LX-H		18%	5-30%
61SX-H, RX-H		18%	10-30%
61SX/RX-H-ring "WC" Series		18%	10-30%
61VF		23%	10-20%
61VR Series MARINE		18%	10-20% (max 40)
61VR-DF Series		18%	10-15%
70SZ-H-ring		18%	10-30%
91FX-HGL ring		18%	5-30%
91SX-H		18%	10-30%
91SX-H Competition C-SPEC		18%	10-30%
91SX-H Competition C-SPEC Ps		18%	10-30%
91SZ-H-ring PS HYPER		18%	10-30%
91SZ-H-ring		18%	10-30%
108FSR		18%	5-20%
120AX	OS19210	20%	5-20%
140RX	OS19220	15%	5-15%
140RX-F1		15-20%	10-25%
160RX-F1		15-20%	10-25%
160FX-RING		18%	5-20%
BGX-1 RING		18%	5-10%
FF320		18%	5-20%
FL70		20%	5-15%
FR5-300		18%	5-20%
FS26S, FS40S		18%	5-15%
FS26S-C, FS26S-CX		18%	10-20% (max 40)
F26S-C II		N/A	10-30%
FS30S, 40S		18%	5-15%
FS40S-C, FS40S-CX		18%	10-20% (max 40)
FS52-S		20%	5-15%
FS56a	OS34300	18%	5-20%
FS70S		15-20%	5-20%
FS70S-II, 91S-II, FS91SII-P		18%	5-15%
FS70-Ultimate		18%	5-30%
FS91SII-F1	OS35910	15-20%	10-25%
FS120SE		18%	5-15%
FS-120S III	OS35540	18%	5-15%
FS-120S SP	OS35530	18%	15-25%
FT120, FT300	OS36210	10%	5-15%
FT160	OS36108	18%	5-20%
GT55 – Note petrol engine use OPTIPROTECT at 50:1 dilution.			
ROTARY 49 PI		25%	5-15%



ONE TEAM

BY PELIKAN DANIEL

OptiFUEL™

...your passion

Motory Saito

	Olej % (min)	Nitro %
FA-125A	20%	10-15%
FA-100A	20%	10-15%
FA-82	20%	10-15%
FA-72	20%	10-15%
FA-30S	20%	10-15%
FA-180	20%	10-15%
FA-56	20%	10-15%
FA-91	20%	10-15%
FA-115	20%	10-15%
FA-62A	20%	10-15%
FA-150	20%	10-15%
FA-40A	20%	10-15%
FA-82GK	20%	10-15%
FA-125A GK	20%	10-15%
FA-100GK	20%	10-15%
FA-180GK	20%	10-15%
FA-72GK	20%	10-15%
FA-150GK	20%	10-15%
FA-56GK	20%	10-15%
FA-220A	20%	10-15%
FA-115GK	20%	10-15%
FA-91S GK	20%	10-15%
FA-220A GK	20%	10-15%
FA-40A GK	20%	10-15%
FA-62A GK	20%	10-15%
FA-325 R5 RADIAL	20%	10-15%
FA-450 R3 CYLINDER	20%	10-15%
FA-90R3	20%	10-15%
FA-170R3	20%	10-15%
FA-90-TS FLAT TWIN	20%	10-15%
FA-60 FLAT TWIN	20%	10-15%
FA-120 FLAT TWIN	20%	10-15%
FA-100T FLAT TWIN	20%	10-15%
FA-182TD	20%	10-15%
FA-300TL FLAT TWIN	20%	10-15%
FA-300TDP FLAT TWIN	20%	10-15%
FA-100TI V TWIN	20%	10-15%
FA-200TI V TWIN	20%	10-15%



ONE TEAM

BY PELIKAN DANIEL

OptiFUEL™

...your passion

Motory Laser

	Olej % (min)	Nitro %
LASER 70	15%	5-12%
LASER 80	15%	5-12%
LASER 100	15%	5-12%
LASER 120	15%	5-12%
LASER 160	15%	5-12%
LASER 180	15%	5-12%
LASER 200	15%	5-12%
LASER 240	15%	5-12%
LASER 300	15%	5-12%
LASER 360	15%	5-12%

Motory YS

	Olej % (min)	Nitro %
DZ170CDi	10%	0-25%
DZ170	20%	15-30%
DZ140	20%	15-30%
DZ160	20%	15-30%
140 Limited	20% LV	15-30%
FZ120	20% LV	15-30%
FZ110S	15-20%	15-30%
FZ91	15-20%	15--20%
FZ63	20%	15-30%
91SR-3C	18% LV	15-30%
91SR	18% LV	15-30%
91ST	20% LV	15-30%
56ST	20%	20-30%
61ST-2	20% LV	15-30%
80ST	20% LV	15-30%

Všechny směsi **OPTIFUEL™** používají oleje **KLOTZ®**