C) No 1907/2006 (REACH) as amended Version 1.0 e and of the company/undertaking Kavan Air Sport 15/85 mixture KAVF014/3 (3I), KAVF014/5 (5I) U7Y3-40HP-A00R-2RAR mixture and uses advised against ate households (= general public = consumers)				
Version 1.0 e and of the company/undertaking Kavan Air Sport 15/85 mixture KAVF014/3 (3I), KAVF014/5 (5I) U7Y3-40HP-A00R-2RAR mixture and uses advised against				
Version 1.0 e and of the company/undertaking Kavan Air Sport 15/85 mixture KAVF014/3 (3I), KAVF014/5 (5I) U7Y3-40HP-A00R-2RAR mixture and uses advised against				
e and of the company/undertaking Kavan Air Sport 15/85 mixture KAVF014/3 (3I), KAVF014/5 (5I) U7Y3-40HP-A00R-2RAR mixture and uses advised against				
Kavan Air Sport 15/85 mixture KAVF014/3 (3I), KAVF014/5 (5I) U7Y3-40HP-A00R-2RAR mixture and uses advised against				
mixture KAVF014/3 (3I), KAVF014/5 (5I) U7Y3-40HP-A00R-2RAR mixture and uses advised against				
KAVF014/3 (3I), KAVF014/5 (5I) U7Y3-40HP-A00R-2RAR mixture and uses advised against				
U7Y3-40HP-A00R-2RAR mixture and uses advised against				
mixture and uses advised against				
-				
ate households (= general public = consumers)				
ate households (= general public = consumers)				
ate households (= general public = consumers)				
ate households (= general public = consumers)				
en those referred in Section 1.				
hinery				
eet				
PELIKAN DANIEL				
Doubravice 110, Pardubice, 533 53				
Czech Republic				
60876999				
CZ7405133362				
+420 466 260 133				
info@pelikandaniel.com				
pelikandaniel.com				
Web address pelikandaniel.com Competent person responsible for the safety data sheet				
Ing. Jaroslav Jína				
jina@pelikandaniel.com				
Jindepenkundumencom				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Flam. Liq. 2, H225 Acute Tox. 3, H301+H311+H331 STOT SE 1, H370

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour. **Most serious adverse effects on human health and the environment** Causes damage to organs. Toxic if swallowed, in contact with skin or if inhaled.



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6 Registration number: 01-2119433307-44	methanol	85-90	Flam. Liq. 2, H225 Acute Tox. 3, H301, H311, H331 STOT SE 1, H370 Specific concentration limit: STOT SE 1, H370: $C \ge 10 \%$ STOT SE 2, H371: 3 % $\le C < 10$ %	1, 2
CAS: 8001-79-4 EC: 232-293-8	Castor Oil	15	not classified as dangerous	

Notes

- 1 Substance with a Union workplace exposure limit.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

according to Regulation (EC) No 1907/2006 (REACH) as amended

Kavan Air Sport 15/85

		-		
Creation date	01st June 2021			
Revision date		Version	1.0	
Full text of all classifications and hazard statements is given in the section 16.				

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

INDUCE VOMITING! Vomiting should be induced in the person only if conscious, within 1 hour from ingestion. If in doubt whether vomiting should be induced, contact the Toxicological Information Centre and give information about the substances or composition of the product as provided on the original packaging or in the safety data sheet of the product. FOLLOWING INGESTION OF TOXIC OR HIGHLY TOXIC SUBSTANCES, GIVE 10-20 CRUSHED TABLETS OF ACTIVATED CARBON, MIXED IN WATER, WITHIN NO LATER THAN 5 MINUTES - irrespective of whether vomiting could be induced. Call medical rescue service.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled Cough, headache. If on skin not available If in eyes Not expected. If swallowed Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Kavan Air Sport 15/85

Creation date Revision date

Version

1.0

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

01st June 2021

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a wellventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Content	Packaging type	Material of package
31	jerry can	
5	jerry can	

Storage class

6,1A - Combustible acute toxic substances

min 5 °C, max 25 °C

Storage temperature

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union		Con	mission Directive 2006/15/EC
Substance name (component)	Туре	Value	Note
methanol (CAS) 67 E6 1)	OEL 8 hours	260 mg/m ³	Skin
methanol (CAS: 67-56-1)	OEL 8 hours	200 ppm	SKIII

according to Regulation (EC) No 1907/2006 (REACH) as amended

Kavan Air Sport 15/85

Creation date Revision date 01st June 2021

Version

1.0

United Kingdom of Great Britain and EH40/2005 Workplace exposure limits (Fourth Edition 2020) Northern Ireland

	_		
Substance name (component)	Туре	Value	Note
	WEL 8h	266 mg/m³	
methanol (CAS: 67-56-1)	WEL 8h	200 ppm	Can be absorbed through the skin. The assigned substances are those for which there are
	WEL 15min	333 mg/m³	concerns that dermal absorption will lead to systemic toxicity.
	WEL 15min	250 ppm	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Use insulating breathing apparatus when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Color	colourless
Odour	containing alcohol
Melting point/freezing point	-97,8 °C
Boiling point or initial boiling point and boiling range	>60 °C
Flammability	data not available
Lower and upper explosion limit	
bottom	4,4 %
upper	38,5 %
Flash point	<21 °C
Auto-ignition temperature	455 °C
Decomposition temperature	data not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

Kavan Air Sport 15/85

Creat	ion date 01st June 2021			
	ion date	Version	1.0	
L	рН	non-polar/aprotic		
	Kinematic viscosity	1-2 mm ² /s at 40 °C		
	Solubility in water	miscible		
	Partition coefficient n-octanol/water (log value)	data not available		
	Vapour pressure	169 hPa at 25 °C		
	Density and/or relative density			
	Density	0,88 g/cm³ at 25 °C		
	Relative vapour density	1,1		
	Particle characteristics	data not available		
9.2.	Other information			
	not available			

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 No toxicological data is available for the mixture.

Acute toxicity

Causes damage to organs. Toxic if swallowed, in contact with skin or if inhaled.

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Causes damage to organs.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Kavan Air Sport 15/85

Creation date Revision date

Version

1.0

Toxicity for specific target organ - repeated exposure

01st June 2021

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

12.2. Persistence and degradability not available

- 12.3. Bioaccumulative potential
- Not available.
- 12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

- 12.6. Endocrine disrupting properties
 - Not available.

12.7. Other adverse effects

not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 07 03 other fuels (including mixtures) *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1992


14.2. UN proper shipping name

FLAMMABLE LIQUID, TOXIC, N.O.S.

14.3. Transport hazard class(es)

3 Flammable liquids





SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Restriction	Conditions of restriction
	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

15.2. Chemical safety assessment No chemical safety assessment has been performed.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet		
H-	not classified as dangerous	
H225	Highly flammable liquid and vapour.	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H331	Toxic if inhaled.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.	

according to Regulation (EC) No 1907/2006 (REACH) as amended

Kavan Air Sport 15/85

Creation date	01st June 2021
Revision date	Version 1.0
Guidelines for saf	e handling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container to by disposing in a hazardous waste receptacle.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P260	Do not breathe vapours.
P403+P235	Store in a well-ventilated place. Keep cool.
_	nformation about human health protection
as per the Section 1	ot be - unless specifically approved by the manufacturer/importer - used for purposes other than . The user is responsible for adherence to all related health protection regulations.
-	ons and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL NOAEC	International Convention for the Prevention of Pollution From Ships No observed adverse effect concentration
NOAEL NOEC	No observed adverse effect level No observed effect concentration
NOEL	No observed effect concentration No observed effect level
OEL	Occupational Exposure Limits
PBT	
PBT	Persistent, Bioaccumulative and Toxic Predicted no-effect concentration
	Predicted no-effect concentration Parts per million
ppm REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model
	Regulations

according to Regulation (EC) No 1907/2006 (REACH) as amended

Kavan Air Sport 15/85

	Ravali I	All Sport 15/65		
Creation date	01st June 2021			
Revision date		Version	1.0	
UVCB	Substances of unknown o materials	r variable composition, comp	lex reaction products or bio	ological
VOC	Volatile organic compound	ds		
vPvB	Very Persistent and very	Bioaccumulative		
Acute Tox.	Acute toxicity			
Flam. Liq.	Flammable liquid			
STOT SE	Specific target organ toxi	city - single exposure		
Without classification	Without classification			
Training guidelines				
Inform the personnel ways of handling the		ways of use, mandatory prot	ective equipment, first aid	and prohibited
Recommended rest	rictions of use			
not available				
Information about	data sources used to co	mpile the Safety Data She	et	
REGULATION (EC) Not the manufacturer of t	o. 1272/2008 OF THE EUF	ROPEAN PARLIAMENT AND O ROPEAN PARLIAMENT AND O available - information from	F THE COUNCIL as amend	
More information				

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

