















## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
DYN2267	Servo Tape, Black; 1 1/2"	Servo-Band, Schwarz 38mm	Adhésif servo, noir, 38mm	Nastro per servo, nero; 1 1/2"
LOS235009	Flat Head Screws M2.5 x 8mm (10)	Flachkopfschrauben M2,5 x 8mm (10)	Vis à tête plate M2.5 x 8mm (10)	Viti a testa piatta, M2.5 x 8mm (10)
LOS235011	Set Screws M3 x 3mm Cup Point (10)	Stellschrauben M3 x 3mm Ringschneide (10)	Vis de fixation M3 x 3mm Bout cuvette (10)	Grani, M3 x 3mm, punta tonda (10)
LOSA6943	10 x 15mm Sealed Ball Bearing (2): 22	10 X 15mm Kugellager gekapselt (2): 22	22 - Roulements étanches 10 x15mm (2)	10 x 15mm Cuscinetti stagni (2): 22
LOSA6945	8x14x4 Rubber Sealed Ball Bearing (4)	8 x 14 x 4mm gummiuersiegeltes Kugellager (4)	Roulement à billes hermétique en caoutchouc 8 x 14 x 4mm (4)	Cuscinetti a sfera sigillati in gomma 8 x 14 x 4mm (4)
LOSA6955	5 x 13mm HD Clutch Bearings (2): 8B/8T	5 x 13mm HD Kupplungslager (2):8B/8T	8B/8T - Roulements renforcés 5 x 13mm	5 x 13mm HD Cuscinetti frizione (2): 8B/8T
TLR230002	6.5" Medium Downforce Wing, Precut (2)	6.5 Medium Downforce Flüge vorgeschnitten (2)	Aileron appui moyen, prédécoupé (2)	6.5" alettone deportanza media, pretagliato (2)
TLR230003	Hook and Loop Body Mounting, 10 x 20mm: (8)	Klettband 10 x20mm (8)	Bandes auto-agrippantes pour fixation de carrosserie, 10x20mm (8)	Attacco a strappo per montaggio carrozzeria, 10 x 20mm: (8)
TLR230016	Lightweight Body & Wing, Clear: 22X-4	Gehäuse & Tragfläche leicht, transparent: 22X-4	Carrosserie et aile légères, transparentes : 22X-4	Scocca e ala leggere, trasparenti: 22X-4
TLR230018	Front Scoop, Clear: 22X-4	Frontschaufel, Transparent: 22X-4	Prise avant, transparente : 22X-4	Alettone anteriore, trasparente: 22X-4
TLR231078	Steering Hardware Set: 22 5.0	Hardwaresatz Lenkung: 22 5.0	Ensemble de matériel de direction : 22 5.0	Set bulloneria sterzo: 22 5.0
TLR231084	Mud Guard Set, Soft/SFT: 22X-4	Schmutzfänger-Satz, weich/SFT: 22X-4	Ensemble garde-boue, doux/SFT : 22X-4	Kit parafanghi, morbidi/SFT: 22X-4
TLR231086	Chassis, 2.5mm: 22X-4	Karosserie, 2,5mm: 22X-4	Châssis, 2,5 mm : 22X-4	Telaio, 2,5 mm: 22X-4
TLR231087	Chassis Brace Set: 22X-4	Chassishalter Set: 22X-4	22X-4 - Renforts de châssis	Set trapezio: 22X-4
TLR231089	Composite Steering Set: 22X-4	Verbundstoff-Lenkungssatz: 22X-4	Ensemble de direction composite : 22X-4	Kit sterzo in composito: 22X-4
TLR231091	Body, Antenna, Wire, Fan Mount Set: 22X-4	Karosserie, Antenne, Draht, Lüfterhalterungssatz: 22X-4	Ensemble carrosserie, antenne, câble, support de ventilateur : 22X-4	Kit carrozzeria, antenna, filo, supporto ventola: 22X-4
TLR231093	Front Bumper (2): 22X-4	Stoßfänger vorne (2): 22X-4	22x-4: Pare-choc avant (2)	Paraurti anteriore (2): 22X-4
TLR231094	Wing Mount & Washers: 22X-4	Flügelhalterung und Unterlegscheiben: 22X-4	Support d'aile et rondelles : 22X-4	Supporto e rondelle alettone: 22X-4
TLR231096	Carbon Spindle Arm Set, #1: 22X-4	Kohlefaser-Spindelarmsatz Nr. 1: 22X-4	Ensemble de bras d'axe en carbone, n° 1 : 22X-4	Kit bracci del fuso in carbonio, #1: 22X-4
TLR231098	Steering Posts (2): 22X-4	Lenksäule (2): 22X-4	Colonne de direction (2) : 22X-4	Supporto sterzo (2): 22X-4
TLR231101	Center Diff Fan Mount: 22X-4	Lüfterhalterung mittleres Differenzial: 22X-4	Fixation du ventilateur de différentiel central : 22X-4	Supporto ventola differenziale centrale: 22X-4
TLR231102	Carbon Tab Battery Mounts: 22X-4	Carbon-Führung Akkuhalterungen: 22X-4	Fixations de la batterie à languettes en carbone 22X-4	Supporti batteria linguette in carbonio: 22X-4
TLR231103	Carbon Bell Crank Plt V2: 22X-4	Carbon-Umlenkhebelplatte V2: 22X-4	Plaque de levier coudé en carbone V2 : 22X-4	Piastra biella a campana in carbonio V2: 22X-4
TLR231104	Carbon Chassis Brc 1.5&3.5 22X-4	Carbon-Karosseriestrebe 1.5 & 3.5 22X-4	Support de châssis en carbone 1.5&3.5 22X-4	Rinforzo telaio in carbonio 1.5&3.5 22X-4
TLR232002	Solid Drive Pin Set (8): 22/T/SCT	Antriebspin Set (8): 22/T/SCT	22/T/SCT - Jeu de goupilles d'entraînement pleines (8)	Set perni trasmissione (8): 22/T/SCT
TLR232102	CVA Driveshaft Bones, 67mm (2): 22X	CVA-Antriebsknochen, 67 mm: 22X	Os de l'arbre de transmission (67 mm) : 22X	Dogbone albero di trasmissione CVA, 67 mm: 22X
TLR232103	CVA Driveshaft Bones, X68mm (2): 22X	CVA-Antriebsknochen, X68 mm: 22X	Os de l'arbre de transmission (X68 mm) : 22X	Dogbone albero di trasmissione CVA, X68 mm: 22X

## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR232104	CVA Driveshaft Bones, 74mm (2): 22X	CVA-Antriebsknochen, 74 mm: 22X	Os de l'arbre de transmission (74 mm) : 22X	Dogbone albero di trasmissione CVA, 74 mm: 22X
TLR232105	CVA Driveshaft Bones, 68mm/93mm: 22X	CVA-Antriebsknochen, 68 mm/93 mm: 22X	Os de l'arbre de transmission (68 mm/93 mm) : 22X	Dogbone albero di trasmissione CVA, 68 mm/93 mm: 22X
TLR232107	Front CVA Axle (2): 22X-4	CVA-Vorderachse (2): 22X-4	Axe CVA avant (2) : 22X-4	Assale CVA anteriore (2): 22X-4
TLR232108	Rear CVA Axle (2): 22X-4	CVA-Hinterachse (2): 22X-4	Axe CVA arrière (2) : 22X-4	Assale CVA posteriore (2): 22X-4
TLR232109	Pinion CVA Axle (2): 22X-4	Ritzel CVA-Achse (2): 22X-4	Axe CVA du pignon (2) : 22X-4	Assale CVA pignone (2): 22X-4
TLR232110	Pinion Mounting Hardware (4): 22X-4	Ritzelhalterungshardware (4): 22X-4	Équipement de montage du pignon (4) : 22X-4	Bulloneria montaggio pignone (4): 22X-4
TLR232111	Wheel Hex, 12mm x 4.0mm (2)	Sechskant, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR232113	Wheel Hex, 12mm x 5.0mm (2)	Sechskant, 12 mm x 5,0 mm (2)	Hexagones de roues, 12 mm x 5,0 mm (2)	Esagoni ruote, 12 mm x 5,0 mm (2)
TLR232118	78T Spur Gear, Center Diff: 22X-4	Stirnrad 78T, mittleres Differential: 22X-4	Engrenage cylindrique 78T, Différentiel central : 22X-4	Corona 78T, diff. centrale: 22X-4
TLR232119	81T Spur Gear, Center Diff: 22X-4	Stirnrad 81T, mittleres Differential: 22X-4	Engrenage cylindrique 81T, Différentiel central : 22X-4	Corona 81T, diff. centrale: 22X-4
TLR232123	Motor Mount and Adapter: 22X-4	Motorhalter mit Adapter	Support moteur avec adaptateur	Supporto motore con adattatore
TLR232124	Center Bulkhead: 22X-4	Mittige Spritzwand: 22X-4	Cloison centrale : 22X-4	Paratia centrale: 22X-4
TLR232125	Carbon Center Bulkhead Brace: 22X-4	Mittige Kohlefaser-Spritzwandstrebe: 22X-4	Support de cloison centrale en carbone : 22X-4	Rinforzo paratia centrale in carbonio: 22X-4
TLR232126	Pinion Gear, Steel: 22X-4	Zahnradgetriebe, Stahl: 22X-4	Engrenage à pignons, acier : 22X-4	Pignone, acciaio: 22X-4
TLR232127	Ring Gear, Metal: 22X-4	Zahnradgetriebe, Metall: 22X-4	Engrenage à anneaux, métal : 22X-4	Corona dentata, metallo: 22X-4
TLR232128	Diff Housing (2): 22X-4	Differentialgehäuse (2): 22X-4	Boîtier de différentiel (2): 22X-4	Alloggiamento differenziale (2): 22X-4
TLR232129	Diff Gear & Cross Pin Set, Metal: 22X-4	Differentialgetriebe und Querstiftesatz, Metall: 22X-4	Engrenage différentiel et ensemble de tige transversale, métal : 22X-4	Ingr. diff. e perno a croce, metallo: 22X-4
TLR232130	Diff Seal & Hardware Set: 22X-4	Differentialgetriebedichtung und Hardwaresatz: 22X-4	Ensemble de joints et matériel pour différentiel : 22X-4	Kit bulloneria e guarnizioni diff.: 22X-4
TLR232131	Outdrive Set (2): 22X-4	Antriebsklauen Set (2): 22X-4	Noix de sortie de diff (2): 22X-4	Set trascinatore (2): 22X-4
TLR232132	CVA Sleeve, Composite (8): 22X	CVA-Hülse, Verbundstoff (8): 22X	Manchon CVA, composite (8) : 22X	Manicotto CVA, composito (8): 22X
TLR232133	Front Gear Box Set: 22X-4	Vordere Getriebebox: 22X-4	Boîte à engrenage avant : 22X-4	Riduttore anteriore: 22X-4
TLR232134	Rear Gear Box Set: 22X-4	Hintere Getriebebox: 22X-4	Boîte à engrenage arrière : 22X-4	Riduttore posteriore: 22X-4
TLR232135	Center Diff Cover: 22X-4	Abdeckung mittleres Differential: 22X-4	Cache de différentiel central : 22X-4	Coperchio diff. centrale: 22X-4
TLR233025	Shock Body, 36.5mm, G3 (1)	Stoßdämpfergehäuse, 36,5 mm, G3 (1)	Corps antichoc, 36,5 mm, G3 (1)	Scocca ammortizzatore, 36,5 mm, G3 (1)
TLR233026	Shock Shaft, 42mm, G3 (1)	Kolbenstange, 42 mm, G3 (1)	Bras d'amortisseur, 42 mm, G3 (1)	Albero ammortizzatore, 42 mm, G3 (1)
TLR233030	Spring Cup Set, G3 (4ea)	Federteller-Satz, G3 (je 4)	Ensemble de coupelles de ressorts, G3 (4ea)	Set coppetta a molle, G3 (4ea)
TLR233031	Shock End Set, G3 (4ea)	Stoßdämpferendstück, Satz, G3 (je 4)	Ensemble d'extrémités d'amortisseurs, G3 (4ea)	Set estremità ammortizzatore, G3 (4ea)



## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR233032	Threaded Spring Collar, G3 (2)	Federteller mit Gewinde, G3 (2)	Collier à ressort fileté, G3 (2)	Collare molla filettata, G3 (2)
TLR233043	Shock Hardware, G3 (4)	Stoßdämpfer-Hardware, G3 (4)	Matériel d'amortisseur, G3 (4)	Bulloneria ammortizzatore, G3 (4)
TLR233053	Yellow Front Springs, Low Frequency, 12mm (2)	Gelbe Frontfedern, Niedrige Frequenz, 12 mm (2)	Ressorts avant jaunes, basse fréquence, 12 mm (2)	Molle anteriori giallo, bassa frequenza, 12 mm (2)
TLR233058	Pink Rear Springs, Low Frequency, 12mm (2)	Pinkfarbene Heckfedern, Niedrige Frequenz, 12 mm (2)	Ressorts arrière roses, basse fréquence, 12 mm (2)	Molle posteriori rosa, bassa frequenza, 12 mm (2)
TLR233060	Seal Set, X-Rings, G3 V2 (4 shocks)	Dichtungssatz, X-Ringe, G3 V2 (4 Stoßdämpfer)	Ensemble de joints, toriques, G3 V2 (4 amortisseurs)	Set tenute, anelli a X, G3 V2 (4 ammortizzatori)
TLR233061	Shock Seal Bushings, Machined, G3 V2 (4)	Gefräste Stoßdämpferbuchsen, G3 V2 (4)	Bagues de joints d'amortisseurs, usinées, G3 V2 (4)	Boccole tenuta ammortizzatore, lavorate, G3 V2 (4)
TLR233062	Shock Travel Spacer Set: 22	Stoßdämpferhub-Distanzstücksatz: 22	Ensemble d'entretoise d'amortisseur de course : 22	Kit distanziali corsa ammortizzatori: 22
TLR234107	HD Ball Cup Set: All 22	HD-Kugelschale, Satz: Alle 22	Ensemble de cuvettes de roulement à billes ultra-résistant : Tout 22	Set coppa a sfera HD: Tutte le 22
TLR234112	Front Arm Set: 22X-4	Querlenker vorne Set: 22X-4	22X-4 - Triangles avant	Set bracci anteriori: 22X-4
TLR234113	Rear Arm Set: 22X-4	Querlenker hinten Set: 22X-4	22X-4 - Triangles arrière	Set bracci posteriori: 22X-4
TLR234116	Front Spindle Set: 22X-4	Achsschenkelset vorne: 22X-4	22X-4 - Set de fusées avant	Set fuso anteriore: 22X-4
TLR234117	Spindle Bushing Set, Aluminum (8): 22X-4	Spindelwellensatz, Aluminium (8): 22X-4	Ensemble de bague d'arbre, aluminium (8) : 22X-4	Kit boccole fusello, alluminio (8): 22X-4
TLR234119	Caster Block Set, 9 deg, Aluminum: 22X-4	C.Hub 9° Alu: 2X-4	22X-4 - Set d'étriers porte fusées 9° en aluminium	Set blocco castor, 9 gradi, alluminio: 22X-4
TLR234121	VHA Hub Body, Composite (2): 22X-4	VHA Nabenkörper, Verbundstoff (2): 22X-4	Corps de moyeu VHA, composite (2) : 22X-4	Corpo mozzo VHA, composito (2): 22X-4
TLR234124	Hinge Pin Set, Polished: 22X-4	Scharnierstiftsatz, poliert: 22X-4	Ensemble de goupilles de charnière, poli : 22X-4	Kit perno di articolazione, lucido: 22X-4
TLR234125	Sway Bar Set, 1.0/1.2/1.4mm (3): 22X-4	Schwingen-Set, 1.0/1.2/1.4mm (3): 22X-4	Ensemble de barre stabilisatrice, 1.0/1.2/1.4mm (3): 22X-4	Set barra oscillante, 1.0/1.2/1.4mm (3): 22X-4
TLR234127	Sway Bar Mount Set (2): 22X-4	Schwingen-Halterungssatz (2): 22X-4	Ensemble de support de barres stabilisatrices (2) : 22X-4	Kit supporto barra di torsione (2): 22X-4
TLR234128	A Pivot Block, Aluminum: 22X-4	A-Zapfenlager, Aluminium: 22X-4	Bloc pivot A, aluminium : 22X-4	Blocco pivotante A, alluminio: 22X-4
TLR234129	B Pivot Block, Aluminum: 22X-4	B-Zapfenlager, Aluminium: 22X-4	Bloc pivot B, aluminium : 22X-4	Blocco pivotante B, alluminio: 22X-4
TLR234130	C Pivot Block, Aluminum: 22X-4	C-Zapfenlager, Aluminium: 22X-4	Bloc pivot C, aluminium : 22X-4	Blocco pivotante C, alluminio: 22X-4
TLR234131	D Pivot Block, Aluminum: 22X-4	D-Zapfenlager, Aluminium: 22X-4	Bloc pivot D, aluminium : 22X-4	Blocco pivotante D, alluminio: 22X-4
TLR234132	Insert Set, Adjust Pivot, V2: 22X-4	Einsatz-Set, anpassbarer Drehpunkt, V2: 22X-4	Ensemble d'inserts, pivot de réglage V2 : 22X-4	Set inserti, perno regolazione, V2: 22X-4
TLR234133	Carbon FR Shock Tower, V2: 22X-4	Vordere Carbon-Stoßdämpferbrücke, V2: 22X-4	Tour d'amortisseur avant en carbone, V2 : 22X-4	Torre amm in carbonio, ant, V2: 22X-4
TLR234134	Carbon RR Shock Tower, V2: 22X-4	Hintere Carbon-Stoßdämpferbrücke, V2: 22X-4	Tour d'amortisseur arrière en carbone, V2 : 22X-4	Torre amm in carbonio, pst, V2: 22X-4
TLR235003	Flat Head Screws, M2.5 x 6mm (10)	Flachkopfschrauben, M2,5 x 6mm (10)	Vis FHC M2.5 x 6mm	Viti a testa piatta, M2.5 x 6mm (10)
TLR235007	Flat Head Screws, M2.5 x 10mm (10)	Flachkopfschrauben, M2,5 x 10mm (10)	Vis à tête fraisée M2,5 x 10mm (10)	Viti a testa piatta M2,5 x 10mm (10)
TLR235008	Flat Head Screws, M3 x 6mm (10)	Flachkopfschrauben, M3 x 6mm (10)	Vis à tête fraisée M3 x 6mm (10)	Viti a testa piatta M3 x 6mm (10)

# REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR235010	Screw, G3 Shock Cup (8)	Schraube, G3 Stoßdämpfer-Teller (8)	Vis, coupelle d'amortisseur G3 (8)	Vite, coppa ammortizzatore G3 (8)
TLR235012	Set Screw, M3 x 20mm (8)	Schraubenset, M3 x 20mm (10)	Vis sans tête, M3 x 20mm (10)	Grano, M3 x 20mm (10)
TLR235015	Button Head Screws, M3 x 4mm (10)	Rundkopfschraube, M3 x 4mm (10)	Vis à tête bombée M3 x 4mm (10)	Viti testa tonda, M3 x 4mm (10)
TLR236006	10 x 14mm Shims, 0.1 & 0.2mm (5ea.)	Distanzscheiben 10x14 mm, 0,1 und 0,2 mm (je 5)	Set de cales 10x14mm, 0.1 et 0.2mm (5 pce)	Spessori 10x14 mm, 0,1 e 0,2 mm (5 cad.)
TLR236013	Axle Spacer Set, 5 x 1.3mm(2), 5 x 0.5mm (4)	Achsen-Abstandshalter, 5 x 1,3 mm (2), 5 x 0,5 mm (4)	Ensemble d'entretoise de l'axe, 5 x 1,3 mm (2), 5 x 0,5 mm (4)	Set distanziali assale, 5 x 1,3 mm (2), 5 x 0,5 mm (4)
TLR237000	5 x 8 x 2.5mm Bearings (2)	5 x 8 x 2.5mm Lager (2)	Roulements 5 x 8 x 2.5mm (2)	5 x 8 x 2.5mm cuscinetti (2)
TLR331037	Carbon Wing Washer (2): 22 5.0	Tragflächen-Unterlegscheibe, Karbon (2): 22 5.0	Rondelle d'aile en carbone (2) : 22 5.0	Rondella ala carbonio (2): 22 5.0
TLR331048	Carbon Electronics Mounting Plate: 22X-4	Elektronik-Halterungsplatte, Karbon: 22X-4	Plaque de montage électronique en carbone : 22X-4	Piastra di montaggio elettronica carbonio: 22X-4
TLR331052	Drag Link, Aluminum: 22X-4	Lenkwischenstange, Aluminium: 22X-4	Barre d'accouplement, aluminium : 22X-4	Tirante longitudinale, alluminio: 22X-4
TLR331057	Carbon Fr Top Brc Med Flex:22X-4	Vordere obere Carbon-Strebe, Med Flex: 22X-4	Arbre moyen de support supérieur avant en carbone : 22X-4	Rinf sup ant carbonio med flex:22X-4
TLR332074	VHA CVA Rebuild Set (2): 22 5.0	VHA CVA Nachbausatz (2): 22 5.0	Ensemble de reconstruction VHA CVA (2) : 22 5.0	Set rigenerazione VHA CVA (2): 22 5.0
TLR333011	Shock Shaft, 42.7mm, TiCN, G3 (1)	Kolbenstange, 42,7 mm, TiCN, G3 (1)	Bras d'amortisseur, 42,7 mm, TiCN, G3 (1)	Albero ammortizzatore, 42,7 mm, TiCN, G3 (1)
TLR333012	Shock Shaft, 48.7mm, TiCN, G3(1)	Kolbenstange, 48,7 mm, TiCN, G3 (1)	Bras d'amortisseur, 48,7 mm, TiCN, G3 (1)	Albero ammortizzatore, 48,7 mm, TiCN, G3 (1)
TLR333014	Machined Shock Pistons, Thin, 2 x 1.6mm, G3 (2)	Gefräste Stoßdämpferkolben, dünn, 2 x 1,6 mm, G3 (2)	Pistons amortisseurs usinés, fins, 2 x 1,6 mm, G3 (2)	Pistoni amm. lavorati, sottili, 2 x 1,6 mm, G3 (2)
TLR333016	Machined Shock Pistons, Thin, 2 x 1.7mm, G3 (2)	Gefräste Stoßdämpferkolben, dünn, 2 x 1,7 mm, G3 (2)	Pistons amortisseurs usinés, fins, 2 x 1,7 mm, G3 (2)	Pistoni amm. lavorati, sottili, 2 x 1,7 mm, G3 (2)
TLR333021	Domed Bleeder Shock Caps, Aluminum, G3 (2): 22	Gewölbte Stoßdämpfer-Entlüfterkappen, Aluminium, G3 (2): 22	Capuchons d'amortisseurs avec purgeurs en dôme, aluminium, G3 (2) 22	Tappi di sfiato a cupola per amm, alu, G3 (2): 22
TLR334074	VHA Camber Link Mount, Black: 22 5.0	VHA Nabensatz, Verbundstoff: 22 5.0	Ensemble de moyeux VHA, composite : 22 5.0	Set mozzo VHA, composito: 22 5.0
TLR334076	VHA Hinge Pin Insert Set: 22 5.0	VHA-Scharnierstifteinsatz-Satz: 22 5.0	Ensemble d'inserts de goupilles de charnière VHA : 22 5.0	Kit inserti perno di articolazione VHA: 22 5.0
TLR334077	HD Turnbuckle Kit, Titanium: 22X-4	Gewindestangenset Titan: 22X-4	22X-4 - Set de biellettes en titane	HD set tenditori, titanio: 22X-4
TLR336000	4mm Aluminum Serrated Lock Nuts, Black (6)	4mm Aluminium Stopmutter mit Flanch Schwarz 6St.	Écrou auto-freiné épaulé M4, aluminium, noir (6)	Dado autobloccante seghettato 4mm, nero (6)
TLR336003	M4 Aluminum Serrated Nuts, Low Profile, Black (4)	M4 Aluminiumschrauben geriffelt schwarz (4)	Écrou strié M4 taille basse en aluminium, noir (4)	Dadi dentellati allum. M4, basso profilo, nero (4)
TLR336004	M3 Aluminum Lock Nuts, Black (10)	M3 Aluminium Stopmuttern Schwarz (10)	Écrou auto-freiné M3 en aluminium, noir (10)	Dadi autobloccanti allum. M3, neri (10)
TLR336005	M3 Flanged Aluminum Lock Nuts, Black (10)	M3 Aluminium Stopmutter mit Bund Schwarz (10)	Écrou auto-freiné épaulé M3 en aluminium, noir (10)	Dadi autobloccanti allum. flangiati M3, neri (10)
TLR336007	M3 Caster Block Alum Washer Set, Black (4ea)	M3 Radblock, Unterlegscheiben-Satz, Aluminium, schwarz (je 4)	Ensemble de rondelles en aluminium pour bloc de roulettes M3, noir (4ea)	Set rondella alluminio blocco ghisa M3, nero (4ea)
TLR336010	Shock Standoff, Carbon Tower, Titanium (2): 22 5.0	Stoßdämpfer-Standoff, Karbon-Brücke, Titan (2): 22 5.0	Dispositif d'espacement d'amortisseur, tour en carbone, titane (2) : 22 5.0	Distanziale ammortizzatore, torre in carbonio, titanio (2): 22 5.0
TLR5086	Shock Cap: Bottom (2): 22	Stoßdämpferendkappe unten (2)	Bouchon inférieur d'amortisseur (2)	Tappo ammort.: inferiore (2)
TLR5092	Upper Shock Bushing (4): 22	Buchsen für Dämpfer: 22 (4)	22 - Entretoise supérieure d'amortisseur (4)	Boccola superiore ammort. (4): 22

## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR5280	Silicone Diff Fluid, 5000CS	Differential-Silikonflüssigkeit, 5000CS	Liquide silicone pour différentiel, 5000CS	Olio al silicone per differenziale, 5000CS
TLR5281	Silicone Diff Fluid, 7000CS	Silikon Diff Öl ,7.000CS	Graisse silicone pour différentiel, 7000CS	Fluido silicone diff, 7,000CS
TLR5901	Button Head Screws, M3 x 6mm (10)	Rundkopfschraube, M3 x 6mm (10)	Vis à tête bombée M3 x 6mm (10)	Viti testa tonda, M3 x 6mm (10)
TLR5902	Button Head Screws, M3 x 8mm (10)	Rundkopfschraube, M3 x 8mm (10)	Vis à tête bombée M3 x 8mm (10)	Viti testa tonda, M3 x 8mm (10)
TLR5903	Button Head Screws, M3 x 10mm (10)	Rundkopfschraube, M3 x 10mm (10)	Vis à tête bombée M3 x 10mm (10)	Viti testa tonda, M3 x 10mm (10)
TLR5904	Button Head Screws, M3 x 12mm (10)	Rundkopfschraube, M3 x 12mm (10)	Vis à tête bombée M3 x 12mm (10)	Viti testa tonda, M3 x 12mm (10)
TLR5909	Button Head Screws, M3 x 16mm (10)	TLR Rundkopfschraube, M3 x 16mm (10)	Vis à tête bombée M3 x 16mm (10)	Viti testa tonda, M3 x 16mm (10)
TLR5910	Button Head Screws, M3 x 14mm (10)	Rundkopfschrauben M3 x 14mm (10)	Vis à tête bombée M3x14mm (10)	Viti a testa tonda, M3 x 14mm (10)
TLR5961	Flathead Screws, M3 x 8mm (10)	Flachkopfschrauben, M3 x 8mm (10)	Vis à tête fraisée M3 x 8mm (10)	Vite a testa piatta, M3 x 8mm (10)
TLR5962	Flat Head Screw, M3 x 10mm (10)	Flachkopfschrauben, M3 x 10mm (10)	Vis à tête fraisée M3 x 10mm (10)	Vite a testa piatta, M3 x 10mm (10)
TLR5963	Flathead Screw, M3 x 12mm (10)	Flachkopfschrauben, M3 x 12mm (10)	Vis à tête fraisée M3 x 12mm (10)	Vite a testa piatta, M3 x 12mm (10)
TLR6023	BallStud, 4.8 x 10mm (4): 22	Kugelkopf mit Gewinde 4.8 x 10mm (4)	Rotules à visser 4,8 x 10mm (4)	Perno sferico, 4.8 x 10mm (4)
TLR6024	Ball Stud, 4.8 x 8mm (4): 22	Kugelkopf mit Gewinde, 4.8 x: 8mm (4): 22	22 - Rotules à visser 4,8 x 8mm (4)	Perno sferico, 4.8 x 8mm (4): 22
TLR6025	Ball Stud, 4.8mm x 6mm (4): 22	Kugelkopf mit Gewinde 4.8mm x 6mm (4)	Rotules à visser 4,8 x 6mm (4)	Perno sferico, 4.8 x 6mm (4)
TLR6312	Locknut, M2.5 x .45 x 5mm (6)	Mutter selbstsichernd M2.5 x .45 x 5mm (6)	Ecrou M2,5 x 0,45 x 5mm (6)	Dado autobloccante, M2.5 x .45 x 5mm (6)
TLR6352	Washers, M3 (10)	U-Scheibe, M3 (10)	Rondelles M3 (10)	Rodelle, M3 (10)
TLR6932	5x10x4mm HD Bearings (2)	Kugellager 5 x 10 x 4mm (2)	Roulements renforcés 5 x 10 x 4mm (2)	5x10x4mm HD Cuscinetti (2)
TLR72003	Shock Tools, Composite: All 22	Stoßdämpferwerkzeuge, Komposit: Alle 22	Outils pour amortis-seurs, composite : Tout 22	Attrezzi ammortizzatori, composito: Tutte le 22
TLR74010	Silicone Shock Oil, 40 wt, 2 oz	Silikonstoßdämpferöl, 40wt, 2 oz	Huile silicone d'amortisseur, 40wt, 60 ml	Olio silicone ammortizzatori, 40wt, 2oz
TLR74011	Silicone Shock Oil, 42.5wt, 2oz	Silikonstoßdämpferöl, 42.5wt, 2 oz	Huile silicone d'amortisseur, 42.5wt, 60 ml	Olio silicone ammortizzatori, 42.5wt, 2oz
TLR75009	Silicone Diff Fluid, 500,000CS	Differential-Silikonflüssigkeit, 500,000CS	Liquide silicone pour différentiel, 500,000CS	Olio al silicone per differenziale, 500.000CS
TLR76009	TLR Lok Threadlock Blue	TLR Lok, Schraubensicherung, blau	Verrou TLR, frein-filet, bleu	TLR Lok, frenafilet, blu
TLR77000	High-Pressure Black Grease, 8cc	High-Pressure Fett Schwarz/8cc	Graisse noire haute pression, 8cc	Grasso nero alta pressione, 8cc
TLR8202	Body Clips, Black (12): 22	Karosseriekammern Schwarz (12)	Clips de carrosserie noirs (12)	Clips carrozzeria, neri (12)

## OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
DYN2267	Servo Tape, Black; 1 1/2"	Servo-Band, Schwarz 38mm	Adhésif servo, noir, 38mm	Nastro per servo, nero; 1 1/2"
DYN2516	Straight Body Scissors	Gerade Karosserie-Schere	Ciseaux de corps droits	Forbici dritte per scocca
DYN5500	Magnum Force 2 Motor Spray, 13 oz	Magnum Force 2 Motorspray, 368 g	Vaporisateur pour moteur Magnum Force 2, 13 onces	Spray per motore Magnum Force 2, 385 ml (13 oz)
DYNF1055	Infrared Temp Gun/Thermometer with Laser Sight	Infrarotmesspistole/Thermometer mit Laservisier	Détecteur infrarouge de température/ Thermomètre avec visée laser	Pistola termometro IR con puntatore laser
DYNT1260	Shock Shaft Pliers/Multi-Tool	Kolbenstangenzange/ Multifunktionswerkzeug	Pinces de bras d'amortisseurs/Outil multifonctions	Pinze multiutensili per albero ammortizzatore
DYNT2010	Machined Nut Driver Set 4pc.MET	Steckschlüsselset CNC gefräst 4Stk. metrisch	Clés à écrous usinées 4 pièces, métrique	Set cacciaviti dadi lavorati, metrico (4)
DYNT2030	Machined Hex Driver Set (4) Met	Inbusschlüsselset (4) Metrisch	Clés BTR usinées 4 pièces, métrique	Set cacciaviti a brugola lavorati, metrico (4)
DYNT2112	Suspension Arm Reamer 3.5mm	Querlenker-Reibahle 3,5 mm	Alésoir de bras de suspension, 3,5 mm	Alesatore braccetto sospensione 3,5 mm
SPM9067	6245 Mount, Black: 22X-4, B74	6245 Halterung, schwarz: 22X-4, B74	Fixation 6245, noire : 22X-4, B74	6245 supporto, nero: 22X-4, B74
TLR230017	Ultra Lightweight Body & Wing, Clear: 22X-4	Gehäuse & Tragfläche ultraleicht, transparent: 22X-4	Carrosserie et aile ultra-légères, transparentes : 22X-4	Scocca ultraleggera e ala, trasparenti: 22X-4
TLR230019	6.5" LW Rear Wing Clr Precut	6,5" LW Heckflügel, farblos, vorgeschritten	Prédécoupage d'aile transparente arrière LW, 6,5 po	Ala posteriore 6.5" trasparente pretagliata
TLR231085	Mud Guard Set, Stiffezel/SZL: 22X-4	Kortflügel. 22X-4	22X-4 - Bavettes, Stiffezel	Set parafanghi: 22X-4
TLR231088	Carbon Chassis Brace Support Set: 22X-4	Kohlefaser-Karosseriestrebensatz: 22X-4	Ensemble de support de châssis en carbone : 22X-4	Kit montanti di supporto in carbonio: 22X-4
TLR231100	V2 Steering and Steering Carbon Brace	V2 Lenkung und Lenkung-Carbon-Strebe	Support en carbone de direction et direction V2	Sterzo e rinforzo sterzo in carbonio V2
TLR232106	CVA Driveshaft Bones, 61mm/100mm: 22X	CVA-Antriebsknochen, 61 mm (2): 22X	Os de l'arbre de transmission 61 mm (2): 22X	Dogbone albero di trasmissione CVA, 61 mm (2): 22X
TLR232112	Wheel Hex, 12mm x 4.5mm (2)	Sechskantrad, 12 mm x 4,5 mm (2)	Hexagones de roues, 12 mm x 4,5 mm (2)	Esagoni ruote, 12 mm x 4,5 mm (2)
TLR232114	Wheel Hex, 12mm x 5.5mm (2)	Sechskantrad, 12 mm x 5,5 mm (2)	Hexagones de roues, 12 mm x 5,5 mm (2)	Esagoni ruote, 12 mm x 5,5 mm (2)
TLR232115	Wheel Hex, 12mm x 6.0mm (2)	Sechskantrad, 12 mm x 6,0 mm (2)	Hexagones de roues, 12 mm x 6,0 mm (2)	Esagoni ruote, 12 mm x 6,0 mm (2)
TLR232137	Slipper Assembly, Complete: 22X-4	Gleiterbaugruppe, komplett: 22X-4	Ensemble de sabot, complet : 22X-4	Gruppo antisaltellamento completo: 22X-4
TLR233051	Purple Front Springs, Low Frequency, 12mm (2)	Violette Frontfedern, Niedrige Frequenz, 12 mm (2)	Ressorts avant violets, basse fréquence, 12 mm (2)	Molle anteriori viola, bassa frequenza, 12 mm (2)
TLR233052	Sky Blue Fr Springs, LF 12mm (2)	Himmelblaue Frontfedern, Niedrige Frequenz, 12 mm (2)	Ressorts avant bleu ciel, basse fréquence, 12 mm (2)	Molle anteriori azzurro, bassa frequenza, 12 mm (2)
TLR233054	Gold Front Springs, Low Frequency, 12mm (2)	Goldfarbene Frontfedern, Niedrige Frequenz, 12 mm (2)	Ressorts avant dorés, basse fréquence, 12 mm (2)	Molle anteriori oro, bassa frequenza, 12 mm (2)
TLR233056	White Rear Springs, Low Frequency, 12mm (2)	Weiße Heckfedern, Niedrige Frequenz, 12 mm (2)	Ressorts arrière blancs, basse fréquence, 12 mm (2)	Molle posteriori bianco, bassa frequenza, 12 mm (2)
TLR233057	Yellow Rear Springs, Low Frequency, 12mm (2)	Gelbe Heckfedern, Niedrige Frequenz, 12 mm (2)	Ressorts arrière jaunes, basse fréquence, 12 mm (2)	Molle posteriori giallo, bassa frequenza, 12 mm (2)
TLR233059	Red Rear Springs, Low Frequency, 12mm (2)	Rote Heckfedern, Niedrige Frequenz, 12 mm (2)	Ressorts arrière rouges, basse fréquence, 12 mm (2)	Molle posteriori rosso, bassa frequenza, 12 mm (2)
TLR233063	36.5mm Shock Set, G3, 3mm, TiCN (2)	36,5 mm Stoßdämpfersatz, G3, 3 mm, TiCN (2)	Ensemble d'amortisseurs 36,5mm, G3, 3 mm, TiCN (2)	Set amm 36,5 mm, G3, 3 mm, TiCN (2)
TLR233064	42mm Shock Set, G3, 3mm, TiCN (2)	42 mm Stoßdämpfersatz, G3, 3 mm, TiCN (2)	Ensemble d'amortisseurs 42 mm, G3, 3 mm, TiCN (2)	Set amm 42 mm, G3, 3 mm, TiCN (2)

## OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
TLR234114	Front Arm Set, Stiffezel: 22X-4	Vorderarmsatz, Stiffezel: 22X-4	Bras avant, Stiffezel : 22X-4	Set braccio anteriore Stiffezel: 22X-4
TLR234115	Rear Arm Set, Stiffezel: 22X-4	Rück-Arm Set, Stiffezel: 22X-4	22X-4 - Triangle arrière, Stiffezel	Set braccio posteriore Stiffezel: 22X-4
TLR234117	Spindle Bushing Set, Aluminum (8): 22X-4	Spindelwellensatz, Aluminium (8): 22X-4	Ensemble de bague d'arbre, aluminium (8) : 22X-4	Kit boccole fusello, alluminio (8): 22X-4
TLR234118	Caster Block Set, 6 deg, Aluminum: 22X-4	Radblockset, 6 Grad, Aluminium: 22X-4	Ensemble de bloc de rondelles, 6 deg, aluminium : 22X-4	Kit caster block, 6°, alluminio: 22X-4
TLR234120	Caster Block Set, 12 deg, Aluminum: 22X-4	Radblockset, 12 Grad, Aluminium: 22X-4	Ensemble de bloc de rondelles, 12 deg, aluminium : 22X-4	Kit caster block, 12°, alluminio: 22X-4
TLR234126	Sway Bar Set, 1.6/1.8/2.0mm (3): 22X-4	Schwingen-Set, 1.6/1.8/2.0 mm (3): 22X-4	Ensemble de barre stabilisatrice, 1.6/1.8/2.0 mm (3): 22X-4	Set barra oscillante, 1.6/1.8/2.0 mm (3): 22X-4
TLR331049	Carbon Front Steering/Gearbox Brace: 22X-4	Kohlefaser-Frontsteuerung/Getriebestrebe: 22X-4	Direction avant, carbone/Support de boîte d'engrenage : 22X-4	Rinforzo scatola ingranaggi/sterzo anteriore in carbonio: 22X-4
TLR331050	Clamping Servo Horn, Aluminum, 23T: 22X-4	Klemm-Servohorn, Aluminium, 23T: 22X-4	Renvoi de commande du servo de serrage, aluminium, 23T : 22X-4	Squadretta servo di bloccaggio, alluminio, 23T: 22X-4
TLR331051	Clamping Servo Horn, Aluminum, 25T: 22X-4	Klemm-Servohorn, Aluminium, 25T: 22X-4	Renvoi de commande du servo de serrage, aluminium, 25T : 22X-4	Squadretta servo di bloccaggio, alluminio, 25T: 22X-4
TLR331055	22X-4 Chassis Protective Tape Printed Precut	22X-4 Karosserie-Schutzband, bedruckt, vorgeschritten	Prédécoupage de ruban adhésif de protection de châssis 22X-4	Nstr protettivo telaio stamp pretagli 22X-4
TLR331056	Carbon Fiber Chassis, 2.5mm: 22X-4	Carbonfaser-Karosserie, 2,5 mm: 22X-4	Châssis en fibre de carbone, 2,5 mm : 22X-4	Telaio in fibra di carbonio 2,5 mm: 22X-4
TLR331059	Carbon Fiber Chassis, 2.5mm	Carbonfaser-Karosserie, 2,5 mm	Châssis en fibre de carbone, 2,5 mm	Telaio in fibra di carbonio 2,5 mm:
TLR331061	Carbon Wing Riser, 4mm: 22 5.0	Carbon-Dachspoiler, 4 mm: 22 5.0	Support d'aile en carbone, 4 mm : 22 5.0	Rialzo alettone, carbonio, 4 mm: 22 5.0
TLR332016	Pinion Gear 16T, 48P, AL	Ritzel 16 Zähne 48P	Pignons 16 dents, 48DP, aluminium	Pignone 16T, 48P, AL
TLR332017	Pinion Gear 17T, 48P, AL	Ritzel 17 Zähne 48P	Pignons 17 dents, 48DP, aluminium	Pignone 17T, 48P, AL
TLR332018	Pinion Gear 18T, 48P, AL	Ritzel 18 Zähne 48P	Pignons 18 dents, 48DP, aluminium	Pignone 18T, 48P, AL
TLR332019	Pinion Gear 19T, 48P, AL	Ritzel 19 Zähne 48P	Pignons 19 dents, 48DP, aluminium	Pignone 19T, 48P, AL
TLR332020	Pinion Gear 20T, 48P, AL	Ritzel 20 Zähne 48P	Pignons 20 dents, 48DP, aluminium	Pignone 20T, 48P, AL
TLR332021	Pinion Gear 21T, 48P, AL	Ritzel 21 Zähne 48P	Pignons 21 dents, 48DP, aluminium	Pignone 21T, 48P, AL
TLR332022	Pinion Gear 22T, 48P, AL	Ritzel 22 Zähne 48P	Pignons 22 dents, 48DP, aluminium	Pignone 22T, 48P, AL
TLR332023	Pinion Gear 23T, 48P, AL	Ritzel 23 Zähne 48P	Pignons 23 dents, 48DP, aluminium	Pignone 23T, 48P, AL
TLR332024	Pinion Gear 24T, 48P, AL	Ritzel 24 Zähne 48P	Pignons 24 dents, 48DP, aluminium	Pignone 24T, 48P, AL
TLR332025	Pinion Gear 25T, 48P, AL	Ritzel 25 Zähne 48P	Pignons 25 dents, 48DP, aluminium	Pignone 25T, 48P, AL
TLR332026	Pinion Gear 26T, 48P, AL	22 3.0 Ritzel 26 Zähne 48P	Pignons 26 dents, 48DP, aluminium	Pignone 26T, 48P, AL
TLR332027	Pinion Gear 27T, 48P, AL	22 3.0 Ritzel 27 Zähne 48P	Pignons 27 dents, 48DP, aluminium	Pignone 27T, 48P, AL
TLR332078	CVA Sleeve, Aluminum (2): 22X-4	CVA-Hülse, Aluminium (2): 22X-4	Manchon CVA, aluminium (2) : 22X-4	Manicotto CVA, alluminio (2): 22X-4
TLR332079	Center Bulkhead, Aluminum: 22X-4	Mittige Spritzwand, Aluminium: 22X-4	Cloison centrale, aluminium : 22X-4	Paratia centrale, alluminio: 22X-4

## OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
TLR332080	Center Diff Cover, Aluminum: 22X-4	Abdeckung mittleres Differential, Aluminium: 22X-4	Cache de différentiel central, aluminium : 22X-4	Coperchio diff. centrale, alluminio: 22X-4
TLR332081	LCD Drive Set (2): 22X-4	LCD-Antriebssatz (2): 22X-4	Ensemble de transmission LCD (2) : 22X-4	Kit trascinamento LCD (2): 22X-4
TLR332083	Ring and Pinion Set, Composite: 22X-4	Ring- und Ritzelsatz, Verbundstoff: 22X-4	Ensemble d'anneaux et de pignons, composite : 22X-4	Kit pignone e corona, composito: 22X-4
TLR332084	Internal Diff Gear Set, Composite: 22X-4	Interner Differentialgetriebesatz, Verbundstoff: 22X-4	Ensemble d'engrenage de différentiel interne, composite : 22X-4	Kit ingr. diff. interno, composito: 22X-4
TLR332085	Center Diff Complete, Metal: 22X-4	Mittiges Differential vollständig, Metall: 22X-4	Différentiel central complet, métal : 22X-4	Diff. centrale completo, metallo: 22X-4
TLR332086	Front/Rear Diff Complete, Metal: 22X-4	Vorderes/Hinteres Differential vollständig, Metall: 22X-4	Différentiel complet avant/arrière, métal : 22X-4	Diff. anteriore/posteriore completo, metallo: 22X-4
TLR333013	Machined Shock Pistons, Thin, 2 x 1.5mm, G3 (2)	Gefräste Stoßdämpferkolben, dünn, 2 x 1,5 mm, G3 (2)	Pistons amortisseurs usinés, fins, 2 x 1,5 mm, G3 (2)	Pistoni amm. lavorati, sottili, 2 x 1,5 mm, G3 (2)
TLR333015	Machined Shock Pistons, Thin, 1.6/1.7 Split G3 (2)	Gefräste Stoßdämpferkolben, dünn, 1,6/1,7 Split G3 (2)	Pistons amortisseurs usinés, fins, 1.6-1.7 partagés, G3 (2)	Pistoni amm. lavorati, sottili, 1,6/1,7 divisi, G3 (2)
TLR333017	Machined Shock Pistons, Thin, 2 x 1.8mm, G3 (2)	Gefräste Stoßdämpferkolben, dünn, 2 x 1,7 mm, G3 (2)	Pistons amortisseurs usinés, fins, 2 x 1,8 mm, G3 (2)	Pistoni amm. lavorati, sottili, 2 x 1,8 mm, G3 (2)
TLR333022	Shock Piston 2.3mm 2x1.5mm G3	Stoßdämpferkolben 2,3 mm 2 x 1,5 mm G3	Piston d'amortisseur 2,3 mm 2x1,5 mm G3	Pistone amm 2,3 mm 2x1,5 mm G3
TLR333023	Shock Piston 2.3mm 2x1.6mm G3	Stoßdämpferkolben 2,3 mm 2 x 1,6 mm G3	Piston d'amortisseur 2,3 mm 2x1,6 mm G3	Pistone amm 2,3 mm 2x1,6 mm G3
TLR333024	Shock Piston 2.3mm 2x1.7mm G3	Stoßdämpferkolben 2,3 mm 2 x 1,7 mm G3	Piston d'amortisseur 2,3 mm 2x1,7 mm G3	Pistone amm 2,3 mm 2x1,7 mm G3
TLR333025	Shock Piston 2.3mm 2x1.8mm G3	Stoßdämpferkolben 2,3 mm 2 x 1,8 mm G3	Piston d'amortisseur 2,3 mm 2x1,8 mm G3	Pistone amm 2,3 mm 2x1,8 mm G3
TLR334078	VHA Hub Set, Aluminum: 22X-4	VHA Nabensatz, Aluminium: 22X-4	Ensemble de moyeux VHA, aluminium : 22X-4	Kit mozzo VHA, alluminio: 22X-4
TLR336001	4mm Aluminum Serrated Lock Nuts, Blue (6)	4mm Aluminium Stopmutter mit Flansch Blau (6).	Ecrou auto-freiné épaulé M4, aluminium, bleu (6)	Dado autobloccante 4mm dentellato, blu (6)
TLR336002	TLR 22 Series Hardware Box, Metric: 22/T/SCT/22-4	TLR22 Serie Kleinteilebox Metrisch: 22/T/SCT/22-4	22/T/SCT/22 -4 - Boite de visserie métrique pour TLR 22	TLR22 Set Hardware Metrico 22/T/SCT/22-4
TLR43021	Front Wheel, Yellow (2): 22X-4	Vorderad Gelb (2): 22X-4	22X-4 - Jantes avant jaunes (2)	Ruota anteriore, gialla (2): 22X-4
TLR43022	Front Wheel, White (2): 22X-4	Vorderad Weiss (2): 22X-4	22X-4 - Jantes arrière blanches (2)	Ruota anteriore, bianca (2): 22X-4
TLR5279	Silicone Diff Fluid, 3000CS	Differential-Silikonflüssigkeit, 3000CS	Liquide silicone pour différentiel, 3000CS	Olio al silicone per differenziale, 3000CS
TLR5280	Silicone Diff Fluid, 5000CS	Differential-Silikonflüssigkeit, 5000CS	Liquide silicone pour différentiel, 5000CS	Olio al silicone per differenziale, 5000CS
TLR5281	Silicone Diff Fluid, 7000CS	Differential-Silikonflüssigkeit, 7000CS	Liquide silicone pour différentiel, 7000CS	Olio al silicone per differenziale, 7000CS
TLR5282	Silicone Diff Fluid, 10,000CS	Differential-Silikonflüssigkeit, 10.000CS	Liquide silicone pour différentiel, 10,000CS	Olio al silicone per differenziale, 10.000CS
TLR5283	Silicone Diff Fluid, 15,000CS	Differential-Silikonflüssigkeit, 15.000CS	Liquide silicone pour différentiel, 15,000CS	Olio al silicone per differenziale, 15.000CS
TLR5284	Silicone Diff Fluid, 20,000CS	Differential-Silikonflüssigkeit, 20.000CS	Liquide silicone pour différentiel, 20,000CS	Olio al silicone per differenziale, 20.000CS
TLR5285	Silicone Diff Fluid, 30,000CS	Differential-Silikonflüssigkeit, 30.000CS	Liquide silicone pour différentiel, 30,000CS	Olio al silicone per differenziale, 30.000CS
TLR5288	Silicone Differential Fluid, 125,000CS	Differential-Silikonflüssigkeit, 125.000CS	Liquide silicone pour différentiel, 125,000CS	Olio al silicone per differenziale, 125.000CS
TLR6030	Titanium Ball Stud, 4.8 x 6mm (2)	Titan Kugelköpfe, 4.8 x 6mm (2)	Rotule en titane, 4,8 x 6mm (2)	Perno sferico, titanio, 4.8 x 6mm (2)



## OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
TLR6031	Titanium Ball Stud, 4.8 x 8mm (2)22/22T	Titan Kugelköpfe, 4.8 x 8mm (2)	Rotule en titane, 4,8 x 8mm (2)	Perno sferico, titanio, 4.8 x 8mm (2)
TLR6032	Titanium Ball Stud, 4.8 x 10mm (2)22/22T	Titan Kugelköpfe, 4.8 x 10mm (2)	Rotule en titane, 4,8x10mm (2)	Perno sferico, titanio, 4.8 x 10mm (2)
TLR70007	TLR Team Foam Pit Mat	Team Schaumstoffmatte	Pit mat en mousse TLR Team	Pozzo schiumato TLR Team opaco
TLR7100	Rear Wheel, White (2): 22	Felge hinten, Weiss (2)	Jante arrière blanc (2)	Ruota posteriore, bianca (2)
TLR7101	Rear Wheel, Yellow (2): 22	Felge hinten, Gelb (2)	Jante arrière jaune (2)	Ruota posteriore, gialla (2)
TLR72000	Ball cup wrench, 4.8mm, 22/T/SCT	Kugelkopf Inbus 4.8mm	Clé pour rotules 4.8mm	Chiave per attacco a sfera, 4.8mm
TLR74006	Silicone Shock oil, 30wt, 2oz	Silikon Stoßdämpfer Öl, 30wt, 2oz	Huile silicone d'amortisseur, 30wt, 60 ml	Olio silicone ammortizzatore, 30wt, 2oz
TLR74007	Silicone Shock Oil, 32.5 wt, 2 oz	Silikonstoßdämpferöl, 32,5wt, 2 oz	Huile silicone d'amortisseur, 32,5wt, 60 ml	Olio silicone ammortizzatori, 32.5wt, 2oz
TLR74008	Silicone Shock Oil, 35 wt, 2 oz	Silikonstoßdämpferöl, 35wt, 2 oz	Huile silicone d'amortisseur, 35wt, 60 ml	Olio silicone ammortizzatori, 35wt, 2oz
TLR74009	Silicone Shock Oil, 37.5 wt, 2 oz	Silikonstoßdämpferöl, 37.5wt, 2 oz	Huile silicone d'amortisseur, 37.5wt, 60 ml	Olio silicone ammortizzatori, 37.5wt, 2oz
TLR74010	Silicone Shock Oil, 40 wt, 2 oz	Silikonstoßdämpferöl, 40wt, 2 oz	Huile silicone d'amortisseur, 40wt, 60 ml	Olio silicone ammortizzatori, 40wt, 2oz
TLR74011	Silicone Shock Oil, 42.5 wt, 2 oz	Silikonstoßdämpferöl, 42.5wt, 2 oz	Huile silicone d'amortisseur, 42.5wt, 60 ml	Olio silicone ammortizzatori, 42.5wt, 2oz
TLR74012	Silicone Shock Oil, 45 wt, 2 oz	Stoßdämpfer-Silikonöl, 45 wt, 59 ml (2oz)	Huile de silicone pour amortisseur, 45 wt, 2 onces.	Olio al silicone per ammortizzatore, 45 wt, 60 ml
TLR74013	Silicone Shock Oil, 50 wt, 2 oz	Stoßdämpfer-Silikonöl, 50 wt, 59 ml (2oz)	Huile de silicone pour amortisseur, 50 wt, 2 onces.	Olio al silicone per ammortizzatore, 50 wt, 60 ml
TLR74031	Silicone Shock Oil, 47.5 wt, 2 oz	Stoßdämpfer-Silikonöl, 47,5 wt, 59 ml (2oz)	Huile de silicone pour amortisseur, 47,5 wt, 2 onces.	Olio al silicone per ammortizzatore, 47,5 wt, 60 ml
TLR75001	Silicone Diff Fluid, 40,000CS	Differential-Silikonflüssigkeit, 40,000CS	Liquide silicone pour différentiel, 40,000CS	Olio al silicone per differenziale, 40.000CS
TLR75005	Silicone Diff Fluid, 12,500CS	Differential-Silikonflüssigkeit, 12,500CS	Liquide silicone pour différentiel, 12,500CS	Olio al silicone per differenziale, 12.500CS
TLR75006	Silicone Diff Fluid, 4,000CS	Differential-Silikonflüssigkeit, 4,000CS	Liquide silicone pour différentiel, 4,000CS	Olio al silicone per differenziale, 4.000CS
TLR75007	Silicone Diff Fluid, 6,000CS	Differential-Silikonflüssigkeit, 6,000CS	Liquide silicone pour différentiel, 6,000CS	Olio al silicone per differenziale, 6.000CS
TLR75008	Silicone Diff Fluid, 200,000CS	Differential-Silikonflüssigkeit, 200,000CS	Liquide silicone pour différentiel, 200,000CS	Olio al silicone per differenziale, 200.000CS
TLR76006	Tire Glue, 1oz, THIN	Reifenklebemittel, Dünn	Colle de pneu, fine	Colla pneumatici, fine
TLR76007	Tire Glue, 1oz, STANDARD	Reifenklebemittel, Standard	Colle de pneu, standard	Colla pneumatici, standard
TLR77002	Shock O-ring Grease, 8cc	Fett 8cc O-Ring	Graisse pour joints toriques d'amortisseurs, 8cc	Grasso o-ring ammort, 8cc
TLR77003	Gold Grease, 10g	Marine Grease (Schmierfett) 10 g	Graisse dorée, 10 g.	Gold Grease, 10g
TLR99102	Turnbuckle Wrench, 22,8B, 8T	Stellschlüssel für Gewindestift, 3.5, 4, 5mm	Clé à biellettes 3.5mm, 4mm, 5mm	Chiave per tenditore